

Frank Krönke 2015:
Kaltwasserfische. Haltung, Arten, Hintergründe.
Oculatusverlag, München. 460 S.

LITERATURVERZEICHNIS

HALTUNG / ALLGEMEIN

- Aikio, S.; Herczeg, G.; Kuparinen, A.; Merilä, J. 2013:
Optimal growth strategies under divergent predation pressure. *Journal of Fish Biology* 82: 318-331.
- Andrews, C., Exell, A. & Carrington, N. 2005:
Fischkrankheiten vorbeugen, erkennen, behandeln.- Eugen Ulmer GmbH & Co., Stuttgart.
- Barbosa, M.; Magurran, A.E. 2006:
Female mating decisions: maximizing fitness? *Journal of Fish Biology* 68: 1636-1661.
- Bassleer, G. 2006:
Der neue Bildatlas der Fischkrankheiten bei tropischen Zierfischen und Teichfischen. Verlag Aquarium Münster.
- Baur, W. & Rapp, J. 1988:
Gesunde Fische.- Paul Parey, Hamburg, Berlin.
- Bauer, R. 1991:
Erkrankungen der Aquarienfische.- Verlag Paul Parey, Berlin, Hamburg.
- Beardsley, H.; Britton, J.R. 2012:
Contribution of temperature and nutrient loading to growth rate variation of three cyprinid fishes in a lowland river. *Aquatic Ecology* 46: 143-152.
- Beitinger T. L., W. A. Bennet, R.W. McCauley 2000:
Temperature tolerances of North American freshwater fishes exposed to dynamic changes in temperature. *Environmental Biology of Fishes* 58: 237-275.
- Bieler, K. 2008:
Keilbecken – ein nützliches Utensil für die Nachzucht kleiner Fische. *DATZ* 61(8): 16-19.
- Benno ter Höfte, B. & Arend, P. 1997:
Frickhingers Gesund wie der Fisch im Wasser?.- Tetra-Verlag, Melle, 12. überarb. Auflage.
- Britton, J.R.; Cucherousset, J.; Davies, G.D.; Godard, M.J.; Copp, G.H. 2010:
Non-native fishes and climate change: predicting species responses to warming temperatures in a temperate region. *Freshwater Biology* 55: 1130-1141.
- Bursche E. M. 1980:
Wasserpflanzen. Kleine Botanik der Wassergewächse. Verlag J. Neumann-Neudamm. Melsungen.
- Celada, J.D.; Carral, J.M.; Rodríguez, R. et al. 2007:
Tench (*Tinca tinca*) larvae rearing under controlled conditions: density and basic supply of *Artemia* naupli as the sole food. *Aquaculture International* 15: 489-495.

- Celada, J.D.; Aguilera, A.; Carral, J.M. et al. 2008:
Rearing tench (*Tinca tinca*) larvae on live feed (*Artemia*) and on two transition schedules from live to dry diets. *Journal of Applied Ichthyology* 24: 595-600.
- Dorenbosch, M.; Bakker, E.S. 2011:
Herbivoty in omnivorous fishes: effect of plant secondary metabolites and prey stoichiometry. *Freshwater Biology* 56: 1783-1797.
- Dorenbosch, M.; Bakker, E.S. 2011:
Effects of contrasting omnivorous fish on submerged macrophyte biomass in temperate lakes: a mesocosm experiment. *Freshwater Biology* 57: 1360-1372.
- Engelmann W.E. (Hg.) 2005:
Zootierhaltung. Tiere in menschlicher Obhut: Fische. Wissenschaftlicher Verlag Harri Deutsch, Frankfurt a.M.
- Hanel, U.; Vogel, T. 2009:
Nachzucht leicht gemacht – mit dem Keil- oder V-Becken. *DATZ* 62(3): 18-19.
- Hayden, B.; Massa-Gallucci, A.; Caffrey, J. Et al. 2011:
Trophic dynamics within a hybrid zone – interactions between an abundant cyprinid hybrid and sympatric parental species. *Freshwater Biology* 56: 1723-1735.
- Helfman, G.S.; Collette, B.B.; Facey, D.E.; Bowen, B.W. 2010:
The diversity of fishes. *Biology, evolution, and ecology*. 2nd. Ed. Wiley-Blackwell, Chichester, UK.
- Helfman, G.S.; Collette, B.B. 2011:
Fishes. The animal answer guide. John Hopkins University Press. Baltimore. 178 S.
- Herczeg, G.; Gonda, A.; Kuparinen, A.; Merilä, J. 2012:
Contrasting growth strategies of pond versus marine populations of nine-spined stickleback (*Pungitius pungitius*): a combined effect of predation and competition? *Evolutionary Ecology* 26: 109-122.
- Hesthagen, T.; Forseth, T.; Hegge, O. et al. 2004:
Annual variability in the life-history characteristics of brown trout (*Salmo trutta*) and Arctic charr (*Salvelinus alpinus*) in a subalpine Norwegian lake. *Hydrobiologia* 521: 177-186.
- Hoffmann, R.W. 2005:
Fischkrankheiten. Verlag Eugen Ulmer, Stuttgart.
- Hrbek, T.; Meyer, A. 2003:
Closing of the Tethys Sea and the phylogeny of Eurasian killifishes. *Journal of Evolutionary Biology* 16: 17-36.
- Hütter, L.A. 1979:
Wasser und Wasseruntersuchung.- Diesterweg Salle Sauerländer, Frankfurt a.M.
- Junger, H.; Kotrschal, K.; Goldschmid, A. 1989:
Comparative morphology and ecomorphology of the gut in European cyprinids (Teleostei). *Journal of Fish Biology* 34: 315-326.
- Klinger, R. 2010:
Regenwürmer – Helfer im Garten. Lebendiger Boden, gesunde Pflanzen, reiche Ernte. Pala-Verlag Darmstadt. 171 S.
- Kölle, P. 2001:
Fisch-Krankheiten.- Franckh-Kosmos Verlags-GmbH & Co., Stuttgart.
- Krause, H.J. 2004:
Handbuch Aquarientechnik. bede. Ruhmannsfelden

- Krause, H.J. 2004:
Handbuch Aquarienwasser. bede. Ruhmannsfelden
- Krönke, F. 2009:
Nicht das Volumen, die Grundfläche ist entscheidend. *Aquarium Live* 5/2009: 55-56.
- Krönke, F. 2009:
Was uns das Maul des Fisches erzählt (Fischkunde). *Aquarium Live* 6/2009: 42-47.
- Krönke, F. 2009:
Lecker Regenwürmer (Futtertipp). *Aquarium Live* 5/2009: 26-29.
- Krönke, F. 2011:
Kaltwasseraquaristik – Was ist das ? Wo fängt sie an, wo hört sie auf ? *DATZ* 64 (4): 8-11.
- Krönke, F. 2015/16:
Fische für den Gartenteich. *Chimaira*. 220 S. (in Vorbereitung).
- Long J.A. 1995:
The Rise of Fishes. 500 Million Years of Evolution. University of New South Wales Press.
- Long, J.A. 2011:
The rise of Fishes. 500 million years of evolution. 2., überarbeitete Auflage. The John Hopkins University Press. Baltimore.
- Maisey J.G. 1996:
Discovering Fossil Fishes. Henry Holt and Company, Inc. New York.
- Mehlhorn, B., Mehlhorn, H. & Schmahl, G. 1992:
Gesundheit für Zierfische. Parasiten erkennen und bekämpfen.- Springer Verlag, Berlin, Heidelberg.
- Moyle P. B., J.L. Cech, Jr. 2004:
Fishes. An Introduction to Ichthyology. 5th Edition. Prentice Hall. Upper Saddle River, NJ 07458.
- Nelson J.S. 2006:
Fishes of the World. 4th Edition. John Wiley & Sons, Inc. Hoboken, New Jersey.
- Nurminen, L.; Horpilla, J.; Lappalainen, J.; Malinen, T. 2003:
Implications of rudd (*Scardinius erythrophthalmus*) herbivory on submerged macrophytes in a shallow eutrophic lake. *Hydrobiologia* 506-509: 511-518.
- Owen, M.A.G.; Davies, S.J.; Sloman, K.A. 2010:
Light colour influences the behaviour and stress physiology of captive tench (*Tinca tinca*). *Rev. Fish Biol. Fisheries* 20: 375-380.
- Romer A.S., T.S. Parsons 1991 (1978, 1979):
Vergleichende Anatomie der Wirbeltiere. Verlag Paul Parey. Hamburg.
- Rubenstein, D.I. 1981a:
Population density, resource patterning and territoriality in the everglades pygmy sunfish. *Animal Behaviour* 29(1):155-172.
- Rubenstein, D.I. 1981b:
Combat and communication in the Everglades pygmy sunfish. *Animal Behaviour* 29(1): 249-258.
- Saxby, A.; Adams, Snellgrove, D. et al. 2010:
The effect of group size on the behaviour and welfare of four fish species commonly kept in home aquaria. *Applied Animal Behaviour Science* 125: 195-205.
- Schaefer, C. & Stawikowski, R. 2012:

- Der CO₂-Ratgeber.- Verlag Eugen Ulmer, Stuttgart.
- Schager, E.; Peter, A. 2005:
Bedrohte strömungsliebende Cypriniden in der Thur: Status und Zukunft. Eawag, Angewandte Gewässerökologie. WWW.eawag.ch
- Schreckenbach, K. & Wedekind, H. 2001:
Umwelt- und Ernährungseinflüsse als Wegbereiter für Fischkrankheiten. In: Wedekind, H. (Hrsg.): Fischkrankheiten.- EAFP-Schrift Tagung 2000 in Potsdam, Institut für Binnenfischerei, Groß Glienicke, S. 14-31.
- Slavík, O.; Pešta, M.; Horký, P. 2011:
Effect of grading on energy consumption in European catfish *Silurus glanis*. *Aquaculture* 313: 73-78.
- Slovan, K.A.; Baldwin, L.; McMahon, S.; Snellgrove, D. 2011:
The effects of mixed-species assemblage on the behaviour and welfare of fish held in home aquaria. *Applied Animal Behaviour Science* 135: 160-168.
- Sterba, G. 1990:
Süßwasserfische der Welt. Urania Verlag. Leipzig.
- Sunardi; Asaeda, T.; Manatunge, J. 2007:
Physiological responses of topmouth gudgeon, *Pseudorasbora parva*, to predator cues and variation of current velocity. *Aquat. Ecology* 41: 111-118.
- Thaler E., D. Knop 2003 :
Frostfutter oder Frustfutter ? Meerwasseraquaristik-Fachmagazin Koralle (Ausgabe 20, Mai/Juni 2003)
- Tönsmeier D. 1989:
Einheimische Fische im Aquarium. Verlag Eugen Ulmer. Stuttgart.
- Untergasser, D. 1989:
Krankheiten der Aquarienfische.- Franckh-Kosmos Verlags-GmbH & Co., Stuttgart.
- Untergasser, D. 2000:
Gesunde Aquarienfische.- bede-Verlag, Ruhmannsfelden.
- Van Der Veen, I.T.; Sivars, L.E. 2000:
Causes and consequences of mass loss upon predator encounter: feeding interruption, stress of fit-for-flight? *Functional Ecology* 14: 638-44.
- Wootton R.J. 1998:
Ecology of Teleost Fishes. 2nd. Ed. Kluwer Academic Publishers. Dordrecht.
- Worischka, S.; Hoebisch, C.; Hellman, C.; Winkelmann, C. 2012:
Habitat overlap between predatory benthic fish and their invertebrate prey in streams: the relative influence of spatial and temporal factors on predation risk. *Freshwater Biology* 57: 2247-2261.

Stand Mai 2012:

<http://www.aqua-fish.net/>

<http://www.aquamax.de/HGo6UGo2.htm>

<http://www.aqua-medic.de/>

<http://www.deters-ing.de/Filtertechnik/Mattenfilter.htm>

<http://www.fishbase.org>

<http://www.ornamentalfish.org/>

<http://de.tecoonline.eu/product/TR-10/>

<http://www.tuempeln.de/futter/lebendfutter.html>
<http://www.filaman.ifm-geomar.de/identification/speciesl...>

American Society of Ichthyologists and Herpetologists (ASIH)
Southeastern Fishes Council
North American Native Fishes Association (NANFA)
American Fisheries Society (AFS)
The Catalog of Fishes
Tulane Museum of Natural History
University of Alabama Ichthyological Collection
National Museum of Natural History

„Der Aquarianer“

<http://www.stupidedia.org/stupi/Aquarianer>

EMPFEHLENSWERTE FOTOBÄNDE

Bergbauer, M.; Frei, H. 2000:

Süßwasserfische richtig bestimmen. Jahr-Verlag. Hamburg.

Frei, H. 1996:

Wunderwelt unter Wasser: heimische Fische vor der Kamera. Jahr-Verlag.
Hamburg.

Frei, H. 2011:

Das grüne Universum. Geheimnisvolle Welten in heimischen Gewässern. Müller
Rüschlikon Verlag.

Roggo, M.; Rossi, P.P. 2008:

Süßwasser. Mit den Augen eines Bilderfischers. Paulus Verlag, Freiburg, Schweiz.

ARTEN

Der Übersichtlichkeit und Rückverfolgbarkeit halber wird die verwendete Literatur nach Kontinenten und Arten gegliedert wiedergegeben. In einigen Fällen werden hierbei mehrere Arten einer Gattung zusammengefasst. Literatur, die jedoch mehrere, nicht näher verwandte Arten behandelt, wird lediglich dem jeweiligen Kontinent zugeordnet und unter „allgemein“ und nicht ein weiteres Mal unter der jeweiligen Art aufgeführt.

EUROPA

Allgemein

Bayerisches Staatsministerium für Ernährung, Landwirtschaft und Forsten 2000:
Ergebnisse der Artenkartierungen in den Fließgewässern Bayerns. Fische, Krebse,
Muscheln. München.

- Bergbauer, M.; Frei, H. 2000:
Süßwasserfische richtig bestimmen. Jahr-Verlag. Hamburg.
- Bergbauer, M. 2011:
Was lebt in heimischen Seen? Ein Bestimmungsbuch für Taucher und Schnorchler. Franckh-Kosmos-Verlag, Stuttgart.
- Frei, H. 1996:
Wunderwelt unter Wasser: heimische Fische vor der Kamera. Jahr-Verlag. Hamburg.
- Gerstmeier R., T. Romig 2003:
Die Süßwasserfische Europas für Naturfreunde und Angler. Kosmos Stuttgart.
- Kottelatt M., J. Freyhof 2007:
Handbook of European Freshwater Fishes. Selbstverlag.
- Krönke, F. 2008:
Fische in München. Bund Naturschutz in Bayern e.V. 24 S.
- Ministerium für Ernährung und Ländlichen Raum/ U. Dußling, R. Berg 2001:
Fische in Baden-Württemberg. Stuttgart.
- Sächsische Landesanstalt für Landwirtschaft, Staatl. Naturhistorische Sammlung Dresden / G. Füllner, M. Pfeifer, A. Zarske 2005:
Atlas der Fische Sachsens. Rundmäuler, Fische, Krebse. Dresden.
- Terofal F. 1984:
Süßwasserfische. Steinbachs Naturführer. Mosaik Verlag. München.
- Tönsmeier D. 1989:
Einheimische Fische im Aquarium. Verlag Eugen Ulmer. Stuttgart.
- Vilcinskas A. 2004:
Fische. Mitteleuropäische Süßwasserarten und Meeresfische der Nord- und Ostsee. BLV Bestimmungsbuch. BLV Verlagsgesellschaft. München.
- Wolter C., R. Arlinghaus, U.A. Grosch, A. Vilcinskas 2003:
Fische & Fischerei in Berlin. Zeitschrift für Fischkunde. Supplementband 2. Verlag Natur und Wissenschaft.

Acipenser sturio, Sterlet

- Bloesch, J.; Jones, T.; Reinartz, R.; Striebel, B. 2005:
Action plan for the conservation of sturgeons (Acipenseridae) in the Danube River Basin. Convention on the conservation of European wildlife and natural habitats. Council of Europe. 87 S.
- Britton, J.R.; Davies, G.D. 2006:
Ornamental species of the genus Acipenser: new additions to the ichthyofauna of the UK. Fisheries Management and Ecology 13: 207-210.
- Coad, B. 2012:
Acipenseridae. <http://www.briancoad.com/Species%20Accounts/Description%20and%20Acipenseridae%20to%20Chanidae.htm>
- Fopp-Bayat, D.; Woznicki, P. 2007:
Spontaneous and induced gynogenesis in sterlet Acipenser ruthenus. Caryologia 60(4): 315-318.
- Holčík J. (Hg.) 1989:

- The Freshwater Fishes of Europe. Vol.1, Part II General Introduction to Fishes. Acipenseriformes. Aula-Verlag. Wiesbaden.
- Jarić, I.; Lenhardt, M.; Cvijanović, G.; Ebenhard, T. 2009:
Acipenser sturio and Acipenser nudiiventris in the Danube – extant or extinct ?
Journal of Applied Ichthyology 25: 137-141.
- Jarić, I.; Lenhardt, M.; Cvijanović, G.; Ebenhard, T. 2009:
Population viability analysis and potential of its application to Danube sturgeons.
Arch. Biol. Sci. Belgrade 61(1): 123-128.
- Jarić, I.; Gessner, J. 2012:
Analysis of publications on sturgeon research between 1996 and 2010.
Scientometrics 90: 715-735.
- Gessner, J.; Arndt, G.-M.; Tiedemann, R.; Bartel, R.; Kirschbaum, F. 2006:
Remediation measures for the Baltic sturgeon: status review and perspectives.
Journal of Applied Ichthyology 22 (Suppl. 1): 23-31.
- Gessner, J.; Tautenhahn, M.; Spratte, S.; Arndt, G.-M.; Nordheim von, H. 2011:
Development of a German Action plan for the restoration of the Eurasian sturgeon
Acipenser sturio – implementing international commitments on a national scale.
Journal of Applied Ichthyology 27: 192-198.
- Kirschbaum F.; Gessner, J. 2002:
Perspektiven der Wiedereinbürgerung des Europäischen Störs, Acipenser sturio,
im Einzugsgebiet der Elbe. Zeitschrift für Fischkunde, Suppl. 1, Ökologie der
Elbfische: 217-232.
- Kirschbaum F. 2007:
Wiedereinbürgerung von Stören. Aquaristik Fachmagazin 39(3): 18-25
- Peng, Z.; Ludwig, A.; Wang, D. et al. 2007:
Age and biogeography of major clades in sturgeons and paddlefishes. Molecular
Phylogenetics and Evolution 42: 854-862.
- Ognjanović, D.; Nikolić, V.; Simonović, P. 2008:
Morphometrics of two morphs of sterlet, Acipenser ruthenus, in the middle course
of the Danuba River (Serbia). Journal of Applied Ichthyology 24: 126-130.
- Raymarkers, C. 2006:
CITES, the convention on international trade in endangered species of wild fauna
and flora: its role in the conservation of Acipenseriformes. Journal of Applied
Ichthyology 22 (Suppl. 1): 53-65.
- Reinartz, R.; Lippold, S.; Lieckfeldt, D.; Ludwig, A. 2011:
Population genetic analysis of Acipenser ruthenus as a prerequisite for the
conservation of the uppermost Danube population. Journal of Applied Ichthyology
27: 477-483.
- Smederevac-Lalić, M.; Jarić, I.; Višnjić-Jeftić, Ž.; et al. 2011:
Management approaches and aquaculture of sturgeon in the Lower Danube
region. Journal of Applied Ichthyology 27 (Suppl. 3): 94-100.
- Tiedemann, R.; Moll, K.; Paulus, K.B. et al. 2007:
Atlantic sturgeons (Acipenser sturio, A. oxirinchus): American females successful
in Europe. Naturwissenschaften 94: 213-217.

Alburnoides bipunctatus, Schneider

Breitenstein, M. 1997:

Altersstruktur, Wachstum, Wanderverhalten und Ontogenese des Schneiders (*Alburnoides bipunctatus*) in der Aare. Diplomarbeit der Phil.-Nat.Wiss Fakultät der Universität Bern. 70 S.

Breitenstein, M.; Kirchhofer, A. 2000:

Growth, age structure and species association of the cyprinid *Alburnoides bipunctatus* in the Aare river, Switzerland. *Folia Zool.* 49(1): 59-68.

Copp, G.H.; Kováč, V.; Sírjová, S. 2010:

Microhabitat use by stream-dwelling spiralin *Alburnoides bipunctatus* and accompanying species: implications for conservation. *Folia Zool.* 59(3): 240-256.

Kováč, V.; Katina, S.; Copp, G.H.; Sírjova, S. 2006:

Ontogenetic variability in external morphology and microhabitat use of spiralin *Alburnoides bipunctatus* from the river Rudava (Danube catchment). *Journal of Fish Biology* 68: 1257-1270.

Pirai, M.; Treer, T.; Aničić, I.; Safner, R.; Odak, T. 2004:

The natural diet of five cyprinid fish species. *Agriculturae Conspectus Scientificus* 70(1): 21-28.

Ruchin, A.B.; Shlyakhtin, G.V.; Artaev, O.N. 2009:

Species composition and quantitative representation of fishes in biotopes with the riffle minnow *Alburnoides bipunctatus*. *Russian Journal of Ecology.* 40(3): 194-198.

Treer, T.; Habekovic, D.; Anicic, I.; Safner, R.; Pira, M. 2000:

Growth of five spiralin (*Alburnoides bipunctatus*) populations from Croatian rivers. *Agriculturae Conspectus Scientificus* 65(3): 176-180.

Treer, T.; Pira, M.; Anicic, I.; Safner, R.; Tomljanovic, T. 2006:

Diet and growth of spiralin, *Alburnoides bipunctatus* in the barbell zone of the Sava river. *Folia Zool.* 55(1): 97-106.

Anguilla anguilla, Europäischer Aal

Albert, V.; Jónsson, B.; Bernatchez, L. 2006:

Natural hybrids in Atlantic eels (*Anguilla anguilla*, *A. rostrata*): evidence for successful reproduction and fluctuating abundance in space and time. *Molecular Ecology* 15: 1903-1916.

Aquiloni, L.; Brusconi, S.; Cechinelli, E. et al. 2010:

Biological control of invasive populations of crayfish: the European eel (*Anguilla anguilla*) as a predator of *Procambarus clarkii*. *Biol. Invasions* 12: 3817-3824.

Arai, T.; Kotake, A.; McCarthy, T.K. 2006:

Habitat use by the European eel *Anguilla anguilla* in Irish waters. *Estuarine, Coastal and Shelf Science* 67: 569-578.

Avise, J.C. 2011:

Catadromous eels continue to be slippery research subjects. *Molecular Ecology* 20: 1317-1319.

Avise, J.C.; Helfman, G.S.; Saunders, N.C.; Hales, L.S. 1986:

- Mitochondrial DNA differentiation in North Atlantic eels: population genetic consequences of an unusual life history pattern. *Proc. Natl. Acad. Sci. USA* 83: 4350-4354.
- Bilotta, G.S.; Sibley, P.; Hateley, J.; Don, A. 2011:
The decline of the European eel *Anguilla anguilla*: quantifying and managing escapement to support conservation. *Journal of Fish Biology* 78: 23-38.
- Bonhommeau, S.; Castonguay, M.; Rivot, E.; Sabatié, R.; Le Pape, O. 2010:
The duration of migration of Atlantic *Anguilla* larvae. *Fish and Fisheries* 11: 289-306.
- Costa, J.L.; Domingos, I.; Assis, C.A.; Almeida, P.R. et al. 2008:
Comparative ecology of the European eel, *Anguilla anguilla*, in a large Iberian river. *Environmental Biology of Fish* 81: 421-434.
- Cucherousset, J.; Acou, A.; Blanchet, S.; Britton, J.R. et al. 2011:
Fitness consequences of individual specialisation in resource use and trophic morphology in European eels. *Oecologia* 167: 75-84.
- Daverat, F.; Beaulaton, L.; Poole, R.; Lambert, P. et al. 2012:
One century of eel growth: changes and implications. *Ecology of Freshwater Fish* 21: 325-336.
- Davidson, J.G.; Finstad, B.; Økland, F.; Thorstad, E.B.; Mo, T.A.; Rikardsen, A.H. 2011:
Early marine migration of European silver eel *Anguilla anguilla* in northern Norway. *Journal of Fish Biology* 78: 1390-1404.
- Geeraerts, C.; Belpaire, C. 2010:
The effects of contaminants in European eel: a review. *Ecotoxicology* 19: 239-266.
- Horváth, L.; Székely, C.; Boczonádi, Z.; Mészáros, E. et al. 2011:
Induced oogenesis of the European eel (*Anguilla anguilla*) in freshwater condition. *Acta Biologica Hungarica* 62(4): 485-488.
- Kettle, A.J.; Vøllestad, L.A.; Wibig, J. 2011:
Where once the eel and the elephant were together: decline of the European eel because of changing hydrology in southwest Europe and northwest Africa? *Fish and Fisheries* 12: 380-411.
- Lasne, E.; Laffaille, P. 2008:
Assessing the freshwater distribution of yellow eel. *Knowledge and Management of Aquatic Ecosystems* 2008: 390-391.
- Mank, J.E.; Avise, J.C. 2003:
Microsatellite variation and differentiation in North Atlantic eels. *Journal of Heredity* 94(4): 310-314.
- Minegishi, Y.; Henkel, C.V.; Dirks, R.P.; van den Thillart, G. 2012:
Genomics in eel – towards aquaculture and Biology. *Mar. Biotechnol.* 14: 583-590.
- Munk, P.; Hansen, M.M.; Maes, G.E.; Nielsen, T.G. et al. 2010:
Oceanic fronts in the Sargasso Sea control the early life and drift of Atlantic eels. *Proceedings of the Royal Society B*, 277: 3593-3599.
- Palstra, A.P.; Van den Thillart, G. 2010:
Swimming physiology of European silver eels (*Anguilla anguilla*): energetic costs and effects on sexual maturation and reproduction. *Fish Physiol. Biochem.* 36: 297-322.
- Pedersen, B.H. 2004:

Fertilisation of eggs, rate of embryonic development and hatching following induced maturation of the European eel *Anguilla anguilla*. *Aquaculture* 237: 461-472.

Riley, W.D.; Walker, A.M.; Bendall, B.; Ives, M.J. 2011:

Movements of the European eel (*Anguilla anguilla*) in a chalk stream. *Ecology of Freshwater Fish* 20: 628-635.

Tesch, F.W. 1999:

Der Aal. 3., neubearbeitete Auflage. Parey Verlag Berlin. 397 S.

Van Ginneken, V.J.T.; Maes, G.E. 2005:

The European eel (*Anguilla anguilla*), its lifecycle, evolution and reproduction: a literature review. *Rev. Fish Biol. Fisheries* 15: 367-398.

http://www.greenpeace.de/themen/meere/fischerei/artikel/gift_im_fisch/

http://www.greenpeace.de/fileadmin/gpd/user_upload/themen/meere/Chemie_im_Aal_Swimming_in_Chemicals_1.pdf

Apollonia melanostoma, Schwarzmaulgrundel

Balážová-L'avrinčíková, M.; Kováč, V. 2007:

Epigenetic context in the life history traits of the round goby, *Neogobius melanostomus*. In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 233-258.

Björklund, M.; Almqvist, G. 2010:

Rapid spatial genetic differentiation in an invasive species, the round goby *Neogobius melanostomus* in the Baltic Sea. *Biol. Invasion* 12: 2609-2618.

Borcherding, J.; Staas, S.; Krüger, S.; Ondračková, M.; Šlapanský, L.; Jurajda, P. 2011:

Non-native Gobiid species in the lower River Rhine (Germany): recent range extensions and densities. *Journal of Applied Ichthyology* 27: 153-155.

Brown, J.E.; Stepien, C.A. 2009:

Invasion genetics of the Eurasian round goby in North America: tracing sources and spread patterns. *Molecular Ecology* 18: 64-79.

Crossman, E. J., E. Holm, R. Cholmondeley, and K. Tuininga 1992:

First record for Canada of the rudd, *Scardinius erythrophthalmus*, and notes on the introduced round goby, *Neogobius melanostomus*. *Canadian Field-Naturalist* 106(2):206-209.

Dubs, D. O. L., and L. D. Corkum 1996:

Behavioral Interactions between round gobies (*Neogobius melanostomus*) and mottled sculpins (*Cottus bairdi*). *J Great Lakes Res.* 22:838-845.

Horsthemke, H.; Taxacher, M. 2013:

Grundel-Fibel. Haltung und Zucht von Grundeln im Süß- und Brackwasser. Dähne Verlag. Ettlingen.

Krönke, F. 2008:

Ein ambivalenter Immigrant im Aquarium: *Neogobius melanostomus*, die Schwarzmaulgrundel. *AKFS aktuell* 21: 9-13.

Krönke, F. 2009:

Verhalten und Fortpflanzung der Schwarzmaulgrundel. *DATZ* 62(6): 38-41.

L'avrinčíková, M.; Kováč, V. 2007:

- Invasive round goby *Neogobius melanostomus* from the Danube mature at small size. *Journal of Applied Ichthyology* 23: 276-278.
- Marentette, J.R.; Corkum, L.D. 2008:
Does the reproductive status of male round gobies (*Neogobius melanostomus*) influence their response to conspecific odors? *Environmental Biology of Fish* 81: 447-455.
- Marentette, J.R.; Fitzpatrick, J.L.; Berger, R.G.; Balshine, S. 2009:
Multiple male reproductive morphs in the invasive round goby *Apollonia melastoma*. *Journal of Great Lakes Research* 35: 302-308.
- Neilson, M.E.; Stepien, C.A. 2009:
Escape from the Ponto-Caspian: evolution and biogeography of an endemic goby species flock (Benthophilinae: Gobiidae: Teleostei). *Molecular Phylogenetics and Evolution* 52: 84-102.
- Ondračková, M.; Francová, K.; Dávidová, M.; Polačik, M.; Jurajda, P. 2010:
Condition status and parasite infection of *Neogobius kessleri* and *N. melanostomus* (Gobiidae) in their native and non-native area of distribution of the Danube River. *Ecol. Res.* 25: 857-866.
- Polačik, M.; Janáč, M.; Jurajda, P. et al. 2009:
Invasive gobies in the Danube: invasion success facilitated by availability and selection of superior food resources. *Ecology of Freshwater Fish* 18: 640-649.
- Rakauskas, V.; Becevičius, E.; Pūtys, Ž.; Ložys, L.; Arbačiauskas, K. 2008:
Expansion, feeding, and parasites of the round goby, *Neogobius melanostomus*, a recent invader in the Curonian Lagoon, Lithuania. *Acta Zoologica Lituanica* 18(3): 180-190.
- Rollo, A.; Higgs, D. 2008:
Differential acoustic response specificity and directionality in the round goby, *Neogobius melanostomus*. *Animal Behaviour* 75: 1903-1912.
- Savino, J.F.; Riley, C.; Holuszko, M.J. 2007:
Activity, aggression, and habitat use of ruffe (*Gymnocephalus cernuus*) and round goby (*Apollonia melanostoma*) under laboratory conditions. *Journal of Great Lakes Research* 33: 326-334.
- Semenchenko, V.; Grabowska, J.; Grabowski, M.; Rizevski, V.; Pluta, M. 2011:
Non-native fish in Belarusian and Polish areas of the European central invasion corridor. *Oceanological and Hydrobiological Studies* 40(1): 57-67.
- Sokołowska, E.; Frey, D.P. 2011:
Age and growth of the round goby *Neogobius melanostomus* in the Gulf of Gdańsk several years after invasion. Is the Baltic Sea a new promised land? *Journal of Fish Biology* 78: 1993-2009.
- Taraborelli, A.C.; Fox, M.G.; Johnson, T.B.; Schaner, T. 2010:
Round goby (*Neogobius melanostomus*) population structure and mortality from predation in the Bay of Quinte, Lake Ontario. *Journal of Great Lakes Research* 36: 625-632.
- Van Kessel, N.; Dorenbosch, M.; De Boer, M.R.M.; Leuven, R.; Van Der Velde, G. 2011:
Competition for shelter between four invasive gobiids and two native benthic fish species. *Current Zoology* 57(6): 844-851.
- Vélez-Espino, L.A.; Koops, M.A.; Balshine, S. 2010:

Invasion dynamics of round goby (*Neogobius melanostomus*) in Hamilton Harbour, Lake Ontario. *Biological Invasions* 12: 3861-3875.

Yavno, S.; Corkum, L.D. 2010:

Reproductive female round gobies (*Neogobius melanostomus*) are attracted to visual male models at a nest rather than to olfactory stimuli in urine of reproductive males. *Behaviour* 147: 121-132.

Young, J.A.; Marentette, J.R.; Gross, C. et al. 2010:

Demography and substrate affinity of the round goby (*Neogobius melanostomus*) in Hamilton Harbour. *Journal of Great Lakes Research* 36: 115-122.

<http://de.wikipedia.org/wiki/Schwarzmund-Grundel>

[http://www.columbia.edu/itc/cerc/danoff-](http://www.columbia.edu/itc/cerc/danoff-burg/invasion_bio/inv_spp_summ/Neogobius_melanostomus.html)

[burg/invasion_bio/inv_spp_summ/Neogobius_melanostomus.html](http://www.columbia.edu/itc/cerc/danoff-burg/invasion_bio/inv_spp_summ/Neogobius_melanostomus.html)

http://animaldiversity.ummz.umich.edu/site/accounts/information/Neogobius_melanostomus.html

http://el.erdc.usace.army.mil/ansrp/neogobius_melanostomus.pdf

Barbatula barbatula, Bachschmerle

Barluenga, M.; Meyer, A. 2005:

Old fish in a young lake: stone loach (*Pisces: Barbatula barbatula*) populations in Lake Constance are genetically isolated by distance. *Molecular Ecology* 14: 1229-1239.

Copp, G.H.; Vilizzi, L. 2004:

Spatial and ontogenetic variability in the microhabitat use of stream-dwelling spined loach (*Cobitis taenia*) and stone loach (*Barbatula barbatula*). *Journal of Appl. Ichthyology* 20: 440-451.

Elliott, J.M.; Hurley, M.A.; Allonby, J.D. 1996:

A functional model for maximum growth of immature stone loach, *Barbatula barbatula*, from three populations in north-west England. *Freshwater Biology* 36: 547-554.

MacKenzie, A.R.; Greenberg, L. 1998:

The influence of instream cover and predation risk on microhabitat selection of stone loach *Barbatula barbatula*. *Ecology of Freshwater Fish* 7: 87-94.

Nilsson, E.; Persson, A. 2005:

Do instream habitat variables and the abundance of brown trout *Salmo trutta* affect the distribution and growth of stone loach, *Barbatula barbatula*? *Ecology of Freshwater Fish* 14: 40-49.

Santoul, F.; Mengin, N.; Céréghino, R. et al. 2005:

Environmental factors influencing the regional distribution and local density of a small benthic fish: the stone loach (*Barbatula barbatula*). *Hydrobiologia* 544: 347-355.

Šedivá, A.; Janko, K.; Šlechtoá, V.; Kotlík, P. et al. 2008:

Around or across the Carpathians: colonization model of the Danube basin inferred from genetic diversification of stone loach (*Barbatula barbatula*) populations. *Molecular Ecology* 17: 1277-1292.

Vinyoles, D.; De Sostoa, A.; Franch, C. et al. 2010:

Life-history traits of the stone loach *Barbatula barbatula*. *Journal of Fish Biology* 77: 2032.

Barbus barbus, Flussbarbe

- Bănărescu, P.; Bogutskaya, N.G.; Movchan, Y.V.; Smirnov, A.I. 2002:
Barbus barbus. The Freshwater Fishes of Europe 3. Cyprinidae 2, Carassius to Cyprinus: BD 5 / Part III: 43-98.
- Baras, E. 1994:
Constraints imposed by high densities on behavioural spawning strategies in the barbel, *Barbus barbus*. *Folia Zoologica* 43(3): 255-266.
- Baras, E. 1995:
Thermal related variations of seasonal and daily spawning periodicity in *Barbus barbus*. *Journal of Fish Biology* 46: 915-917.
- Baras, E.; Philippart, J.C. 1999:
Adaptive and evolutionary significance of a reproductive thermal threshold in *Barbus barbus*. *Journal of Fish Biology* 55: 354-375.
- Berrebi, P.; Cattaneo-Berrebi, G.; Le Brun, N. 1993:
Natural hybridisation of two species of tetraploid barbels: *Barbus meridionalis* and *Barbus barbus* in southern France. *Biological Journal of the Linnean Society* 48: 319-333.
- Berrebi, P. 1995:
Specification of the genus *Barbus* in the north Mediterranean basin: recent advances from biochemical genetics. *Biological Conservation* 72: 237-249.
- Bischoff, A.; Freyhof, J. 1999:
Seasonal shifts in day-time resource use of 0+ barbel, *Barbus barbus*. *Environmental Biology of Fishes* 56: 199-212.
- Ebel, G. 1996:
Beobachtungen im Helmegebiet zur Reproduktion der Barbe. *Naturschutz im Land Sachsen-Anhalt* 33(1): 21-28.
- Kamiński, R.; Kamler, E.; Wolnicki, J.; Sikorska, J.; Wałowski, J. 2010:
Condition, growth and food conversion in barbel, *Barbus barbus* juveniles under different temperature/diet combinations. *Journal of Thermal Biology* 35: 422-427.
- Peňáz, M.; Baruš, V.; Prokeš, M.; Homolka, M. 2002:
Movements of barbel, *Barbus barbus*. *Folia Zool.* 51(1): 55-66.
- Poncin, P. 1992:
Influence of the daily distribution of light on reproduction in the barbel, *Barbus barbus*. *Journal of Fish Biology* 41: 993-997.
- Poncin, P.; Jeandarme, J.; Berrebi, P. 1994:
A behavioural study of hybridization between *Barbus barbus* and *Barbus meridionalis*. *Journal of Fish Biology* 45: 447-451.
- Vilizzi, L.; Copp, G.H.; Carter, M.G.; Peňáz, M. 2006:
Movement and abundance of barbel, *Barbus barbus*, in a mesotrophic chalk stream in England. *Folia Zool.* 55(2): 183-197.

Blicca bjoerkna, Güster

Engel, S.; Dapper, H. 1983:

Die Güster in den Berliner Havelgewässern. Ein Beitrag zum heutigen Zustand der dortigen Fischfauna. Zeitschrift für Angewandte Zoologie 70(4): 413-427.

Kutuzov, A.M. 1974:

Repeated spawning of the white bream (*Blicca bjoerkna*) in Sviyaga bay of Kuybyshev reservoir. Journal of Ichthyology 14(6): 887-890.

Lammers, H.R.; Frank-Landman, A.; McGillivray, P.J.; Vlink, B. 1992:

The role of predation and competition in determining the distribution of common bream, roach and white bream in Dutch eutrophic lakes. Environmental Biology of Fishes 33: 195-205.

Molls, F. 1999:

New insights into the migration and habitat use by bream and white bream in the floodplain of the river Rhine. Journal of Fish Biology 55: 1187-1200.

Nzau Matondo, B.; Ovidio, M.; Philippart, J.-C.; Poncin, P. 2008:

Mating patterns of first-generation hybrids of the roach, *Rutilus rutilus*, and the silver bream, *Blicca bjoerkna*. J. Ethol. 26: 179-183.

Okgerman, H.C.; Elp, M.; Atasagun, S. 2012.

The growth and reproduction of white bream (*Blicca bjoerkna* L. 1758) in an oligomesotrophic lake in northwest Anatolia (Sapanca, Turkey). Turk. J. Biol. 36: 125-134.

Poncin, P.; Termol, C.; Nzau Matondo, B.; Philippart, J.-C.; Kestemont, P. 2010:

Behavioural study of polyandrous spawning in *Blicca bjoerkna* under a controlled environment. Folia Zool. 59: 257-266.

Vetemaa, M.; Kalda, R.; Tambets, M. 2008:

Success of embryonic development of reciprocal hybrids of bream *Abramis brama* and white bream *Blicca bjoerkna*. Journal of Fishbiology 72: 1787-1791.

Wais, A. 1991:

Erste Ergebnisse zur Ernährungsbiologie von Brachsen (*Abramis brama*) und Güster (*Blicca björkna*) im Neusiedler See. Biologisches Forschungsinstitut für Burgenland, Illmitz. BFB-Bericht 77,183-189

Carassius carassius, Karausche

Domenici, P., H. Turesson, J. Brodersen, C. Brönmark 2008:

Predator-induced morphology enhances escape locomotion in crucian carp. Proceedings of the Royal Society B 275: 195-201.

Holopainen, I.J., A. Oikari 1992:

Ecophysiological effects of temporary acidification on crucian carp, *Carassius carassius*: a case history of a forest pond in eastern Finland. Ann. Zool. Fennici 29: 29-38.

Holopainen, I.J., W.T. Tonn, C.A. Paszkowski 1997:

Tales of two fish: the dichotomous biology of crucian carp (*Carassius carassius*) in northern Europe. Ann. Zool. Fennici 34: 1-22.

Johansson, F., J. Andersson 2009:

Scared fish get lazy, and lazy fish get fat. Journal of Animal Ecology 78: 772-777.

- Johnston, I.A., L.M. Bernard 1983:
Utilization of the ethanol pathway in carp following exposure to anoxia. *Journal of Experimental Biology* 104: 73-78.
- Lastein, S., E. Höglund, I. Mayer, Ø. Øverli, K.B. Døving 2008:
Female crucian carp, *Carassius carassius*, lose predator avoidance behaviour when getting ready to mate. *Journal of Chemical Ecology* 34: 1487-1491.
- Pettersson, L.B., C. Brönmark 1997:
Density-dependent costs of an inducible morphological defense in crucian carp. *Ecology* 78(6): 1805-1815.
- Pettersson, L.B., P.A. Nilsson, C. Brönmark 2000:
Predator recognition and defence strategies in crucian carp, *Carassius carassius*.
- Piironen, J., I.J. Holopainen 1988:
Length structure and reproductive potential of crucian carp (*Carassius carassius*) populations in some small forest ponds. *Ann. Zool. Fennici* 25: 203-208.
- Smartt, J. 2007:
A possible genetic basis for species replacement: preliminary results of interspecific hybridisation between native crucian carp *Carassius carassius* and introduced goldfish *Carassius auratus*. *Aquatic Invasions* 2(1): 59-62.
- Vøllestad, L.A., K. Varreng, A.B.S. Poléo 2004:
Body depth variation in crucian carp *Carassius carassius*: an experimental individual-based study. *Ecology of Freshwater Fish* 13: 197-202.

Carassius gibelio, Gibel

- Halacka, K.; Luskova, V.; Lusk, S. 2003:
Carassius gibelio in fish communities of the Czech Republic. *Ecohydrology and Hydrobiologie* 3(1): 133-138.
- Vetemaa, M.; R. Eschbaum; A. Albert; T. Saat 2005:
Distribution, sex ratio and growth of *Carassius gibelio* in coastal and inland waters of Estonia (north-eastern Baltic Sea). *Journal of Applied Ichthyology* 21: 287-291.

Chondrostoma nasus, Nase

- Costedoat, C.; Pech, N.; Salducci, M.D.; Chappaz, R.; Gilles, A. 2005:
Evolution of mosaic hybrid zone between invasive and endemic species of Cyprinidae through space and time. *Biol. J. Lin. Soc.* 85: 135-155.
- De Leeuw, J.J.; Winter, H.V. 2008:
Migration of rheophilic fish in the large lowland rivers Meuse and Rhine, the Netherlands. *Fisheries Management and Ecology* 15: 409-415.
- Hauer, C.; Unfer, G.; Schmutz, S.; Habersack, H. 2007:
The importance of morphodynamic processes at riffles used as spawning grounds during in the incubation time of nase (*Chondrostoma nasus*). *Hydrobiologia* 579: 15-27.
- Huber, M.; Kirchhofer, A. 1998:
Radio telemetry as a tool to study habitat use of nase (*Chondrostoma nasus*) in medium-sized rivers. *Hydrobiologia* 371/372: 309-319.

- Melcher, A.H.; Schmutz, S. 2010:
The importance of structural features for spawning habitat of nase *Chondrostoma nasus* and barbel *Barbus barbus* in a pre-Alpine river. *River Syst.* 19(1): 33-42.
- Ovidio, M.; Philippart, J.C. 2008:
Movement patterns and spawning activity of individual nase *Chondrostoma nasus* in flow-regulated and weir-fragmented rivers. *Journal for Applied Ichthyology* 24: 256-262.
- Rakowitz, G.; Berger, B.; Kubecka, J.; Keckeis, H. 2008:
Functional role of environmental stimuli for the spawning migration in Danube nase *Chondrostoma nasus*. *Ecology of Freshwater Fish* 17: 502-514.

Gasterosteus sp., Pungitius pungitius, Stichlinge

- Aikio, S.; Herczeg, G.; Kuparinen, A.; Merilä, J. 2013:
Optimal growth strategies under divergent predation pressure. *Journal of Fish Biology* 82: 318-331.
- Arai, T.; Goto, A. 2008:
Diverse migratory histories in a brackish water type of the ninespine stickleback, *Pungitius pungitius*. *Environmental Biology of Fish* 83: 349-353.
- Arai, T.; Chino, N.; Goto, A. 2010:
Life history variation among years in a brackish water type of the ninespine stickleback, *Pungitius pungitius*. *Environmental Biology of Fish* 88: 319-322.
- DeFaveri, J.; Shikano, T.; Ab Ghani, N.; Merilä, J. 2012:
Contrasting population structures in two sympatric fishes in the Baltic Sea basin. *Marine Biology* 159: 1659-1672.
- Freyhof, J. 2000:
Revision der Neunstacheligen Stichlinge.- *DATZ* 53 (11): 7.
- Gallagher, C.P.; Dick, T.A. 2011:
Ecological characteristics of ninespine stickleback *Pungitius pungitius* from southern Baffin Island, Canada. *Ecology of Freshwater Fish* 20: 646-655.
- Gray, S.M.; Robinson, B.W.; Parson, K.J. 2005:
Testing alternative explanations of character shifts against ecological character displacement in brook sticklebacks (*Culea inconstans*) that coexist with ninespine sticklebacks (*Pungitius pungitius*). *Oecologia* 146: 25-35.
- Herczeg, G.; Gonda, A.; Merilä, J. 2009:
The social cost of shoaling covaries with predation risk in nine-spined stickleback, *Pungitius pungitius*, populations. *Animal Behaviour* 77: 575-580.
- Herczeg, G.; Välimäki, K. 2011:
Intraspecific variation in behaviour: effects of evolutionary history, ontogenetic experience and sex. *Journal of Evolutionary Biology* 24: 2434-2444.
- Herczeg, G.; Gonda, A.; Kuparinen, A.; Merilä, J. 2012:
Contrasting growth strategies of pond versus marine populations of nine-spined stickleback (*Pungitius pungitius*): a combined effect of predation and competition? *Evolutionary Ecology* 26: 109-122.
- Herczeg, G.; Ab Ghani, N.A.; Merilä, J. 2013:
Evolution of stickleback feeding behaviour: genetics of population divergence at different ontogenetic stages. *Journal of Evolutionary Biology* 26: 955-962.

- Keivany, Y.; Nelson, J.S. 2000:
Taxonomic review of the genus *Pungitius*, ninespine sticklebacks (Gasterosteidae).- *Cybium* 24 (2): 107-122.
- MacColl, A.; El Nagar, A.; Roij, J. 2013:
The evolutionary ecology of dwarfism in three-spined sticklebacks. *Journal of Animal Ecology* 82: 642-652.
- Mobley, K.B.; Lussetti, D.; Johansson, F.; Englund, G.; Bokma, F. 2011:
Morphological and genetic divergence in Swedish postglacial stickleback (*Pungitius pungitius*) populations. *BMC Evolutionary Biology* 11: 287
- Östlund-Nilsson, S. & Mayer, I. 2007:
The biology of other sticklebacks, 353-372. In: Östlund-Nilsson, S., Mayer, I. & Huntingford, F.A. (eds.), *Biology of the three-spined stickleback*.- CRC Press, Boca Raton, London, New York.
- Paepke, H.J. 1996:
Die Stichlinge. Gasterosteidae. 2. überarbeitete und ergänzte Auflage. Die Neue Brehm-Bücherei Bd. 10. Westarp Wissenschaften. Magdeburg.
- Paepke, H.-J. 2001:
Pungitius Coste, 1848, 257-259. In: Banareescu, P.M. & Paepke, H.-J. (eds.): The Freshwater fishes of Europe, Vol. 5/III, Cyprinidae 2, Part III: Carassius to Cyprinus, Gasterosteidae.- Aula-Verlag, Wiebelsheim.
- Välimäki, K.; Herczeg, G. 2012:
Ontogenetic and evolutionary effects of predation and competition on nine-spined stickleback (*Pungitius pungitius*) body size. *Journal of Animal Ecology* 81: 859-867.
- Välimäki, K.; Herczeg, G.; Merilä, J. 2012:
Morphological anti-predator defences in the nine-spined stickleback: constitutive, induced or both? *Biological Journal of the Linnean Society* 107: 854-866.
- Verberk, W.; Munckhof, P.; Pollux, B. 2012:
Niche segregation in two closely related species of stickleback along a physiological axis: explaining multidecadal changes in fish distribution from iron-induced respiratory impairment. *Aquatic Ecology* 46: 241-248.
- Wootton, R.J. 1976:
The biology of the sticklebacks.- Academic Press, London, New York, San Francisco.

Gymnocephalus cernua, Kaulbarsch

- Adams, C.E. 1991:
Shift in pike, *Esox lucius* L., predation pressure following the introduction of ruffe, *Gymnocephalus cernuus* to Loch Lomond. *Journal of Fish Biology* 38: 663-667,
- Bergman, E. 1988:
Foraging abilities and niche breadths of two percids, *Perca fluviatilis* and *Gymnocephalus cernua*, under different environmental conditions. *Journal of Animal Ecology* 57: 443-453.
- Brazner, J.C.; Tanner, D.K.; Jensen, D.A.; Lemke, A. 1998:

- Relative abundance and distribution of ruffe (*Gymnocephalus cernuus*) in a Lake Superior costal wetland fish assemblage. *Journal of Great Lakes Research* 24(2): 293-303.
- Brown, W.P.; Selgeby, J.H.; Collins, H.L. 1998:
Reproduction and early life history of ruffe (*Gymnocephalus cernuus*) in the St. Louis River, a Lake Superior Tributary. *Journal of Great Lakes Research* 24(2): 217-227.
- Dawson, H.A.; Reinhardt, U.G.; Savino, J.F. 2006:
Use of electric bubble barriers to limit the movement of Eurasian ruffe (*Gymnocephalus cernuus*). *Journal of Great Lakes Research* 32: 40-49.
- Fairchild, D.J.; McCormick, J.H. 1996:
Effects of temperature on hatching and development of ruffe (*Gymnocephalus cernuus*). *Journal of Great Lakes Research* 22(1): 89-94.
- Geiger, M.F.; Schliewen, U.K. 2010:
Gymnocephalus ambriaelacus, a new species of ruffe from Lake Ammersee, southern Germany. *Spixiana* 33(1): 119-137.
- Gunderson, J.L.; Klepinger, M.R.; Bronte, C.R.; Marsden, J.E. 1998:
Overview of the international symposium on Eurasian ruffe (*Gymnocephalus cernuus*) Biology, Impacts, and control. *Journal of Great Lakes Research* 24(2): 165-169.
- Hölker, F.; Thiel, R. 1998:
Biology of ruffe (*Gymnocephalus cernuus*). A review of selected aspects from European literature. *Journal of Great Lakes Research* 24(2): 186-204.
- Kangur, P.; Kangur, A.; Kangur, K.; Möls, T. 2003:
Condition and growth of ruffe *Gymnocephalus cernuus* in two large shallow lakes with different fish fauna and food resource. *Hydrobiologica* 506-509: 435-441.
- Lappalainen, J.; Kjellman, J. 1998:
Ecological and life history characteristics of ruffe (*Gymnocephalus cernuus*) in relation to other freshwater fish species. *Journal of Great Lakes Research* 24(2): 228-234.
- Lehtonen, H.; Urho, L.; Kjellman, J. 1998:
Responses of ruffe (*Gymnocephalus cernuus*) abundance to eutrophication. *Journal of Great Lakes Research* 24(2): 285-292.
- Maniak, P.J.; Lossing, R.D.; Sorensen, P.W. 2000:
Injured Eurasian ruffe, *Gymnocephalus cernuus*, release an alarm pheromone that could be used to control their dispersal. *Journal of Great Lakes Research* 26(2): 183-195.
- Savino, J.F.; Riley, C.; Holuszko, M.J. 2007:
Activity, aggression, and habitat use of ruffe (*Gymnocephalus cernuus*) and round goby (*Apollonia melanostoma*) under laboratory conditions. *Journal of Great Lakes Research* 33: 326-334.
- Selgeby, J. 1998:
Predation by ruffe (*Gymnocephalus cernuus*) on fish eggs in Lake Superior. *Journal of Great Lakes Research* 24(2): 304-308.
- Winfield, I.J.; Rösch, R.; Appelberg, M.; Kinnerbäck, A.; Rask, M. 1998:

Recent introductions of the ruffe (*Gymnocephalus cernuus*) to *Coregonus* and *Perca* lakes in Europe and an analysis of their natural distributions in Sweden and Finland. *Journal of Great Lakes Research* 24(2): 235-248.

Lota lota, Rutte

- Fratt T.W., D.W. Coble, F. Copes, R.E. Bruesewitz 1997:
Diet of burbot in Green Bay and western lake Michigan with comparison to other waters. *J. Great Lakes Research* 23(1): 1-10.
- Ghan D., W.G. Sprules 1993:
Diet, prey selection, and growths of larval and juvenile burbot *Lota lota*. *Journal of Fish Biology* 42: 47-64.
- Harzevili A.S., D. De Charleroy, P. Sorgeloos et al. 2003:
Larval rearing of burbot (*Lota lota*) using *Brachionus calyciflorus* rotifer as starter food. *Journal for Applied Ichthyology* 19: 84-87.
- Hofmann N., P. Fischer 2001:
Seasonal changes in abundance and age structure of burbot *Lota lota* and stone loach *Barbatula barbatula* in the littoral zone of a large pre-alpine lake. *Ecology of Freshwater Fish* 2001 (10): 21-25.
- Krönke, F. 2012:
Die Rutte *Lota lota* im Aquarium. *AKFS-Aktuell* 28: 4-10.
- McPhail J.D., V.L. Paragamian 2000:
Burbot biology and life history. Offprint from burbot: biology, ecology, and management. Publication number 1: Fisheries Management Section of the American Fisheries Society, p. 11-23.
- Pääkkönen J.P.J., T.J. Marjomäki 2000:
Feeding burbot, *Lota lota*, at different temperatures. *Environmental Biology of Fishes* 58: 109-112.
- Reichholf J.H. 2001:
Erdkröten (*Bufo bufo*), Rutten (*Lota lota*) und Änderungen in der Leitfähigkeit eines kleinen Baches im niederbayerischen Inntal. *Mitteilungen der Zoologischen Gesellschaft Braunau / Austria* 8(1): 61-74.
- Van Houldt J.K.J., B. Hellemans, F.A.M. Volckaert 2003:
Phylogenetic relationship among Palaearctic and Nearctic burbot (*Lota lota*): Pleistocene extinctions and recolonisation. *Molecular Phylogenetics and Evolution* 29: 599-612.
- Van Houldt J.K.J., L. De Cleyn, A. Perretti, F.A.M. Volckaert 2005:
A mitogenetic view on the evolutionary history of the Holarctic freshwater gadoid, burbot (*Lota lota*). *Molecular Ecology* 14: 2445-2457.
- Wang N., A. Appenzeller 1998:
Abundance, depth distribution, diet composition and growth of perch (*Perca fluviatilis*) and burbot (*Lota lota*) larvae and juveniles in the pelagic zone of Lake Constance. *Ecology of Freshwater Fish* 7: 176-183.
- Wolnicki J., R. Kaminski, L. Myszkowski 2002:
Temperature-influenced growth and survival of burbot, *Lota lota* larvae fed live food under controlled conditions. *Archives of Polish Fisheries* 10(1): 109-113.

Perca fluviatilis, Flussbarsch

- Amundsen, P.-A., T. Bøhn, O.A. Popova, F.J. Staldvik, Y.S. Reshetnikov, et al. 2003:
Ontogenetic niche shifts and resource partitioning in a subarctic piscivore fish guild. *Hydrobiologica* 497: 109-119.
- Bergman, E. 1988:
Foraging abilities and niche breadths of two percids, *Perca fluviatilis* and *Gymnocephalus cernua*, under different environmental conditions. *Journal of Animal Ecology* 57: 443-453.
- Borcherding, J. 2006:
Prey or predator: 0+ perch (*Perca fluviatilis*) in the trade-off between food and shelter. *Environmental Biology of Fish* 77: 87-96.
- Dörner, H., S. Berg, L. Jacobsen, S. Hülsmann, M. Brojerg, A. Wagner 2003:
The feeding behaviour of large perch *Perca fluviatilis* in relation to food availability: a comparative study. *Hydrobiologia* 506-509: 427-434.
- Estlander, S.; Nurminen, L.; Olin, M. Et al. 2010:
Diet shifts and food selection of perch *Perca fluviatilis* and roach *Rutilus rutilus* in humic lakes of varying water colour. *Journal of Fish Biology* 77: 241-256.
- Gerlach, G., U. Schardt, R. Eckmann, A. Meyer 2001:
Kin-structured subpopulations in Eurasian perch (*Perca fluviatilis*). *Heredity* 86: 213-221.
- Hjelm, J., L. Persson, B. Christensen 2000:
Growth, morphological variation and ontogenetic niche shifts in perch (*Perca fluviatilis*) in relation to resource availability. *Oecologia* 122: 190-199.
- Hochleithner, M. 2005:
Barsche (Percidae). *Biologie und Aquakultur*. Aqua Tech Publications. 169 S.
- Jacobsen, L., S. Berg, M. Broberg, N. Jepsen, C. Skov 2002:
Activity and food choice of piscivorous perch (*Perca fluviatilis*) in a eutrophic shallow lake: a radio-telemetry study. *Freshwater Biology* 47: 2370-2379.
- Krönke, F. 2014
Übersehen und faszinierend: Flussbarsche in Teich und Aquarium. *Aquaristik Fachmagazin* 239: 78-82
- Linløkken, A.N.; Bergman, E.; Greenberg, L. 2010:
Effect of temperature and roach *Rutilus rutilus* group size on swimming speed and prey capture and prey capture rate of perche *Perca fluviatilis* and *R. Rutilus*. *Journal of Fish Biology* 76: 900-912.
- Mirza, R.S., S.A. Fisher, D.P. Chivers 2003:
Assessment of predation risk by juvenile yellow perch, *Perca flavescens*: Responses to alarm cues from conspecifics and prey guild members. *Environmental Biology of Fishes* 66: 312-327.
- Overton, J.L., M. Bayley, H. Paulsen, T. Wang 2008:
Salinity tolerance of cultured Eurasian perch, *Perca fluviatilis*: effects on growths and on survival as a function of temperature. *Aquaculture* 277: 282-286.
- Pekcan-Hekim, Z., J. Lappalainen 2006:
Effect of clay turbidity and density of pikeperch (*Sander lucioperca*) larvae on predation by perch (*Perca fluviatilis*). *Naturwissenschaften* 93:356-359.

- Persson, L., L.A. Greenberg 1990:
 Juvenile competitive bottlenecks: the perch (*Perca fluviatilis*)-roach (*Rutilus rutilus*) interaction. *Ecology* 71(1): 44-56.
- Radke, R.J., A. Gaupisch 2005:
 Effects of phytoplankton-induced turbidity and predation success of piscivorous Eurasian perch (*Perca fluviatilis*): possible implications for fish community structure in lakes. *Naturwissenschaften* 92: 91-94.
- Wang N., A. Appenzeller 1998:
 Abundance, depth distribution, diet composition and growth of perch (*Perca fluviatilis*) and burbot (*Lota lota*) larvae and juveniles in the pelagic zone of Lake Constance. *Ecology of Freshwater Fish* 7: 176-183.

Platichthys flesus, Flounder

- Amara, R.; Selleslagh, J.; Billon, G.; Minier, C. 2009:
 Growth and condition of 0-group European flounder, *Platichthys flesus* as indicator of estuarine habitat quality. *Hydrobiologia* 627: 87-98.
- Arnold-Reed, D.E.; Balment, R.J. 1991:
 Salinity tolerance and its seasonal variation in the flounder, *Platichthys flesus*.- *Comp. Biochem. Physiol.* 99A (1/2): 145-149.
- Beaumont, W.R.C.; Mann, R.H.K. 1984:
 The age, growth and diet of a freshwater population of the flounder, *Platichthys flesus* (L.), in southern England. *Journal of Fish Biology* 25 (5): 607-616.
- Bos, A.R.; Thiel, R. 2006:
 Influence of salinity on the migration of postlarval and juvenile flounder *Pleuronectes flesus* L. in a gradient experiment.- *J. Fish Biol.* 68 (5): 1411-1420.
- Carl, J.D.; Sparrevohn, C.R.; Nicolajsen, H.; Støttrup, J.G. 2008:
 Substratum selection by juvenile flounder *Platichthys flesus*: effect of ephemeral filamentous macroalgae. *Journal of Fish Biology* 72: 2570-2578.
- Daverat, F.; Morais, P.; Dias, E. 2012:
 Plasticity of European flounder life history patterns discloses alternatives to catadromy. *Marine Ecology Progress Series* 465: 267-280.
- Doornbos, G.; Twisk, F. 1984:
 Density, growth and annual food consumption of plaice (*Pleuronectes platessa* L.) and flounder (*Platichthys flesus* L.) in Lake Grevelingen, the Netherlands.- *Netherlands Journal of Sea Research* 18 (3/4): 434-456.
- Félix, P.M.; Vinagre, C.; Cabral, H.N. 2011:
 Life-history traits of flatfish in the Northeast Atlantic and Mediterranean Sea. *Journal of Applied Ichthyology* 27: 100-111.
- Freitas, V.; Costa-Dias, S.; Campos, A. et al. 2009:
 Patterns in abundance and distribution of juvenile flounder, *Platichthys flesus*, in Minho estuary (NW Iberian Peninsula). *Aquatic Ecology* 43: 1143-1153.
- Gronkjaer, P., Carl, J.D., Rasmussen, T.H. & Hansen, K.W. 2007:
 Effect of habitat shifts on feeding behaviour and growth of 0 year-group flounder *Platichthys flesus* (L.) transferred between macroalgae and bare sand habitats.- *J. Fish Biol.* 70 (5): 1587-1605.
- Gutt, J. 1985:

- The growth of juvenile flounders (*Platichthys flesus* L.) at salinities of 0, 5, 15 and 35 ‰.- *Journal of applied Ichthyology* 1 (1): 17-26.
- Jager, Z. 1998:
Accumulation of flounder larvae (*Platichthys flesus* L.) in the Dollard (Ems estuary, Wadden Sea).- *Journal of Sea Research* 40: 43-57.
- Jager, Z. 2001:
Transport and retention of flounder larvae (*Platichthys flesus* L.) in the Dollard nursery (Ems estuary).- *Journal of Sea Research* 45: 153-171.
- Johnston, P.M. 1981:
Migrations and movements of the flounder, *Platichthys flesus* (L.), affecting distribution of the species in the River Dee, North Wales.- *Proc. 2nd Br. Freshwat. Fish conf., Liverpool*: 129-136.
- Kerstan, M. 1991:
The importance of rivers as nursery grounds for 0- and 1-group flounder (*Platichthys flesus* L.) in comparison to the Wadden Sea.- *Netherlands Journal of Sea Research* 27 (3/4): 353-366.
- Morais, P.; Dias, E.; Babaluk, J.; Antunes, C. 2011:
The migrations patterns of the European flounder *Platichthys flesus* at the southern limit of its distribution range: Ecological implications and fishery management. *Journal of Sea Research* 65: 235-246.
- Primo, A.L.; Azeiteiro, U.M.; Marques, S.C. et al. 2013:
Colonization and nursery habitat use patterns of larval and juvenile flatfish species in a small temperate estuary. *Journal of Sea Research* 76: 126-134.
- Russo, T.; Pulcini, C.; Constantini, D. et al. 2012:
“Right” or “Wrong”? Insights into the ecology of sidedness in European flounder, *Platichthys flesus*. *Journal of Morphology* 273: 337-346.

<http://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=841>

Pungitius pungitius, Neunstachliger Stichling, siehe *Gasterosteus aculeatus*

***Salmo trutta*, Bachforelle**

- Ade, R. 1989:
The trout and salmon handbook. A guide to the wild fish- Christopher Helm (Publishers) Ltd., London.
- Ayllón, D.; Nicola, G.G.; Parra, I. et al. 2013:
Intercohort density dependence drives brown trout habitat selection. *Acta Oecologica* 46: 1-9.
- Baer, J. 2005:
Besatz mit Bachforellen – Ziele und Sinn einer Besatzleitlinie.- Hrsg.: Verband Deutscher Sportfischer e.V., Offenbach, S. 7-26.
- Castro-Santos, T.; DanzRonda, F.J.; Ruiz-Legazpi, J. 2012:

- Breaking the speed limit – comparative sprinting performance of brook trout (*Salvelinus fontinalis*) and brown trout (*Salmo trutta*). *Can. J. Fish. Aquat. Sci.* 70: 280-293.
- Elliott, J.M. 1994:
Quantitative ecology and the brown trout.- University Press, Oxford.
- Frei, H. 2005:
Die Bachforelle.- *Das Aquarium* Nr. 429, März 2005: 4-10.
- Füllner, G., Pfeifer, M. & Zarske, A. 2005:
Atlas der Fische Sachsens. Geschichte, Verbreitung, Gefährdung, Schutz.
Sächsische Landesanstalt für Landwirtschaft, Referat Fischerei, Königswartha.
- Hartl, A. 2007:
Lachsfische im Aquarium – eine echte Herausforderung (Teil 1).- *DATZ* 60 (5): 6-11.
- Jensen, H.; Kiljunen, M.; Amundsen, P.A. 2012:
Dietary ontogeny and niche shift to piscivory in lacustrine brown trout *Salmo trutta* revealed by stomach content and stable isotope analyses. *Journal of Fish Biology* 80: 2448-2462.
- Kallert, D.M. 2012:
Was kann über Erfolg oder Misserfolg bei der Salmonidenvermehrung entscheiden? .- *Fischer und Teichwirt* 63 (8): 292-294.
- Keller, I.; Schuler, J.; Bezault, E.; Seehausen, O. 2012:
Parallel divergent adaptation along replicated altitudinal gradients in Alpine trout. *BMC Evolutionary Biology* 12: 210.
- Metzner, K., Gergs, R. & Schmidt, Th. 2012:
Genetische Charakterisierung verschiedener Bachforellenpopulationen, *Salmo trutta* (L.), des Pfälzerwalds.- Deutsche Gesellschaft für Limnologie (DGL). *Erw. Zs.fassg. Jahrestagung 2011 (Weißenstephan)*: 176-180.
- Müller, H. 2003:
Die Forellen.- Die Neue Brehm Bücherei, Wittenberg Lutherstadt, 2. unveränd. Aufl., 42 S..
- Östergren, J.; Nilsson, J. 2012:
Importance of life-history and landscape characteristics for genetic structure and genetic diversity of brown trout (*Salmo trutta*). *Ecology of Freshwater Fish* 21: 119-133.
- Rosell, F.; Holtan, L.B.; Thorsen, J.G.; Heggenes, J. 2013:
Predator-naïve brown trout (*Salmo trutta*) show antipredator behaviours to scent from an introduced piscivorous mammalian predator fed conspecifics. *Ethology* 119: 303-308.
- Saksgård, R.; Hesthagen, T. 2004:
A 14-year study of habitat use and diet of brown trout (*Salmo trutta*) and Arctic charr (*Salvelinus alpinus*) in Lake Atnsjøen, a subalpine Norwegian lake. *Hydrobiologia* 521: 187-199.
- Stakènas, S.; Villizzi, L.; Copp, G.H. 2013:
Habitat use, home range, movements and interactions of introduced *Lepomis gibbosus* and native *Salmo trutta* in a small stream of Southern England. *Ecology of Freshwater Fish* 22: 202-215.
- Sternecker, K.; Cowley, D.E.; Geist, J. 2013:

- Factors influencing the success of salmonid egg development in river substratum. *Ecology of Freshwater Fish* 22: 322-333.
- Tudorache, C.; Blust, R.; De Boeck, G. 2008:
Social interactions, predation behaviour and fast start performance are affected by ammonia exposure in brown trout (*Salmo trutta*). *Aquatic Toxicology* 90: 145-153.
- Tunney, T.; Steingrímsson, S.O. 2012:
Foraging mode variation in three stream-dwelling salmonid fishes. *Ecology of Freshwater Fish* 21: 570-580.
- Valiente, A.G.; Juanes, F.; Nuñez, P.; Garcia-Vazquez, E. 2010:
Brown trout (*Salmo trutta*) invasiveness: plasticity in life-history is more important than genetic variability. *Biological Invasions* 12: 451-462.
- Vøllestad, L. A.; Serbezov, D.; Bass, A. et al. 2012:
Small-scale dispersal and population structure in stream-living brown trout (*Salmo trutta*) inferred by mark-recapture, pedigree reconstruction, and population genetics. *Can. J. Fish. Aquat. Sci.* 69: 1513-1524.
- Willers, B. 1991:
Trout biology.- Lyons & Buxford Publishers, Oregon.
- Zenner, L. 2001:
Die Bachforelle.- *Das Aquarium* 387, 9/01: 34.

Silurus glanis, Waller

- Alp, A.; Kara, C.; Üçkardes, F.; Carrol, J.; García-Berthou, E. 2011:
Age and growth of the European catfish (*Silurus glanis*) in a Turkish reservoir and comparison with introduced populations. *Rev. Fish Biol. Fisheries* 21: 283-294.
- Britton, J.R.; Cucherousset, J.; Davies, G.D.; Godard, M.J.; Copp, G.H. 2010:
Non-native fishes and climate change: predicting species responses to warming temperatures in a temperate region. *Freshwater Biology* 55: 1130-1141.
- Boulêtreau, S.; Cucherousset, J.; Villéger et al. 2011:
Colossal aggregations of giant alien freshwater fish as a potential biogeochemical hotspot. *PloS ONE* 6(10): 1-4.
- Carrol, J.; Zamora, L.; García-Berthou, E. 2007:
Preliminary telemetry data on the movement patterns and habitat use of European catfish (*Silurus glanis*) in a reservoir of the River Ebro, Spain. *Ecology of Freshwater Fish* 16: 450-456.
- Carrol, J.; Benejam, L.; Benito, J.; García-Berthou, E. 2009:
Growth and diet of European catfish (*Silurus glanis*) in early and late invasion stages. *Fundamental and Applied Limnology / Archiv für Hydrobiologie* 174/4: 317-328.
- Coad, B. 2012:
<http://www.briancoad.com/Species%20Accounts/Cobitidae%20to%20Cyprinodontidae.htm>
- Copp, G.H.; Britton, J.R.; Cucherousset, J.; García-Berthou, E. et al. 2009:
Voracious invader or benign feline? A review of the environmental biology of European catfish *Silurus glanis* in its native and introduced ranges. *Fish and Fisheries* 10: 252-282.
- Haffray, P.; Vauchez, C.; Vandeputte, M.; Linhart, O. 1998:

- Different growth and processing traits in males and females of European catfish, *Dilurus glanis*. *Aquatic Living Resources* 11(5): 341-345.
- Linhart, O.; Štšch, L.; Švarc, J. et al. 2002:
The culture of the European catfish, *Silurus glanis*, in the Czech Republic and in France. *Aquatic Living Resources* 15: 139-144.
- Mihálik, J. 1995 (1982):
Der Wels. *Silurus glanis*. Die Neue Brehm-Bücherei Bd. 209. Westarp Wissenschaften. Magdeburg 1995.
- Paschos, I.; Nathanailides, C.; Perdikaris, C.; Tsoumani, M. 2004:
Comparison of morphology, growth and survival between *Silurus glanis*, *S. aristotelis* and their hybrid during larval and juvenile stages. *Aquaculture Research* 35: 97-99.
- Pohlmann, K.; Grasso, F.W.; Breithaupt, T. 2001:
Tracking wakes: The nocturnal predatory strategy of piscivorous catfish. *PNAS* 98: 7371-7374.
- Poulet, N.; Beaulaton, L.; Dembski, S. 2011:
Time trends in fish populations in metropolitan France: insights from national monitoring data. *Journal of Fish Biology* 79: 1436-1452.
- Seuß, S. 2011:
Waller. Giganten des Süßwassers. Franckh-Kosmos-Verlags-GmbH & Co. KG, Stuttgart.
- Slavík, O.; Pešta, M.; Horký, P. 2011:
Effect of grading on energy consumption in European catfish *Silurus glanis*. *Aquaculture* 313: 73-78.
- Syväranta, J.; Cucherousset, J.; Kopp, D. et al. 2010:
Dietary breadth and trophic position on introduced European catfish *Silurus glanis* in the river Tarn (Garonne river basin), southwest France. *Aquatic Biology* 8: 137-144.
- Triantafyllidis, A.; Abatzopoulos, T.J.; Economidis, P.S. 1999:
Genetic differentiation and phylogenetic relationships among Greek *Silurus glanis* and *Silurus aristotelis* populations, assessed by PCR-RFLP analysis of mitochondrial DNA segments. *Heredity* 82: 503-509.
- Triantafyllidis, A.; Krieg, F.; Cottin, C. et al. 2002:
Genetic structure and phylogeography of European catfish (*Silurus glanis*) populations. *Molecular Ecology* 11: 1039-1055.
- Wysujack, K.; Mehner, K. 2005:
Can feeding of European catfish prevent cyprinids from reaching a size refuge? *Ecology of Freshwater Fish* 14: 87-95.

***Squalius cephalus*, Döbel**

- Arlinghaus, B.; Wolter, C. 2003:
Amplitude of ecological potential: chub *Leuciscus cephalus* spawning in an artificial lowland canal. *Journal of Applied Ichthyology* 19: 52-54.
- Dušek, L.; Svobodová, Z.; Pavliš, P. et al. 2005:

- Bioaccumulation of mercury in muscle tissue of fish in the Elbe river (Czech Republic): multispecies monitoring study 1991-1996. *Ecotoxicology and Environmental Safety* 61: 256-267.
- Erös, T.; Botta-Dukát, Z.; Grossman, G.D. 2003:
Assemblage structure and habitat use of fishes in a Central European submontane stream: a patch-based approach. *Ecology of Freshwater Fish* 12: 141-150.
- Fredrich, F.; Ohmann, S.; Curio, B.; Kirschbaum, F. 2003:
Spawning migrations of the chub in the river Spree, Germany. *Journal of Fish Biology* 63: 710-723.
- Hellawell, J.M. 1971:
The autecology of the chub, *Squalius cephalus*, of the River Lugg and the Afon Llynfi. *Freshwater Biology* 1: 369-387.
- Lamková, K.; Šimková, A.; Palíková, M.; Jurajda, P.; Lojek, A. 2007:
Seasonal changes of immunocompetence and parasitism in chub (*Leuciscus cephalus*), a freshwater cyprinid fish. *Parasitol. Res.* 101: 775-789.
- Mann, R.H.K. 1976:
Observations on the age, growth, reproduction and food of the chub *Squalius cephalus* in the river Stour, Dorset. *Journal of Fish Biology* 8: 265-288.
- Maršálek, P.; Svobodavá, Z.; Randák, T. 2006:
Total mercury and methylmercury contamination in fish from various sites along the Elbe river. *Acta Vet. Brno* 75: 579-585.
- Nicolas, Y.; Pont, D.; Lambrechts, A. 1994:
Using γ -emitting artificial radionuclides, released by nuclear plants, as markers of restricted movements by chub, *Leuciscus cephalus*, in a large river, the Lower Rhône. *Environmental Biology of Fishes* 39: 399-409.
- Tedesco, P.A.; Sagnes, P.; Laroche, J. 2009:
Variability in the growth rate of chub *Leuciscus cephalus* along a longitudinal river gradient. *Journal of Fish Biology* 74: 312-319.
- Ward, A.J.W.; Axford, S.; Krause, J. 2003:
Cross-species familiarity in shoaling fishes. *Proceedings of the Royal Society B* 270: 1157-1161.

Tinca tinca, Schleie

- Alaş, A.; Altındağ, A.; Yılmaz, M. et al. 2010:
Feeding habits of tench (*Tinca tinca*) in Beyşehir lake (Turkey). *Turkish Journal of Fisheries and Aquatic Sciences* 10: 187-194.
- Celada, J.D.; Carral, J.M.; Rodríguez, R. et al. 2007:
Tench (*Tinca tinca*) larvae rearing under controlled conditions: density and basic supply of *Artemia* naupli as the sole food. *Aquaculture International* 15: 489-495.
- Celada, J.D.; Aguilera, A.; Carral, J.M. et al. 2008:
Rearing tench (*Tinca tinca*) larvae on live feed (*Artemia*) and on two transition schedules from live to dry diets. *Journal of Applied Ichthyology* 24: 595-600.
- Coad, B. 2012:
Freshwater Fishes of Iran. Species Accounts. Cyprinidae: Garra to Vimba.
<http://www.briancoad.com/Species%20Accounts/Cyprinidae%20Garra%20to%20Vimba.htm>

- Cudmore, B.; Mandrak, N.E. 2011:
Biological synopsis of tench (*Tinca tinca*). Canadian Manuscript Report of Fisheries and Aquatic Sciences 2948. <http://www.dfo-mpo.gc.ca/science/coe-cde/ceara/docs/tench%20synopsis%20electronic.pdf>
- Flajšhans, M.; Gela, D.; Kocour, M. et al. 2010:
A review on the potential of triploid tench for aquaculture. *Rev. Fish Biol. Fisheries* 20: 317-329.
- Gallardo, J.M.; Escudero García, J.C.; Ceballos-Zúñiga, E.G. et al. 2006:
Selective behaviour of a tench, *Tinca tinca*, stock in different light-substrate combined conditions. *Aquaculture International* 14: 163-170.
- Lajbner, Z.; Kohlmann, K.; Linhart, O.; Kotlík, P. 2010:
Lack of reproductive isolation between the Western and the Eastern phylogroups of the tench. *Rev. Fish Biol. Fisheries* 20: 289-300.
- Marcogliese, D.J.; Gendron, A.D.; Dumont, P. 2009:
Parasites of illegally introduced tench (*Tinca tinca*) in the Richelieu river, Quebec, Canada. *Comparative Parasitology* 76(2): 222-228.
- Owen, M.A.G.; Davies, S.J.; Sloman, K.A. 2010:
Light colour influences the behaviour and stress physiology of captive tench (*Tinca tinca*). *Rev. Fish Biol. Fisheries* 20: 375-380.
- Rothbard, S.; Biton, I.; Kulikovski, Z. :
Breeding, production and marketing of golden tench (*Tinca tinca*) in Gan Shmuel Fish Breeding Center, Israel. *Rev. Fish Biol. Fisheries* 20: 367-373.
- Wang, J.; Min, W.; Guan, M. et al. 2006:
Tench farming in China: present status and future prospects. *Aquaculture International* 14: 205-208.

SÜDEUROPA

***Salaria fluviatilis*, Süßwasser-Schleimfisch**

- Almada, V.C.; Robalo, J.I.; Levy, A. et al. 2009:
Phylogenetic analysis of peri-mediterranean blennies of the genus *Salaria*: molecular insights on the colonization of freshwaters. *Molecular Phylogenetics and Evolution* 52: 424-431.
- Barata, E.N.; Serrano, R.M.; Miranda, A. et al. 2008:
Putative pheromones from the anal glands of male blennies attract females and enhance male reproductive success. *Animal Behaviour* 75: 379-389.
- Bath, H. 2003:
Salaria fluviatilis (Asso, 1784). In: Miller, P.J., *The freshwater fishes of Europe*, Vol. 8/I. Mugilidae, Atherinidae, Atherinopsidae, Blenniidae, Odontobutidae, Gobiidae 1.- Aula-Verlag, Wiebelsheim, 97-121.
- Bergleiter, S. 2008:
Salaria fluviatilis. Ein Unikum – der Süßwasserschleimfisch.- *DATZ* 61 (8): 24-27.
- Blanco-Garrido, F.; Clavero, M.; Prenda, J. 2009:

- Jarabugo (*Anaecypris hispanica*) and freshwater blenny (*Salaria fluviatilis*): habitat preferences and relationship with exotic fish species in the Guadiana basin. *Limnetica* 28(1): 139-148.
- Côté, I.M.; Vinyoles, D.; Reynolds, J.D. et al. 1999:
Potential impacts of gravel extraction on Spanish populations of river blennies *Salaria fluviatilis*. *Biological Conservation* 87: 359-367.
- Eckstein, P. 2013:
Salaria fluviatilis.- www.freshwaterlife.de/gobies/salariafluviatilis.
- Eckstein, P. 2013:
Die Gattung *Salaria* – Lebensräume auf dem Balkan.- *AKFS aktuell* 31: 29-38.
- Dalla Via, J. 1983:
Der Süßwasserschleimfisch - ein seltsamer Kauz. Verhalten und Pflege von *Blennius fluviatilis*.- *Aquarien Magazin* 11/83: 564-565.
- Doadrio, I.; Perea, S.; Yahyaoui, A. 2011:
Morphological and molecular analyses of freshwater blennida: a new species of the genus *Salaria* in Morocco. *Graellsia* 67(2): 151-173.
- Freeman, M.C.; Viñolas, D.; Grossman, G.D. et al. 1990:
Microhabitat use by *Blennius fluviatilis* in the Río Matarranña, Spain. *Freshwater Biology* 24: 335-345.
- Gil, F.; Faria, C.; Almada, V.C. 2010:
An efficient technique for the captive breeding of an endangered freshwater fish *Salaria fluviatilis*, with a description of its ontogeny. *Journal of the World Aquaculture Society* 41(1): 49-56.
- Hofstätter, W. 2003:
Biotop- und Aquarienbeobachtungen am Fluss-Schleimfisch, *Salaria fluviatilis*.- *Das Aquarium* Nr. 410, Aug. 2003: 11-16.
- Hofstätter, W. 2004:
Salaria fluviatilis aus dem Gardasee.- *AKFS-aktuell*, Heft-Nr. 14, S. 6–9.
- Horsthemke, H.; Taxacher, M. 2013:
Grundelfibel. Haltung und Zucht von Grundeln im Süß- und Brackwasser. Dähne Verlag.
- Lengkeek, W.; Didderen, K. 2006:
Breeding cycles and reproductive behaviour in the river blenny *Salaria fluviatilis*. *Journal of Fish Biology* 69: 1837-1844.
- Neat, F.C., Lengkeek, W., Westerbeek, E.P., Laarhoven, B. & Videler, J.J. 2003:
Behavioural and morphological differences between lake and river populations of *Salaria fluviatilis*.- *J. Fish Biol.* 63 (2): 374-387.
- Scheffel, H.-J. 2013:
Einführung in die Biologie von *Salaria fluviatilis*. Erkenntnisse aus Natur-, Labor- und Aquarienbeobachtungen. *AKFS-Aktuell* 31: 4-14.
- Spreinat, A. 2006:
Süßwasserschleimfische im Aquarium.- *DATZ* 59 (5): 20-22.
- Taxacher, M.; Fischer, C. 2011
Rädertierchen – ein wertvolles Aufzuchtfutter. *Amazonas* 36: 64-70.
- Taxacher, M.; Ammann, F. 2013:
Nachzucht des Süßwasserschleimfischs *Salaria fluviatilis*. *Amazonas* (im Druck).
- Taxacher, M 2013:

- Die gezielte Aufzucht des Süßwasserschleimfisches *Salaria fluviatilis* im Aquarium. AKFS-Aktuell 31: 15-28.
- Vinyoles, D.; Côté, I.M.; De Sostoa, A. 2002:
Nest orientation patterns in *Salaria fluviatilis*. *Journal of Fish Biology* 61: 405-416.
- Vinyoles, D.; De Sostoa, A. 2007:
Life-history traits of the endangered river blenny *Salaria fluviatilis* and their implications for conservation. *Journal of Fish Biology* 70: 1088-1108-
- Wirtz, P. 2006:
Neuer Süßwasserblenniide aus Griechenland.- DATZ 59 (5): 18-19.

Valencia hispanica, Valenciakärpfling

- Barbieri, R.; Stoumboudi, M.T.; Economou, A.N. 2002:
Threatened fishes of the world: *Valencia letourneuxi*. *Environmental Biology of fishes* 65: 46.
- Breitfeld, K. 1994:
Die Welt der Killifische. Haltung und Zucht Eierlegender Zahnkarpfen. Tetra-Verlag. Melle.
- Kärst, H. 2004:
Husbandry Guidelines: *Valencia letourneuxi*. Interne Veröffentlichung der Deutschen Killifischgemeinschaft, AG „Eurasische Killis“.
- Rincon, P.A.; Correas, A.M.; Morcillo, F.; Risuenot, P.; Lobon-Cervia, J. 2002:
Interaction between the introduced eastern mosquitofish and two autochthonous Spanish toothcarps. *Journal of Fish Biology* 61: 1560-1585.
- Seegers, L. 1980:
Killifische. Eierlegende Zahnkarpfen im Aquarium. Ulmeverlag, Stuttgart.

Aphanius sp., Mittelmeerkärpflinge

Breitfeld K. 1994:

Die Welt der Killifische - Haltung und Zucht Eierlegender Zahnkarpfen. Tetra Verlag, Melle.

Coad, B. W. 1988:

Aphanius vladykovi, a new species of tooth-carp from the Zagros Mountains of Iran. *Environmental Biology of Fishes* 23(1-2): 115-125.

Coad, B. W. 2012:

Cyprinodontidae

<http://www.briancoad.com/Species%20Accounts/Cobitidae%20to%20Cyprinodontidae.htm>

Kärst, H. 2004:

Husbandry Guidelines: *Aphanius apodus*. Interne Veröffentlichung der Deutschen Killifischgemeinschaft, AG „Eurasische Killis“.

Krönke, F. 2013:

Der Zagros-Zahnkarpfen – ein Fisch für Aquarium, Balkon und Gartenteich. *Amazonas* 46:60-63.

Krönke, F. 2013:

Zagros pupfish. A fish for the aquarium, balcony, or pond. *Amazonas: Freshwater Aquariums & Tropical Discovery (USA)* 2(5): 70-76.

Keivany, Y.; Soofiani, N.M. 2004:

Contribution to the biology of Zagros tooth-carp, *Aphanius vladykovi* in central Iran. *Environmental Biology of Fishes* 71: 165-169.

Neumann, W. 2005:

DKG-Killifisch-Lexikon. Eierlegende Zahnkarpfen. *Wissenschaft und Praxis. DKG-Supplementheft Nr. 8, 2005/06.*

Aphanius vladykovi, Zagros-Zahnkarpfen

siehe Afrika, Aphanius

Channa sp., Schlangenkopffische

Britz, R. 2013:

Channa andrao, a new species of dwarf snakehead from West Bengal, India. Zootaxa 3731(2): 287-294.

Canadian Science Advisory Secretariat 2005:

Risk assessment for northern snakehead (Channa argus) in Canada. www.dfo-mpo.gc.ca/csas.

Courtenay, W.R.; Williams, J.D. 2004:

Snakeheads (Pisces, Channidae) – a biological synopsis and risk assessment. U.S. Department of the Interior, U.S. Geological Survey Circular 1251.

Brede, N.; Antler, P. 2009:

Schlängenkopffische. Die Gattungen Channa und Parachanna. Art für Art. Natur- und Tier-Verlag GmbH. Münster.

Gascho Landis, A.M.; Lapointe, N.W.; Angermeier, P.L. 2011:

Individual growth and reproductive behaviour in a newly established population of northern snakehead (Channa argus), Potomac river, USA. Hydrobiologica 661: 123-131.

Harz, W.; Zellmer, H.

Die Nachzucht des Regenbogen-Schlängenkopffisches, Channa bleheri. Aquaristik Fachmagazin, 162 : 26-27.

Herborg, L.M.; Mandrak, N.E.; Cudmore, B.C.; MacIsaac, H.J. 2007:

Comparative distribution and invasion risk of snakehead (Channidae) and Asian carp (Cyprinidae) species in North America. Can. J. Fish Aquat. Sci 64: 1723-1735.

Lapointe, N.W.; Thorson, J.T.; Angermeier, P.L. 2010:

Seasonal meso- and microhabitat selection by the northern snakehead (Channa argus) in the Potomac river system. Ecology of Freshwater Fish 19: 566-577.

Li, X.; Musikasinthorn, P.; Kumazawa, Y. 2006:

Molecular phylogenetic analyses of snakeheads using mitochondrial DNA sequences. Ichthyological Research 53: 148-159.

MacIsaac, H.J.; Herborg, L.M.; Muirhead, J.R. 2007:

Modeling biological invasion of inland waters. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 347-368.

Sahu, B.B.; Kumar, K.; Sahoo, A.K. et al. 2012:

Carcass characteristics of marketable size striped murrel, Channa striatus. J. Appl. Ichthyol. 28: 258-260.

Saikia, A.K.; Abujam, S.K.; Biswas, S.P. 2012:

Food and feeding habit of Channa punctatus from the paddy field of Sivsagar district, Assam. Bulletin of Environment, Pharmacology and Life Sciences 1(5): 10-15.

<http://channamania.de/HTML/arten/assam.html>
<http://www.konegger.net/bluehawk/main/channaframeset.htm>

Garra rufa, Rote Saugbarbe

- Abedi, M.; Shiva, A.M.; Mohammadi, H.; Malekpour, R. 2011:
Reproductive biology and age determination of *Garra rufa* in central Iran. *Turkish Journal of Zoology* 35(3): 317-323.
- Bardakci, F.; Ozansoy, Ü.; Koptagel, E. 2000:
A comparison of oogenesis under constant and fluctuating temperatures in doctor fish, *Garra rufa*. *World Wide Web Journal of Biology* 5(3): 1-13.
www.epress.com/w3jbio/vol5/bardakci/index.html
- Çinar, K.; Şenol, N.; Kuru, N. 2008:
The distribution of taste buds in *Garra rufa*. *Anat. Histol. Embryol.* 37: 63-66.
- Coad, B. 2012:
Freshwater Fishes of Iran. Species Accounts. Cyprinidae: *Garra* to *Vimba*.
<http://www.briancoad.com/Species%20Accounts/Cyprinidae%20Garra%20to%20Vimba.htm>
- Durna, S.; Bardakci, F.; Degerli, N. 2010:
Genetic diversity of *Garra rufa* in Anatolia. *Biochemical Systematics and Ecology* 38: 83-92.
- Esmaeili, H.R.; Yazdanpanah, M.; Monsefi, M. 2005:
Reproductive biology of doctor fish, *Garra rufa* in southwest Iran. *Journal of Fish Biology* 67, Suppl. B, S. 282.
- Grassberger, M.; Hoch, W. 2006:
Ichthyotherapy as alternative treatment for patients with psoriasis: a pilot study. *Advance Access Publication. eCAM* 2006; 3(4): 483-488.
- Jarvis, P.L. 2011:
Biological synopsis of *Garra rufa*. *Canadian Manuscript Report of Fisheries and Aquatic Sciences* 2946: vi + 14p.
- Karahan, A.; Ergene, S. 2009:
Cytogenetic variation of geographically isolated four populations of *Garra rufa* in Turkey. *Caryologia* 62(4): 276-287.
- Rahman, P.; Ghasemi, C.M.; Vahid, C.; Loghman, N. 2010:
Some life history aspects of *Garra rufa* in the Kangir river, western Iran. *Zoology in the Middle East* 51: 57-66.
- Sayili, M.; Akca, H.; Duman, T.; Esengun, K. 2007:
Psoriasis treatment via doctor fishes as part of health tourism: a case study of Kangal fish spring, Turkey. *Tourism Management* 28: 625-629.

Lefua costata, Reisschmerle

- Mihara, M.; Sakai, T.; Nakao, K. et al. 2005:
Phylogeography of loaches of the genus *Lefua* inferred from mitochondrial DNA sequences. *Zoological Science* 22: 157-168.

- Miyazaki, J.I.; Nakao, K.; Mihara, M. et al. 2007:
Incongruence between mtDNA phylogeny and morphological and ecological characters in loaches of the genus *Lefua*. *Zoological Science* 24: 666-675.
- Miyazaki, J.I.; Dobashi, M.; Tamura, T. et al. 2011:
Parallel evolution in eight-barbel loaches of the genus *Lefua* revealed by mitochondrial and nuclear DNA phylogenies. *Molecular Phylogenetics and Evolution* 60: 416-427.
- Ott, G. 2011:
Acht Barteln und noch mehr Nachwuchs – *Lefua costata*. *Aquaristik Fachmagazin* 43(3): 60-64.
- Sakai, T.; Mihara, M.; Shitara, M. et al. 2003:
Phylogenetic relationships and intraspecific variations of loaches of the genus *Lefua*. *Zoological Science* 20: 501-514.
- Shedko, S.V.; Miroshnichenko, I.L.; Nemkova, G.A. 2008:
On the systematics and phylogeography of eight-barbel loaches of the genus *Lefua*: mtDNA typing of *L. pleskei*. *Russian Journal of Genetics* 44(7): 817-825.

Macropodus sp, Gabel- und Rundschwanzmakropoden

- Bela, H. 2003:
Der Paradiesfisch *Macropodus opercularis*.- *Der Makropode* 25 (7/8): 172-177.
- Bennewitz, P. (2010): *Macropodus opercularis*. *Der Paradiesfisch – zu Unrecht vernachlässigt*.- *DATZ* 63 (10): 45.
- Dachsel, M. 1990:
Zur Kälteempfindlichkeit fremdländischer Aquarienfische.- *DATZ* 43 (12): 715-718.
- De Rham, P. 1992:
Ein Fisch für die Haltung im Freien. *Macropodus ocellatus*.- *DATZ* 5/1992
- Dreismann, G. 1975:
Das Kampfverhalten von Paradiesfischen im Aquarium beobachtet. *Das Aquarium* 9(4):158-160.
- Dudgeon, D. 2002:
Der „Schwarze“ Makropode in Hong Kong, China.- *Der Makropode* 24 (9/10): 212-213.
- Dudgeon, D., Chan, B. & Schmidt, J. 2003:
Macropodus hongkongensis – eine neue Makropodenart aus Hongkong.- *Der Makropode* 25 (3/4): 62-71.
- Ebert, H. 2006:
Makropoden.- *Der Makropode* 28 (5/6): 90-95.
- Freyhof, J. & Herder, F. 2002:
Review of the paradise fishes of the genus *Macropodus* in vietnam, with description of two new species from Vietnam and southern China (Perciformes: Osphronemidae). *Ichthyol. Explor. Freshwaters* 13 (2): 147-167.
- Freyhof, J., Lamboj, Hieronimus, H. & Paepke, H.-J. 2003:
Macropodus spechti oder *Macropodus concolor*? Kommentare von IGLern und Labyrinthfischfreunden.- *Der Makropode* 25 (3/4): 60-61.
- Gutjahr, A. 2004:

- 135 Jahre im Aquarium: Der Paradiesfisch.- Aquaristik Fachmagazin Nr. 178, Aug./Sept. 2004: 34-36.
- Heller, W. 2000:
Makropoden – Aquarienfische für den Gartenteich.- Aquaristik Fachmagazin Nr. 153, 32 (3): 6-12.
- Herder, F. & Freyhof, J. 2001:
Überraschendes und Neues von alten Bekannten.- DATZ 54 (7): 20-23.
- Huang, W.-B.; Cheng, F.-L. 2006:
Effects of temperature and floating materials on breeding by the paradise fish (*Macropodus opercularis*) in the non-reproductive season. *Zoological Studies* 45(4): 475-482.
- Huang, W.-B.; Chang, C.-C. 2011:
Effects of parental care and body size on the reproductive success of the paradise fish *Macropodus opercularis* in a small area. *Zoological Studies* 50(4): 401-408.
- Kitagawa, T.; Kazumi, H. 2011:
Vicissitudes of roundtail paradise fish *Macropodus ocellatus* introduced to the Japanese Archipelago. *Bulletin of the Biogeographical Society of Japan* 66: 49-55.
- Kokoscha, M. 2009:
Klassiker. Makropode, *Macropodus opercularis*.- *Amazonas* 5 (1), Nr. 21: 43-46.
- Menzel, S. 2004:
Pflege und Züchterfahrungen mit *Macropodus*-Arten.- *Der Makropode* 26 (3/4): 82-85.
- Miklósi, A.; Haller, J.; Csányi, V. 1997:
Learning about the opponent during aggressive encounters in paradise fish (*Macropodus opercularis*): when it takes place? *Behavioural Processes* 40: 97-105.
- Ott, G. 2011:
Macropodus opercularis. Paradiesfische aus Taiwan.- DATZ 64 (3): 24-27.
- Paepke, H.J. 1988:
Zur Verbreitung des Rundschwanzmakropoden und seiner Verwandten. *Aquarien Terrarien* 35(1):10-13.
- Paepke, H.-J. 1994:
Die Paradiesfische Gattung *Macropodus*.- Die neue Brehmbücherei Bd. 616, Westarp Wissenschaften, Magdeburg.
- Paepke, H.J. 1994:
Die Paradiesfische. Die neue Brehmbücherei, Bd. 616. Westarp Wissenschaften. 144 S.
- Paepke, H.-J. 2010:
Online-Supplement Nr. 1/2010 zum NBB-Bd. 616: Die Paradiesfische. Westarp Wissenschaften, BrehmSpace <<http://brehmspace.de>>
- Pechauf, M. 2010:
Vor 140 Jahren: Der erste farbenprächtige tropische Aquarienfisch wird erfolgreich nach Europa eingeführt. Einige Bemerkungen zur Geschichte der Einführung und Erstzucht des Makropoden und zu dessen früher Verbreitung im deutschsprachigen Raum.- *Der Makropode* 32 (2): 63-72.
- Pinter, H. 1984:
Kreuzungsversuche mit Makropoden - Über die Problematik von Kreuzungsversuchen für Artabgrenzungsfragen. *DATZ* 37(10):369-372.

- Rogner, M. 2007:
Schwarze Makropoden. DATZ 60(4).
- Röhrs, N. 2012:
Paradiesfische auf Hainan.- Der Makropode 34 (2): 68-69.
- Schaffer, W. 1981:
Nur Makropoden, aber mit Freiland-Sommerquartier. DATZ 34(4):112-114.
- Schindler, I. 2004:
Gedanken über die Makropoden Zentral-Vietnams.- Der Makropode 26 (9/10): 182-187.
- Schindler, I. 2009:
Neues zur Taxonomie der Makropodus-Arten.- Der Makropode, 31 (1): 9-12.
- Schmidt, J. 2009:
Vier neue Makropoden aus Vietnam.- Amazonas 5 (2), Nr. 22: 4-5.
- Seehaus, Th.; Schmidt, J. 2002:
Makropoden –Paradiesfische.- Reihe Ihr Hobby, Bede-Verlag, Ruhmannsfelden.
- Seehaus, Th. 2004:
Der Paradiesfisch von Quang Nam (Da Nang Provinz, Vietnam). *Macropodus opercularis* (Linnaeus 1758).- Der Makropode 26 (11/12): 233-236.
- Seehaus, T. 2005:
Makropoden – Fische nicht nur für das Aquarium.- *Aquaristik aktuell* 13 (6): 60-65.
- Seehaus, T. 2006:
Makropoden – Teil 2: Die Haltung im Freiland.- *Aquaristik aktuell* 14 (1): 54-58.
- Seehaus, T. 2009:
Makropoden im Gartenteich.- Der Makropode 31 (2): 41-46.
- Vierke, J. 1974:
Makropoden - mehr als nur Anfängerfische? *Aquarien Magazin* 8(3):95-98.
- Vierke, J. 1984:
Rundschwanzmakropoden *Macropodus ocellatus* aus dem Reich der Mitte.
Das Aquarium 184, S. 506 – 510.
http://www.fischreisen.de/Macropodus_ocellatus.html
- Wang, T.-Y.; Tzeng, C.-S.; Shen, S.-C. 1999:
Conservation and phylogeography of Taiwan paradise fish, *Macropodus opercularis*. *Acta Zoologica Taiwanica* 10(2): 121-134.
- Weiss, W. 1986:
Edelsteine aus dem Reisfeld - Der Großflosser, *Macropodus opercularis*; *Aquarien Magazin* 20(5):208-215.
- Winstanley, T.; Clements, K. D. 2008:
Morphological re-examination and taxonomy of the genus *Macropodus* (Perciformes, Osphronemidae). *Zootaxa* 1908: 1-27.
- Zukal, R. 1975:
Ein alter Bekannter: Der Paradiesfisch oder Makropode. *Aquarien Terrarien* 22(1):10-12.

Paramisgurnus & Misgurnus, Asiatischer- und Chinesischer Schlammpeitzger:

- Bohlen, J. 2008:
Spawning marks in spined loaches (*Cobitis taenia*). *Folia Zool.* 57(1-2): 168-171.
- Cuihong You, X.; Yu, J. Tong 2007:
Detection of hybridization between two loach species (*Paramisgurnus dabryanus* and *Misgurnus anguillicaudatus*) in wild populations. *Environmental Biology of Fishes*
- Cuihong You, X.; Yu, D. Tan, J. Tong 2008:
Gynogenesis and sex determination in large-scale loach *Paramisgurnus dabryanus*. *Aquaculture International* (2008) 16:203-214.
- Franch et al. 2008:
On the establishment and range expansion of oriental weatherfish (*Misgurnus anguillicaudatus*) un NE Iberian Peninsula. *Biol. Invasions* (2008) 19: 1327-1331.
- Freyhof, J., E. Korte 2005:
The first record of *Misgurnus anguillicaudatus* in Germany. *Journal of Fish Biology* (2005) 66, 568-571.
- Heimann, H. 2006:
Verbreitung und Ortsbewegung des Schlammpeitzgers *Misgurnus fossilis* im NSG „Westliches Hollerland“/Bremen. Diplomarbeit Universität Bremen, Institut für Ökologie und Evolutionsbiologie.
- Interesova, E.A.; Yadrenkina, E.N.; Vasil'eva, E.D. 2010:
The first record of *Misgurnus nikolskyi* in the South of Western Siberia. *Journal of Ichthyology*, 50(3): 281-284.
- Käfel, G. 1991:
Autökologische Untersuchungen an *Misgurnus fossilis* im March-Thaya Mündungsgebiet. Dissertation. Formal- und Naturwissenschaftliche Fakultät der Universität Wien.
- Keller, R. P., P. S. Lake 2007:
Potential impacts of a recent and rapidly spreading coloniser of Australian freshwaters: Oriental weatherloach (*Misgurnus anguillicaudatus*). *Ecology of Freshwater Fish* 2007: 16: 124-132.
- Krönke, F. 2010:
Asiatische Schlammpeitzger: Zwei globale Neubürger - ein Leben im Verborgenen. *Aquaristik Fachmagazin* 42(2):38-43.
- Krönke, F. 2012:
Nachzucht des asiatischen Schlammpeitzgers *Misgurnus anguillicaudatus*. *AKFS-Aktuell* 28: 19-24.
- Meyer, L.; Hinrichs, D. 2000:
Microhabitat preferences and movement of the weatherfish *Misgurnus fossilis*, in a drainage channel. *Environmental Biology of Fishes* 58: 297-306.
- Ott, G. 2000:
Schmerlen im Aquarium. Tetra-Verlag.
- Riffel, M.; Schenk, M.; Schreiber, A. 1994:
Electrophoretic differentiation between European loach (*Misgurnus fossilis*) and Oriental weather loach (*Misgurnus mizolepis*), an autochthonous and a feral species of central European freshwater fish. *Zeitschrift für Angewandte Zoologie* 80(4): 473-483.
- Suzuki, R. 1983:

- Multiple spawning of the cyprinid loach, *Misgurnus anguillicaudatus*. *Aquaculture* 31: 233-243.
- Tabor, R. A. et al. 2001:
An oriental weatherfish (*Misgurnus anguillicaudatus*) population established in Washington State. *US Fish and Wildlife Service. Northwest Science* (75)1, pp. 72-76.
- Tönsmeier, D. 1989:
Einheimische Fische im Aquarium. Verlag Eugen Ulmer. Stuttgart.
- <http://www.loaches.com/species-index/weather-loach-misgurnis-anguillicaudatus/?searchterm=Misgurnus>
<http://www.loaches.com/articles/weather-report/?searchterm=Misgurnus>

Pseudorasbora parva, Blaubandbärbling

- Arnold, A. 1990:
Eingebürgerte Fischarten. Zur Biologie und Verbreitung allochthoner Wildfische in Europa. Die Neue Brehm-Bücherei. A. Ziemsen Verlag. Wittenberg Lutherstadt.
- Bănărescu, P.M. 2002:
Pseudorasbora parva. In: *The freshwater Fishes of Europe. Cyprinidae 2, Pt.1: 207-224*. Aula-Verlag.
- Beyer, K.; Copp, G.H.; Gozlan, R.E. 2007:
Microhabitat use and interspecific associations of introduced topmouth gudgeon *Pseudorasbora parva* and native fishes in a small stream. *Journal of Fish Biology* 71 (Suppl. D): 224-238.
- Britton, J.R.; Davies, G.D.; Brazier, M.; Pinder, A.C. 2007:
A case study on the population ecology of a topmouth gudgeon (*Pseudorasbora parva*) population in the UK and the implications for native fish communities. *Aquatic Conservation: Marine and Freshwater Ecosystems* 17: 749-759.
- Britton, J.R.; Davies, G.D.; Brazier, M. 2008:
Contrasting life history traits of invasive topmouth gudgeon (*Pseudorasbora parva*) in adjacent ponds in England. *Journal of Applied Ichthyology* 24: 694-689-
- Britton, J.R.; Davies, G.D.; Brazier, M. 2010:
Towards the successful control of the invasive *Pseudorasbora parva* in the UK. *Biol. Invasions* 12: 125-131.
- Britton, J.R.; Davies, G.D.; Brazier, M. 2009:
Eradication of the invasive *Pseudorasbora parva* results in increased growth and production of native fishes. *Ecology of Freshwater Fish* 18: 8-14.
- Britton, J.R.; Davies, G.D.; Harrod, C. 2010:
Trophic interactions and consequent impacts of the invasive fish *Pseudorasbora parva* in a native aquatic foodweb: a field investigation in the UK. *Biol. Invasions* 12: 1533-1542.
- Burnard, D.; Gozlan, R.E.; Griffiths, S.W. 2008:
The role of pheromones in freshwater fishes. *Journal of Fish Biology* 73: 1-16.
- Caiola, N.; De Sostoa, A. 2002:
First record of the Asiatic cyprinid *Pseudorasbora parva* in the Iberian Peninsula. *Journal of Fish Biology* 61: 1058-1060.
- Carpentier, A.; Gozlan, R.E.; Cucherousset, J. et al. 2007:

- Is topmouth gudgeon *Pseudorasbora parva* responsible for the decline in sunbleak *Leucaspius delineatus* populations? *Journal of Fish Biology* 71 (Suppl. D): 274-278.
- Copp, G.H.; Vilizzi, L.; Gozlan, R.E. 2010:
Fish movements: the introduction pathway for topmouth gudgeon *Pseudorasbora parva* and other non-native fishes in the UK. *Aquatic Conservation: Marine and Freshwater Ecosystems* 20: 269-273.
- DAISIE (Delivering Alien Invasive Species Inventories for Europe) 2012.
Pseudorasbora parva. <http://www.europe-aliens.org/speciesTheWorst.do>
- Declerck, S.; Louette, G.; De Bie, T.; De Meester, L. 2002:
Patterns of diet overlap between populations of non-indigenous and native fishes in shallow ponds. *Journal of Fish Biology* 61: 1182-1197.
- Gozlan, R.E.; St.-Hilaire, S.; Feist, S.W.; Martin, P.; Kent, M.L. 2005:
Disease threat to European fish. *Nature* 435: 1046.
- Gozlan, R.E.; Beyer, K. 2006:
Hybridisation between *Pseudorasbora parva* and *Leucaspius delineatus*. *Folia Zool.* 55(1): 53-60.
- Grabowska, J.; Kotusz, J.; Witkowski, A. 2010:
Alien invasive fish species in Polish waters: an overview. *Folia Zool.* 59(1): 73-85.
- Kappus, B.; Salewski, V. 1997:
Vorkommen, Verbreitung und Habitate des eingeschleppten Blaubandbärblings *Pseudorasbora parva* in Deutschland. *Lauterbornia* H. 31: 49-64.
- Konishi, M.; Sakano, H.; Iguchi, K. 2009:
Identifying conservation priority ponds of an endangered minnow, *Pseudorasbora pumila*, in the area invaded by *Pseudorasbora parva*. *Ichthyological Research* 56: 346-353.
- Košuthová, L.; Koščo, J.; Letková, V. et al. 2009:
New records of endoparasitic helminths in alien invasive fishes from the Carpathian region. *Biologia* 64(4): 776-780.
- Lusk, S.; Lusková, V.; Hanel, L. 2010:
Alien fish species in the Czech Republic and their impact on the native fish fauna. *Folia Zool.* 59(1): 57-72.
- Musil, J.; Adámek, Z. 2007:
Piscivorous fishes diet dominated by the Asian cyprinid invader, topmouth gudgeon (*Pseudorasbora parva*). *Biologia* 62(4): 488-490.
- Musil, J.; Jurajda, P.; Adámek, Z. et al. 2010:
Non-native fish introductions in the Czech Republic – species inventory, facts and future perspectives. *Journal of Applied Ichthyology* 26(Suppl. 2): 38-45.
- Pinder, A.C.; Gozlan, R.E. 2005:
Dispersal of the invasive topmouth gudgeon, *Pseudorasbora parva* in the UK: a vector for an emergent infectious disease. *Fisheries Management and Ecology* 12: 411-414.
- Priyadarshana, T.; Asaeda, T. 2007:
Swimming restricted foraging behaviour of two zooplanktivorous fishes *Pseudorasbora parva* and *Rasbora daniconius* in a simulated environment. *Environ. Biol. Fish* 80: 473-486.
- Rosecchi, E.; Thomas, F.; Crivelli, A. J. 2001:

- Can life-history traits predict the fate of introduced species ? A case study on two cyprinid fish in southern France. *Freshwater Biology* 46(6): 845-853.
- Stakenas, S.; Copp, G.H.; Scott, D.M. 2008:
Tagging effects on three non-native fish species in England (*Lepomis gibbosus*, *Pseudorasbora parva*, *Sander lucioperca*) and of native *Salmo trutta*. *Ecology of Freshwater Fish* 18: 167-176.
- Sunardi; Asaeda, T.; Manatunge, J. 2007:
Physiological responses of topmouth gudgeon, *Pseudorasbora parva*, to predator cues and variation of current velocity. *Aquat. Ecology* 41: 111-118.
- Sunardi; Asaeda, T.; Manatunge, J.; Fujino, T. 2007:
The effects of predation risk and current velocity stress on growth, condition and swimming energetics of Japanese minnow (*Pseudorasbora parva*). *Ecological Research* 22: 32-40.
- Záhorská, E.; Kováč, V.; Falka, I. et al 2009:
Morphological variability of the Asiatic cyprinid, topmouth gudgeon *Pseudorasbora parva*, in its introduced European range. *Journal of Fish Biology* 74: 167-185.
- Záhorská, E.; Kováč, V. 2009:
Reproductive parameters on invasive topmouth gudgeon *Pseudorasbora parva* from Slovakia. *Journal of Applied Ichthyology* 25: 466-469.
- Záhorská, E.; Kováč, V.; Katina, S. 2010:
Age and growth in a newly-established invasive population of topmouth gudgeon. *Central European Journal of Biology* 5(2): 256-261.

Pethia conchonius, Prachtbarbe

- Arendt, K. 2003:
Zwei aquaristisch neue Barben aus Indien, die Kalkutta-Prachtbarbe, *Puntius conchonius* (Hamilton, 1822) und die Rotschwanz-Zebrabarbe, *Puntius melanampyx* (Day, 1865).- *Aquaristik Fachmagazin* 35 (2), Nr. 170: 24-26.
- Dobriyal, A.K.; Bahuguna, P.; Uniyal, S.P.; Joshi, H.K. 2007:
Sexual dimorphism in the cyprinid fish *Puntius conchonius*. *Journal of the Bombay Natural History Society* 104(2): 225-226.
- Ebert, H. 2007:
Die Prachtbarbe *Barbus conchonius* Hamilton, 1822.- *Aquarium Live* Nr. 2/2007: 38-39.
- Ende, H.-J. 2002:
Puntius conchonius (Hamilton, 1822), die Prachtbarbe.- *BSSW Report* 1/2002: 20-23.
- Hieronimus, H. 2006:
Kleine „Goldfische“. Neues von einem alten Bekannten.- *Aquaristik* 6/2006: 16-19.
- Katarzyna, T.; Kucharczyk, D.: 2012:
Reproduction of the model fish: rosy barb (*Puntius conchonius*), under controlled conditions. *Polish Journal of Natural Sciences* 27(2): 215-227.
- Khanum, S.I.; Khan, H.R.; Begum, A. 2005:
Control potentials of some indigenous fishes on the larvae of mosquito, *Culex quinquefasciatus*. *Dhaka University Journal of Biological Sciences* 14(1): 25-31.
- Mayland, H.J. 2004:

- Asiatische Barben der Gattung *Puntius*. Arten aus Indien und Myanmar.- Aquaristk aktuell 3/2004: 10-15.
- Mercy, T.V.A.; Eapen, J.; Bhaskar, R.K. 2008:
Length-weight relationship of sixteen species of indigenous ornamental fishes of the Western Ghats of India. *Indian Journal of Fisheries* 55(4): 337-339.
- Pethiyagoda, R.; Meegaskumbura, M.; Maduwage, K. 2012.
A synopsis of the South Asian fishes referred to *Puntius* (Pisces: Cyprinidae). *Ichthyological Exploration of Freshwaters* 23(1): 69-95
- Sageret, A.; Sageret, A. 1999:
Barbus conchoni. Meister der Pirouette.- *Aquarium live* 3/1999: 6-13.
- Schäfer, F. 2006:
Puntius sp. - DATZ 59 (12), *Aquarien-Praxis*, S. 11.
- Suttner, R. 2005:
Prachtbarben.- DATZ 58 (7), *Aquarien-Praxis*, S. 1-4.
- Tripathi, S.M.; Siddiqui, M.J. 1994:
Food and feeding habits of a weed fish: *Puntius conchoni*. *Journal of Advanced Zoology* 15(2): 90-94.
- <http://www.seriouslyfish.com/species/pethia-conchoni/>
<http://nas.er.usgs.gov/queries/FactSheet.aspx?speciesID=630>

***Puntius semifasciolatus*, Messingbarbe**

- Chang, C.-H.; Shao, Y.-T.; Kao H.-W. 2006:
Molecular identification of two sibling species of *Puntius* in Taiwan. – *Zoological Studies* 45 (2): 149–156.
- Herre, A.W.; Myers, G.S. 1931:
Fishes from south-eastern China and Hainan. *Lingnan Sci. J.* 10: 242.
- Kottelat, M. 2001:
Freshwater fishes of northern Vietnam. A preliminary check-list of the fishes known or expected to occur in northern Vietnam with comments on systematics and nomenclature. – Environment and Social Development Unit, East Asia and Pacific Region. The World Bank.
- Lai, H.-T.; Weng, S.-J.; Chang, J.-T.; Tsay, C.-C.; Shy, J.-Y. 2008:
Induced spawning and larval development of the half-striped barb *Puntius semifasciolatus* (GÜNTHER, 1868). – *Endemic Species Research* 10 (1): 35–44.
- Mai, D.-Y. 1985:
Species composition and distribution of the freshwater fish fauna of the North of Vietnam. *Hydrobiologia* 121: 281–286.
- Manilo, L.G.; Pan`kov, A.V. 2003:
First Capture of Green Barb *Puntius semifasciolatus* (Cyprinidae) in Inland Waters of Russia. National Scientific Museum of Natural History, National Academy of Sciences of Ukraine.
- Manzke, U. 2013
Erfahrungen mit „wilden“ Messingbarben. DATZ 5/2013.
- Nichols, J. T.; Pope, C. H. 1927:
The fishes of Hainan. – *Bull. Amer. Mus. Nat. Hist.*

- Stallknecht, H. 1994:
Barben und Bärblinge. Tetra-Verlag, Melle.
- Steinle, C.-P. 1998:
Barben und Bärblinge. Verlag Eugen Ulmer, Stuttgart.
- Tresnak, I. 1978:
Die Brokatbarbe, im Handel *Barbus „schuberti“* genannt. D. Aqu. u. Terr. Z. (DATZ) 31 (10): 340–343.
- Van Den Nieuwenhuizen, A. 1963:
Barbus semifasciolatus, die Messingbarbe. D. Aqu. u. Terr. Z. (DATZ) 16 (7): 193–195.
- Xuzhen Wang; Junbing Li; Shunping He 2007:
Molecular evidence for the monophyly of East Asian groups of Cyprinidae (Teleostei: Cypriniformes) derived from the nuclear recombination activating gene 2 sequences. *Molecular Phylogenetics and Evolution* 42(1): 157-170.
- Yi-Ta Shao; Hsia o-Wei Kao 2006:
Molecular Identification of Two Sibling Species of *Puntius* in Taiwan. *Zoological Studies* 45(2): 149-156.
- Zarske, A. 2004:
Barbus semifasciolatus GÜNTHER, 1868, Messingbarbe. In: Schäfer, C.; Schröer, T. (Hg.): *Das große Lexikon der Aquaristik*. Band 1 (A–H). Verlag Eugen Ulmer, Stuttgart.

Tanichthys albonubes, Kardinal

- Bohlen, J. 2010:
Tanichthys sp. Ein neuer Kardinalfisch aus Vietnam? . DATZ 63 (2): 22-23.
- Chan, B.P.L.; Chen, X.L. 2009:
Discovery of *Tanichthys albonubes* on Hainan Island, and notes on its ecology. *Zoological Research* 30(2): 209-214.
- Evers, H.-G. 2003:
Tanichthys micagemmae Freyhof & Herder, 2001.- *Aquaristik Fachmagazin* 35 (2), Nr. 170: 27-28.
- Evers, H.-G. 2006:
Eine chinesische Odyssee – die Kardinälchenstory.- *Amazonas* Nr. 4/2006: 58-59.
- Evers, H.-G. 2010:
Tanichthys sp. “Danang”. *Amazonas* 6 (1), Nr. 27: 78-79.
- Freyhof, J. & Herder, F. 2001:
Tanichthys micagemmae, a new miniature cyprinid fish from Central Vietnam (Cypriniformes: Cyprinidae). *Ichthyol. Explor. Freshwaters* 12 (3): 215-220.
- Gutjahr, A. 2006:
Ein Comeback für *Tanichthys albonubes*. *Aquaristik Fachmagazin* 38 (2), Nr. 188: 52-54.
- Hieronimus, H. 1990:
Der Kardinalfisch *Tanichthys albonubes* und seine Schleierform. *TI Aquaristik Magazin* 22 (100): 8-10.
- Hieronimus, H. 2009:

- Arbeiterneon und Venusfisch. Ein alter Bekannter – neu entdeckt.- Aquaristik 2/2009: 18-21.
- Konrad, J.A. 1998:
Bärblinge. Bede-Verlag, Ruhmannsfelden.
- Lampe, K. 2008:
Zuchtversuche mit Arbeiter-Neon und Schleierkardinal. DATZ 12/2008: 26-31.
- Liang, X.F.; Chen, G.Z.; Chen, X.L.; Yue, P.Q. 2008:
Threatened fishes of the world: *Tanichthys albonubes*. Environmental Biology of Fish 82: 177-178.
- Sado, T.; Kimura, S. 2004:
Developmental morphology of the cyprinid fish *Tanichthys albonubes*. Ichthyological Research 52: 386-391.
- Saxby, A.; Adams, Snellgrove, D. et al. 2010:
The effect of group size on the behaviour and welfare of four fish species commonly kept in home aquaria. Applied Animal Behaviour Science 125: 195-205.
- Scheffel, H.-J. 2005:
Der Zentralvietnamesische Kardinalfisch.- DATZ 58 (1): 36-37.
- Serov, D. 2008:
Vietnam – biotope und Fische. Alte Klischees und Realität heute.- Aquaristik Fachmagazin 40 (3), Nr. 201: 4-19.
- Shu, H., Meng, Z.-N., Yi, Z.-S., Zhang et al. 2006:
The genetic diversity of wild and cultivated population of *Tanichthys albonubes* by random amplified polymorphic DNA (RAPD) method. Acta Scient. Natural. Univers. Sunyatseni 45: 77–81.
- Sloman, K.A.; Baldwin, L.; McMahon, S.; Snellgrove, D. 2011:
The effects of mixed-species assemblage on the behaviour and welfare of fish held in home aquaria. Applied Animal Behaviour Science 135: 160-168.
- Vogt, D. 2005:
Der von den Weißen Wolkenbergen: *Tanichthys albonubes*. Der Kardinalfisch.- Aquaristik aktuell 13 (3): 12-16.
- Weitzman, S.H.; Evers, H.-G. 1998:
Zur Geschichte von *Tanichthys albonubes* und *Hemigrammocypripis lineatus*. - Aquaristik Fachmagazin 144: 40-46.
- Weitzman, S.H.; Evers, H.-G. 1999:
Kardinäle vom Aussterben bedroht! - Aquaristik Fachmagazin 149: 67.

Zacco platypus, Candidia sp., Opsariichthys sp., Drachenfische

- Berrebi, P., Fang, G. Cattaneo-Berrebi 2005:
Intron polymorphism (EPIC-PCR) reveals phylogeographic structure of *Zacco platypus* in China: a possible target for aquaculture development. Heredity 94: 589-598.
- Choi Jun Kil 2011:
Fish community structure in the Pyeongchanggang river. Korean Journal of Systematic Zoology 27(2): 151-158.
- Chen, I.-S.; Wu, J.-H.; Hsu, C.-H. 2008:

- The taxonomy and phylogeny of *Candidia* from Taiwan, with description of a new species and comments on a new genus. *The Raffles Bulletin of Zoology Suppl.* 19: 203-214.
- Chen, I.-S.; Huang, S.-P.; Jang-Liaw, N.-H.; Shen, C.-N.; Wu, J.-H.; 2008:
Molecular evidence for genetic differentiation of the *Opsariichthys bidens* complex in southern China around south China sea and the validity of *Opsariichthys hainanensis*. *The Raffles Bulletin of Zoology Suppl.* 19: 215-223.
- Chen, I.-S.; Wu, J.-H.; Huang, S.-P. 2009:
The taxonomy and phylogeny of the cyprinid genus *Opsariichthys* from Taiwan, with description of a new species. *Environmental Biology of Fish* 86: 165-183.
- Johansson, F.; Rådman, P.; Andersson, J. 2005:
The relationship between ontogeny, morphology, and diet in the Chinese hook snout carp (*Opsariichthys bidens*). *Ichthyological Research* 53: 63-69.
- Katano, O. 1994:
Aggressive interactions between the dark chub, *Zacco temminckii*, and the pale chub, *Z. platypus*, in relation to their feeding behaviour. *Japanese Journal of Ichthyology* 40(4): 441-449.
- Katano, O. 2011:
Effects of individual differences in foraging of pale chub on algal biomass through trophic cascades. *Environmental Biology of Fishes* 92(1): 101-112.
- Katano, O.; Yoshimasa, A.; Naoto, M. et al. 2003:
Difference in response by two cyprinid species to predatory threat from the nocturnal catfish *Silurus asotus*. *Ichthyological Research* 50(4): 349-357.
- Kenya Mizuguchi und Yoshio Hiyama 1969:
Reproduction of the Oikawa, *Zacco platypus*, a Cyprinid – I. Sexual characters in the anal fin and maturation. *Japanese Journal of Ichthyology* 16(1): 17-23.
- Krönke, F. 2012:
Spannende Vielfalt der Drachenfische. *Amazonas* 43: 66-71.
- Lee, C.-R.I.; Pham, M.A.; Lee, S.-M. 2010:
Effects of dietary paprika and lipid levels on growth and skin pigmentation of pale chub (*Zacco platypus*). *Asian-Australian Journal of Animal Science* 23(6): 724-732.
- Li, G.-Y.; Wang, X.-Z.; Zaho, Y.-H.; Zhang, J.; Zhang, C.-G.; He, S.-P. 2009:
Speciation and phylogeography of *Opsariichthys bidens* in China: analysis of the cytochrome b gene of mtDNA from diverse populations. *Zoological Studies* 48(4): 569-583.
- Ma, G.-C.; Tsao, H.-S.; Lu, H.-P.; Yu, H.-T. 2006:
AFLPs congruent with morphological differentiation of Asian common minnow *Zacco* in Taiwan. *Zoologica Scripta* 35: 341-351.
- Ma, G.-C.; Watanabe, K.; Tsao, H.-S.; Yu, H.-T. 2006:
Mitochondrial phylogeny reveals the artificial introduction of the pale chub *Zacco platypus* in Taiwan. *Ichthyological Research* 53: 323-329.
- Min M.S., Yang S.Y. 1991:
Systematic study on the genus *Zacco* Pisces Cyprinidae II. Phylogenetic relationships of the genera *Zacco* and *Candida*. *Korean Journal of Zoology* 34(4): 571-584.
- Morimune, T.; Kazumi, H. 2010:

- Geographical variations in the intestinal morphology of pale chub, *Zacco platypus*, in the Kinki District, Japan. *Biogeography* 12: 105-110.
- Oohira Yutaka, Nakano Yoshisuke, Yuge Kozue, Shibita Kouji 2006:
 Preservation of paddy ecosystems with small-scale fishways controllable by farmers (III). In situ observation on three types of fishways for evaluating upward migration efficiency. *Science Bulletin of the Faculty of Agriculture Kyushu University* 61(2): 237-246.
- Perdices A., Cunha, C.; Coelho, M.M. 2004:
 Phylogenetic structure of *Zacco platypus* populations on the upper and middle Chang Jiang drainage inferred from cytochrome b sequences. *Molecular Phylogenetics and Evolution* 31: 192-203.
- Perdices A.; Sayanda, D.; Coelho, M.M. 2005:
 Mitochondrial diversity of *Opsariichthys bidens* in three Chinese drainages. *Molecular Phylogenetics and Evolution* 37: 920-927.
- Perdices A., Coelho, M.M. 2006:
 Comparative phylogeography of *Zacco platypus* and *Opsariichthys bidens* in China based on cytochrome b sequences. *JZS* 44(4): 330-338.
- Sado, T.; Kimura, S. 2002:
 Developmental morphology of the cyprinid fish, *Candidia barbatus*. *Ichthyological Research* 49: 350-354.
- Sato, M.; Kawaguchi, Y.; Yamanaka, H. et al. 2009:
 Predicting the spatial distribution of the invasive piscivorous chub (*Opsariichthys uncirostris uncirostris*) in the irrigation ditches of Kyushu, Japan: a tool for the risk management of biological invasion. *Biological Invasions* 12: 3677-3686.
- Takai Noriyuki, Kato Akifumi, Yoshihara Kiyoshi et al. 2011:
 Longitudinal description of fishes in the Inohzawa river watershed, southern Izu peninsula, Japan. *Japanese Journal of Ichthyology* 58(1): 13-25.
- Wang, F.Y.; Chung, W.S.; Yan, H.Y.; Tzeng, C.S. 2008:
 Adaptive evolution of cone opsin genes in two colourful cyprinids, *Opsariichthys pachycephalus* and *Candidia barbatus*. *Vision Research* 48: 1695-1704.
- Xing, Y.-C.; Wang, B.-L.; Hu, Y.-J. et al. 2007:
 Growth and diets of *Zacco platypus* distributed in Beijing. *Acta Zoologica Sinica* 53(6): 982-993.
- Yoon, J.-D., Kim, J.-H., Jang, M.-H. et al. 2011
 Distribution patterns of fish communities with respect to environmental gradients in Korean streams. *Annales de Limnologie* 47(1): 63-71.

AUSTRALIEN

Neoceratodus forsteri, Australischer Lungenfisch

- Bemis, W.E.; Burggren, W.W.; Kemp, N.E. 1987:
The Biology and evolution of lungfish. Alan R. Liss, Inc., 41 East 11th Street, New York, NY 10003.
- Burggren, W.W. und K. Johansen 1987:
Circulation and respiration in lungfishes (Dipnoi). In: Bemis, W.E.; Burggren, W.W.; Kemp, N.E. 1987. The Biology and evolution of lungfish. Alan R. Liss, Inc., 41 East 11th Street, New York, NY 10003. S. 217- 236.
- Carroll R. 2009:
The rise of amphibians: 365 million years of evolution. The John Hopkins University Press. Baltimore, Maryland.
- Campbell K.S. und R.E. Barwick 1986:
Paleozoic lungfishes – a review. Journal of Morphology Supplement 1:93-131.
- Clack, J.A.; Sharp, L.; Long, J.A. 2011:
The fossil record of Lungfish. In: Jørgensen, J.M. und Joss, J. 2011. The biology of lungfishes. Science Publishers, Enfield, New Hampshire. S. 1-42.
- Clement, A.M.; Long, J.A. 2010:
Air-breathing adaptation in a marine Devonian lungfish. Biology Letters doi: 10.1098/rsbl. 2009.1033. Published online.
- Coates, M.I.; Ruta, M.; Friedman, M. 2008:
Ever since Owen: changing perspective on the early evolution of Tetrapods. Annual Review of Ecology and Evolution and Systematics 39: 571-592.
- Conant E.B. 1986:
An historical overview of the literature of dipnoi: introduction to the Bibliography of lungfishes. Journal of Morphology Supplement 1:5-13.
- Fernandes M.N.; M. de Moraes, S. Höller, O. T. da Costa, M.L. Glass, S.F. Perry 2004 :
Morphometry of the respiratory organs of the South American lungfish, *Lepidosiren paradoxa*. Biology of Lungfish. Symposium Proceedings. International Congress on the Biology of Fish. Manaus, Brasil.
- Fonseca de Almeida-Val, V.M.; Nozawa, S.R.; Val, A.L. et al. 2011:
Biology of the South American lungfish, *Lepidosiren paradoxa*. In: In: Jørgensen, J.M. und Joss, J. 2011. The biology of lungfishes. Science Publishers, Enfield, New Hampshire. S.129-148.
- Forey P.L. 1986:
Relationships of lungfishes. Journal of Morphology Supplement 1:75-91.
- Johansen K. und C. Lenfant 1967:
Respiratory function in the South American lungfish, *Lepidosiren paradoxa*. J. Exp. Biol. 46: 205-218.
- Johanson, Z.; Ahlberg, E. 2011:
Phylogeny of lungfish. In: Jørgensen, J.M. und Joss, J. 2011. The biology of lungfishes. Science Publishers, Enfield, New Hampshire. S. 43-60.
- Johnels, A.G.; Svenson, G.S.O. 1954:
On the biology of *Protopterus annectens*. Arkiv För Zoologi 7(7): 131-164.

- Jørgensen, J.M. und Joss, J. 2011:
The biology of lungfishes. Science Publishers, Enfield, New Hampshire.
- Kemp A. 1986:
The biology of the Australian lungfish, *Neoceratodus forsteri*. Journal of Morphology Supplement 1:181-198.
- Kemp A. 1995:
Threatened fishes of the world: *Neoceratodus forsteri*. Environmental Biology of Fishes 43:310.
- Kemp A. 2004:
The origin and evolution of lungfish. Biology of Lungfish. Symposium Proceedings. International Congress on the Biology of Fish. Manaus, Brasil.
- Kind P.K., G.C. Grigg und D.T. Booth 2002:
Physiological responses to prolonged aquatic hypoxia in the Queensland lungfish *Neoceratodus forsteri*. Respiratory Physiology & Neurobiology 132: 179-190.
- Kind, P.K. 2011:
The natural history of the Australian lungfish *Neoceratodus forsteri*. In: In: Jørgensen, J.M. und Joss, J. 2011. The biology of lungfishes. Science Publishers, Enfield, New Hampshire. S. 61-96.
- Krönke, F. 2010:
Westafrikanische Lungenfische im Aquarium. DATZ 63(11):18-21.
- Krönke, F. 2012:
Lungenfische – die nächsten rezenten Verwandten der Vierfüßer. Aquaristik Fachmagazin 226:4-29.
- Liem K.F. 1986:
The biology of lungfishes: an epilogue. Journal of Morphology Supplement 1:299-303.
- Long J. 1995:
The rise of fishes. 500 million years of evolution. University of New South Wales Press.
- Long, J.A. 2011:
The rise of fishes. 500 million years of evolution. 2., überarbeitete Auflage. The John Hopkins University Press. Baltimore.
- Lüling, K.-H. 1996:
Die Lungenfische. Die Neue Brehm-Bücherei Bd. 524. Westarp Wissenschaften. Magdeburg. Unveränderter Nachdruck von 1979.
- Maisey J.G. 1996:
Discovering fossil fishes. American Museum of Natural History. New York.
- Marshall C.R. 1986a:
A list of fossil and extant dipnoans. Journal of Morphology Supplement 1:15-23.
- Marshall C.R. 1986b:
Lungfish: phylogeny and parsimony. Journal of Morphology Supplement 1:151-162.
- Marshall, J.; Collin, S.; Hart, N.; Bailes, H. 2011:
Vision in lungfish. In: In: Jørgensen, J.M. und Joss, J. 2011. The biology of lungfishes. Science Publishers, Enfield, New Hampshire. S. 447-476.
- Mlewa, C.M.; Green, J.M.; Dunbrack, R.L. 2011:

- The general natural history of the African lungfishes. In: In: Jørgensen, J.M. und Joss, J. 2011. The biology of lungfishes. Science Publishers, Enfield, New Hampshire. S. 97-128.
- Nelson J.S.2006:
Fishes of the World. John Wiley & Sons, Inc. New Jersey.
- Poll, M. 1961:
Revision systématique et raciation géographique des Protopteridae de l'Afrique Centrale. Ann. Mus. Roy. Afr. Cent. Sér. Quatro Zool. 103: 1-50.
- Rosen D.E., P.L. Forey, B.G. Gardiner und C. Patterson 1981:
Lungfishes, tetrapods, paleontology, and the plesiomorphy. Bull. Am. Mus. Nat. Hist.167: 159-276.
- Schmida, Gunther 2004:
Im Reich des Australischen Lungenfischs. Aquaristik Fachmagazin 180, 36(6).
- Schultze H.P. 1986:
Dipnoans as sarcopterygians. Journal of Morphology Supplement 1:39-74.
- Shubin, N. 2008:
Der Fisch in uns. Eine Reise durch die 3,5 Milliarden Jahre alte Geschichte unseres Körpers. S. Fischer Verlag, Frankfurt am Main.
- Wake M.H. 1986:
Urogenital Morphology of Dipnoans, with comparisons to other fishes and to amphibians. Journal of Morphology Supplement 1:199-216.
- Zuh, M.; X. Yu 2002:
A primitive fish close to the common ancestor of tetrapods and lungfish. Nature 418: 767-769.
- www.environment.gov.au/cgi-bin/sprat/public/publicspecies.pl?taxon_id=67620
www.fishbase.com

NORDAMERIKA

Allgemein

- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Lee, D. S., C. Gilbert, C. Hocutt, R. Jenkins, D. McAllister, J. Stuafter 1981:
Atlas of North American Freshwater Fishes. North Carolina State Museum of Natural History.
- Mayden, R.L.; Simons, A.M. 2003:
Crevice spawning behaviour in *Dionda dichroma*, with comments on the evolution of spawning modes in North American shiners. *Reviews in Fish Biology and Fisheries* 12: 327-337.
- Page L.M., B.M. Burr 1991:
A Field Guide to Freshwater Fishes. The Peterson Field Guide Series. Houghton Mifflin Company. Boston, New York.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Ross, S.T. 2001:
The inland fishes of Mississippi. University Press of Mississippi.
- Schleser D.M. 1998:
North American Native Fishes for the Home Aquarium. Barron's Hauppauge, NY.
- Wade N. 1997:
The Science Times Book of Fish. The Lyons Press. New York.

Ameiurus nebulosus, Katzenwels/Brauner Zwergwels

- Bayerisches Staatsministerium für Ernährung, Landwirtschaft und Forsten 2000:
Ergebnisse der Artenkartierungen in den Fließgewässern Bayerns. Fische, Krebse, Muscheln. München.
- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Kottelatt M., J. Freyhof 2007:
Handbook of European Freshwater Fishes. Selbstverlag.
- Ministerium für Ernährung und Ländlichen Raum/ U. Dußling, R. Berg 2001:
Fische in Baden-Württemberg. Stuttgart.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Ross, S.T. 2001:

- The inland fishes of Mississippi. University Press of Mississippi.
 Sächsische Landesanstalt für Landwirtschaft, Staatl. Naturhistorische Sammlung
 Dresden / G. Füllner, M. Pfeifer, A. Zarske 2005:
 Atlas der Fische Sachsens. Rundmäuler, Fische, Krebse. Dresden.
- Vilcinskas A. 2004:
 Fische. Mitteleuropäische Süßwasserarten und Meeresfische der Nord- und
 Ostsee. BLV Bestimmungsbuch. BLV Verlagsgesellschaft. München.
- Wolter C., R. Arlinghaus, U.A. Grosch, A. Vilcinskas 2003:
 Fische & Fischerei in Berlin. Zeitschrift für Fischkunde. Supplementband 2. Verlag
 Natur und Wissenschaft.

Amia calva, Schlammhecht

- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
 Freshwater fishes of Texas. A field guide. Texas A & M University Press. College
 Station.
- Daxboeck, C.; Barnard, D.K.; Randall, D.J. 1981:
 Functional morphology of the gills of the bowfin, *Amia calva*, with special
 reference to their significance during air exposure. *Respiration Physiology* 43: 349-
 364.
- Farmer, C.G.; Jackson, D.C. 1998:
 Air-breathing during activity in the fishes *Amia calva* and *Lepisosteus oculatus*. *The
 Journal of Experimental Biology* 201: 943-948.
- Goldstein, R.J. 2000:
 American Aquarium Fishes. Texas A & M University Press.
- Hurley, I.A.; Lockridge Mueller, R.; Dunn, K.A.; Coates, M.I. et al. 2007:
 A new time-scale for ray-finned fish evolution. *Proceedings of the Royal Society B*
 274: 489-498.
- Johansen, K.; Hanson, D.; Lenfant, C. 1970:
 Respiration in a primitive air breather, *Amia calva*. *Respiration Physiology* 9: 162-
 174.
- Katula, R.S.; Page, L.M. 1998:
 Nest association between a large predator, the bowfin (*Amia calva*), and its prey,
 the golden shiner (*Notemigonus crysoleucus*). *Copeia* 1998(1): 220-221.
- Koch, J.D.; Quist, M.C.; Hansen, K.A.; Jones, G.A. 2009:
 Population dynamics and potential management of bowfin (*Amia calva*) in the
 upper Mississippi River. *Journal for Applied Ichthyology* 25: 545-550.
- Reynolds, W.W.; Casterlin, M.E.; Millington, S.T. 1978:
 Circadian rhythm of preferred temperature in the bowfin *Amia calva*, a primitive
 holostean fish. *Comp. Biochem. Physiol.* 60A: 107-109.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
 Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The
 University of North Carolina Press. Chapel Hill & London.
- Smallwood, W. M. 1916:
 Twenty months of starvation in *Amia calva*. *Biological Bulletin* 31(6): 453-464.

Aphredoderus sayanus, Piratenbarsch

Bohlen J. 2003:

Der Piratenbarsch *Aphredoderus sayanus*. *Aquaristik Fachmagazin* 172, Aug/Sept 2003, 29-30.

Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:

Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.

Krönke, F. 2010:

Der Piratenbarsch *Aphredoderus sayanus* – weder Barsch noch Pirat. *AKFS aktuell* 25:12-16.

Poly W.J., J.E. Wetzel 2003:

Transbrachioral spawning: novel reproductive strategy observed für the pirate perch *Aphredoderus sayanus*. *Ichthyol. Explor. Freshwater* (2003) 14(2): 151-158.

Poly W. 2004:

Family Aphredoderidae. *Annotated Checklist of Fishes* (2004) 24: 1-5.

Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:

Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.

Cyprinella lutrensis, Rotflossenorfe

Blum, M.J.; Walters, D.M.; Burkhead, N.M.; Freeman, B.J.; Porter, B.A. 2010:

Reproductive isolation and the expansion of an invasive hybrid swarm. *Biological Invasions* 12: 2825-2836.

Broughton, R.E.; Vedala, K.C.; Crowl, T.M.; Ritterhouse, L.L. 2011:

Current and historical hybridization with differential introgression among three species of cyprinid fishes (genus *Cyprinella*). *Genetica* 139: 699-707.

Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:

Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.

Conklin D.J., Canton, S.P.C.; Chadwick, J.W.; Miller, W.J. 1996:

Habitat Suitability Curves for Selected Fish Species in the Central Platte River, Nebraska. *Rivers* 5(4): 250-266.

Dugas, M.B.; Franssen, N.R. 2011:

Nuptial coloration of red shiners (*Cyprinella lutrensis*) is more intense in turbid habitats. *Naturwissenschaften* 98: 247-251.

Krönke, F. 2013:

Die Rotflossenorfe, ein Teichfisch mit guten und schlechten Seiten. *Aquaristik Fachmagazin* 230: 30-33.

Marsh-Matthews, E.; Matthews, W.J.; Franssen, N.R. 2011:

Can a highly invasive species re-rinvade its native community ? The paradox of the red shiner. *Biological Invasions* 13: 2911-2924.

Mayden, R.L.; Simons, A.M. 2003:

Crevice spawning behaviour in *Dionda dichroma*, with comments on the evolution of spawning modes in North American shiners. *Reviews in Fish Biology and Fisheries* 12: 327-337.

- Messaad, I.A.; Peters, E.J.; Young, L. 2000:
Thermal tolerance of red shiner (*Cyprinella lutrensis*) after exposure to atrazine, terbufos, and their mixtures. *Bull. Environ. Contam. Toxicol.* 64: 748-754.
- Schönhuth, S.; Mayden, R.L. 2010:
Phylogenetic relationships in the genus *Cyprinella* based on mitochondrial and nuclear gene sequences. *Molecular Phylogenetics and Evolution* 55: 77-98.
- Walters, D.M.; Blum, M.J.; Rasleigh, B.; Freeman, B.J.; Porter, B.A.; Burkhead, N.M. 2008:
Red shiner invasion and hybridization with blacktail shiner in the upper Coosa River, USA. *Biological Invasions* 10: 1229-1242.

<http://www.bio.txstate.edu/~tbonner/txfishes/cyprinella%20lutrensis.htm>

Cyprinodon sp., Wüstenkärpflinge

- Baugh T.M. 1981:
Maintaining Great Basin cyprinodonts in aquaria. *Journal of Aquariculture* 1 (4): 69-72.
- Bennet W.A., T.L. Beitingger 1997:
Temperature tolerance of the sheephead minnow, *Cyprinodon variegatus*. *Copeia* 1997(1): 77-87.
- Brannan D.K., C.R. Brannan, T.E. Lee 2003:
Reproductive and territorial behavior of Comanche Springs Pupfish (*Cyprinodon elegans*) in San Solomon Spring Pool, Balmorhea State Park, Reeves County. *The Southwestern Naturalist* 48(1): 85-88.
- Collyer M.L. et al. 2007:
Phenotypic plasticity and contemporary evolution in introduced populations: evidence from translocated populations of white sands pupfish (*Cyprinodon tularosa*). *Ecological Research* (2007) 22: 902-910.
- Das, Joachim 1991:
Cyprinodon nevadensis mione.
www.dkg.killi.org/downloads/steckbriefe/cyprinodon_nevadensis_mionectes.pdf - ctes
- Demant C. 2005:
Cyprinodon salinus salinus. Unveröffentlichtes Manuskript.
- Draud M.J., M. Itzkowitz 2004:
Mate numbers or mate quality: female mate choice in the polyandrous variegated pupfish. *Ethology, Ecology and Evolution* 16(1): 1-13.
- Echelle A.A., T.E. Dowling 1992:
Mitochondrial DNA variation and evolution of the Death Valley Pupfishes (*Cyprinodon*, *Cyprinodontidae*). *Evolution* 46 (1): 193-206.
- Echelle A.A., A.F. Echelle 1993:
Allozyme variation and systematics of the New World *Cyprinodontines*. *Biochemical Systematics and Ecology* 21(5): 583-590.
- Echelle A.F., A.A. Echelle 1993:
Assessment of genetic introgression between two pupfish species, *Cyprinodon elegans* and *C. variegatus*, after more than 20 years of secondary contact. *Copeia* 3: 590-597.

- Garret G.P., C. Hubbs, R.J. Edwards 2002:
Threatened fishes of the world: *Cyprinodon elegans*. Texas. Environmental Biology of Fishes 65: 288.
- Heath, A.G.; Turner, B.J.; Davies, W.P. 1993:
Temperature preferences and tolerances of three fish species inhabiting hyperthermal ponds on mangrove islands. Hydrobiologica 259: 47-55.
- Horstkotte J. 2005:
Trophische Anpassungen innerhalb des *Cyprinodon*-Artenschwarmes (*Cyprinodontidae*, Teleostei) aus der Laguna Chichancanab (Mexiko). Zeitschrift für Fischkunde, Supplementband 3, VNW-Verlag Natur & Wissenschaft. Solingen.
- Krönke F., D. Springer 2009:
Der Comanche Springs-Kärpfling, *Cyprinodon elegans*. Ein Wüstenkärpfling aus Texas. Amazonas 6(4): 42-48.
- Krönke, Frank & Heiko Kärst 2011:
Der Salt-Creek-Kärpfling, *Cyprinodon salinus*. Aquaristik Fachmagazin 220: 30-36.
- Leiser J.K., M. Itzkowitz 2004:
To defend or not to defend? Size, residence, and conditional mating in male variegated pupfish, *Cyprinodon variegatus*. Ethology, Ecology and Evolution 16(4): 299-313.
- Leiser J.K., M. Itzkowitz 2004:
Changing tactics: dominance, territoriality, and the response of „primary“ males to competition from conditional breeders in the variegated pupfish. Behavioural Process 66: 119-130.
- Lücke K.H., L. Seegers 1984:
Cyprinodon variegatus. DKG-Journal
- Martin, B.A.; Saiki, M.K. 2005:
Relation of desert pupfish abundance to selected environmental variables in natural and manmade habitats in the Salton Sea basin. Environmental Biology of Fishes 73: 97-107.
- Martin, B.A.; Saiki, M.K. 2009:
Trophic relationships of small nonnative fishes in a natural creek and several agricultural drains flowing into the Salton Sea, and their potential effects on the endangered desert pupfish. The Southwestern Naturalist 54(2): 156-165.
- Miller R.R. 1943:
The Status of the *Cyprinodon macularius* and *Cyprinodon nevadensis*, two Desert Fishes of Western North America. University of Michigan Press, Ann Arbor.
- Nicoletto P.F., Sommer H. Linscomb 2008:
Sound production by the sheephead minnow, *Cyprinodon variegatus*. Environmental Biology of Fish 81: 15-20.
- Rogowski D.L., C.A. Stockwell 2006:
Assessment of potential impacts of exotic species on populations of a threatened species, White Sands pupfish, *Cyprinodon tularosa*. Biological Invasions (2006) 8:79-87.
- Rosenfield J.A., S. Nolasco, S. Lindauer et al. 2004:
The role of hybrid vigor in the replacement of Pecos pupfish by its hybrids with sheephead minnow. Conservation Biology 18(6): 1589-1598.
- Seegers L. 1980:

- Killifische. Eierlegende Zahnkarpfen im Aquarium. Ulmer Verlag. Stuttgart.
- Seegers, L. 2000:
Killifishes of the world. New World Killis. Verlag A.C.S. GmbH, Germany.
- Smith K.J., K.W. Able 2003:
Dissolved oxygen dynamics in salt marsh pools and its potential impacts on fish assemblages. Marine Ecology Progress Series 258: 223-232.
- Soltz D.L., R.J. Naiman 1978:
The natural history of native fishes in the Death Valley system. Natural History Museum of Los Angeles County.
- Strecker U. 2006:
The impact of invasive fish on an endemic Cyprinodon species flock (Teleostei) from Laguna Chichancanab, Yucatan, Mexiko. Ecology of Freshwater Fish (2006) 15: 408-418.
- Ufermann A. 1991:
Wüsten-Killifisch in Mexiko und Arizona, DATZ 44 (2/91) S. 75
- Wanzenböck J. 1992:
Fische der Wüste, DATZ 45 (6/92) S. 399ff.
- Wilcox J.L., A.P. Martin 2006:
The devil's in the details: genetic and phenotypic divergence between artificial and native populations of the endangered pupfish (*Cyprinodon diabolis*). Animal Conservation (2006) 9: 316-321.
- <http://filaman.ifm-geomar.de/identification/specieslist.cfm?famcode=212&areacode=>
<http://de.wikipedia.org/wiki/Tecopa-K%C3%A4rpfling>
<http://www.americanscientist.org/issues/feature/2008/1/the-phenotypic-plasticity-of-death-valleys-pupfish/1>
<http://www.petsforum.com/FNExplore1998/Pupfish.htm>

Elassoma sp., Zwergschwarzbarsche

- Barney, R.L. and B.J. Anson. 1920:
Life history and ecology of the pigmy sunfish *Elassoma zonatum*. Ecology 1(4):241-256.
- Bohlen J., A. Nolte 1999:
Zur Fortpflanzungsbiologie der Zwergschwarzbarsche (Elassomatidae). In: Riehl, R. & H. Greven (Eds.): Fortpflanzungsbiologie der Aquarienfische (2), Schmettkamp-Verlag, Bornheim: 69-78.
- Bohlen J., A. Nolte 1993:
Elassoma zonatum, *E. okefenokee* und *E. evergladei* – Lebensräume und vergleichende Beobachtungen. DATZ 46: 664-669.
- Böhlke, J.E. and Rhode F.C. 1980:
Elassoma zonatum (Jordan), Banded pygmy sunfish. pp. 586 in D.S. Lee et al. Atlas of North American Freshwater Fishes. N.C. State Mus. Nat. Hist., Raleigh, i-r+854 pp.
- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.

- Conway, K.W.; Mayden, R.L. 2006:
Threatened fishes of the world: *Elassoma alabamae* (Mayden 1993) (Elassomatidae). *Environmental Biology of Fish* 75:195-196.
- Gilbert C.R. 2004:
Family Elassomatidae, Jordan 1877. Pygmy sunfishes. Annotated Checklist of Fishes. California Academy of Sciences (33).
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Krönke, F. 2012.
Zwergschwarzbarsche – kleine Fische, aber große Individualisten. *Aquaristik Fachmagazin* 227: 36-43.
- Mayden, R. L. 1993:
Elassoma alabamae, a new species of pygmy sunfish endemic to the Tennessee River drainage of Alabama (Teleostei: Elassomatidae). *Bull. Ala. Mus. Nat. Hist.* 16:1-14.
- Mettee, M. F. 1974:
A study on the reproductive behavior, embryology, and larval development of the pygmy sunfishes in the genus *Elassoma*. Ph.D. Dissertation. University of Alabama, Tuscaloosa. 130 p.
- Mettee, M.F.; Scharpf, C. 1998:
Reproductive Behavior, Embryology, and Larval Development of Four Species of Pygmy Sunfish. <http://www.nanfa.org/articles/elassoma.shtml>
- Miller, H.C. 1964:
The behavior of the pumpkinseed sunfish, *Lepomis gibbosus* (Linnaeus), with notes on the behavior of other species of *Lepomis* and the pygmy sunfish *Elassoma evergladei*. *Behavior* 22:88-151.
- Moore, G. A. and M. E. Sisk. 1963:
The spectacle of *Elassoma zonatum* Jordan. *Copeia* 1963:346-350.
- Quattro, J.M.; Jones, W.J.; Grady, J.M.; Rhode, F.C. 2001:
Gene-gene concordance and the phylogenetic relationships among rare and widespread pygmy sunfishes (Genus *Elassoma*). *Molecular Phylogenetics and Evolution* 18(2): 217-226.
- Rohde, F. C. and R. G. Arndt. 1987:
Two new species of pygmy sunfishes (Elassomatidae, *Elassoma*) from the Carolinas. *Proc. Acad. Nat. Sci. Phila.* 139:65-85.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Rubenstein, D.I. 1981a:
Population density, resource patterning and territoriality in the everglades pygmy sunfish. *Animal Behaviour* 29(1):155-172.
- Rubenstein, D.I. 1981b:
Combat and communication in the Everglades pygmy sunfish. *Animal Behaviour* 29(1): 249-258.
- Sandel, M.; Harris, P.M. 2007a:
Threatened fishes of the world: *Elassoma boehlkei* (Rhode and Arndt 1987) (Elassomatidae). *Environmental Biology of Fish* 78:289-290.

- Sandel, M.; Harris, P.M. 2007b:
Threatened fishes of the world: *Elassoma okatie* (Rhode and Arndt 1987) (Elassomatidae). *Environmental Biology of Fish* 80:487-488.
- Snelson, Jr, F. F., T. J. Krabbenhoft and J. M. Quattro 2009
Elassoma gilberti, a new species of pygmy sunfish (Elassomatidae) from Florida and Georgia. *Bulletin Florida Museum Natural History* 48(4):120-144.
- Strozyk, F.; Schulz, M. 2010:
Fast vergessen: Der Zwergschwarzbarsch *Elassoma evergladei*. *Amazonas* 6(4): 32-37.
- Taber, C., 1965:
Spectacle Development in the pygmy sunfish, *Elassoma zonatum*, with observations on spawning habits. *Proc. Okla. Acad. Sci.* 46:73-81.
- Texas Parks and Wildlife Department, Wildlife Division, Diversity and Habitat Assessment Programs. County Lists of Texas' Special Species. Mai 2006.
Available online at
<http://gis.tpwd.state.tx.us/TpwEndangeredSpecies/DesktopModules/AcountyCodeKeyForWebESDatabases.pdf>
- Walsh, S.J. and B.M. Burr. 1984:
Life history of the banded pygmy sunfish, *Elassoma zonatum* Jordan (Pisces: Centrarchidae), in western Kentucky. *Bull. Ala. Mus. Nat. Hist.* 8:31-52.

Enneacanthus sp., Diamant- und Scheibenbarsche

- Cooke, S.J.; Philipp, D.P. 2009:
Centrarchid fishes, diversity, biology and conservation. Blackwell Publishing, 560 S.
- Ewald W. 1971:
Der „Diskus“ des Kaltwasserbeckens. Scheibenbarsche können wir ohne „Technik“ pflegen. *Aquarienmagazin* 5(3): 103-105.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Gonzalez R. J., W.A. Dunson 1991:
Does Water pH Control Habitat Segregation of Sibling Species of Sunfish *Enneacanthus*? *Wetlands* 11:2, PP 313-234.
- Graham, J.H. 1986:
Niche ontogeny and progressive deviation in two congeneric sunfishes, *Enneacanthus obesus* and *E. gloriosus*. Dissertation. Graduate School New Brunswick, Rutgers, The State University of New Jersey.
- Kölsch P. 1958:
Der Scheibenbarsch. *Aquarien Terrarien* 229: 102-104.
- Leffler M. 1968:
Erlebnisse und Erfahrungen bei der Haltung und Zucht des Scheibenbarsches, *Mesogonistius chaetodon*. *DATZ* 21(9): 267-270.
- Peterson, M.S.; VanderKooy, S.J. 1997:
Distribution, habitat characterization, and aspects of reproduction of a peripheral population of bluespotted sunfish *Enneacanthus gloriosus*. *Journal of Freshwater Ecology* 12(1): 151-161.
- Pinter H. 1957:

- Der Scheibenbarsch. DATZ 10(5): 113-115.
- Resetartis, W.J.; Chalcraft, D.R. 2007:
Functional diversities within a morphologically conservative genus of predators: implications for functional equivalence and redundancy in ecological communities. *Functional Ecology* 21: 793-804.
- Riehl R. 1974:
Bemerkungen zu dem Sonnenbarsch *Enneacanthus gloriosus*. *Das Aquarium* 58: 142-144.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Schikirsch L. 1970:
Der Scheibenbarsch, *Masogonistius chaetodon*. DATZ 23(4): 107-109.
- Schmitz D. 1975:
Kaltes Wasser für Sonnenbarsche. *Das Aquarium* 77 (Nov.) 1975,
- Snyder, D.J.; Peterson, M.S. 1998:
Life history of a peripheral population of bluespotted sunfish *Enneacanthus gloriosus* with comments on geographic variation. *American Midland Naturalist* 141: 345-357.
- Snyder, D.J.; Peterson, M.S. 1999:
Foraging and prey selection by bluespotted sunfish *Enneacanthus gloriosus* in backwater, vegetated ponds in coastal Mississippi. *Journal of Freshwater Ecology* 14(2): 187-196.

Etheostoma sp., Springbarsche

- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.
- Fuller R.C. 1998:
Sperm competition affects male behaviour and sperm output in the rainbow darter. *Proc. R. Soc. Lond. B* 265: 2365-2371.
- Fuller R.C. 1999:
Costs of group spawning to guarding males in the rainbow darter, *Etheostoma caeruleum*. *Copeia* 1999(4): 1084-1088.
- Fuller R.C. 2003:
Disentangling female mate choice and male competition in the rainbow darter, *Etheostoma caeruleum*. *Copeia* 2003(1): 138-148.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Graham S., W. Fink. 2004:
Etheostoma blennioides. *Animal Diversity Web*. Accessed July 09, 2009
http://animaldiversity.ummz.umich.edu/site/accounts/information/Etheostoma_blennioides.html.
- Haponski A.E., C.A. Stepien 200:

- Molecular, morphological, and biogeographic resolution of cryptic taxa in the greenside darter *Etheostoma blennioides* complex. *Molecular Phylogenetics and Evolution* 49: 69-83.
- Haponski A.E., T.L. Bollin, M.A. Jedlicka, C.A. Stepien 2009:
Landscape genetic pattern of the rainbow darter *Etheostoma caeruleum*: a catchment analysis of mitochondrial DNA sequence and nuclear microsatellites. *Journal of Fish Biology* 75: 2244-2268.
- Keck B.P., T.J. Near 2009:
Patterns of natural hybridization in darters (Percidae: Etheostomatinae). *Copeia* 2009(4): 758-773.
- Krönke, F. 2011:
Der Regenbogenspringbarsch – eine Rarität im Kaltwasseraquarium. *AKFS aktuell* 27:9-15.
- Marko K. 2003:
Etheostoma caeruleum. Animal Diversity Web. Accessed July 09, 2009
http://animaldiversity.ummz.umich.edu/site/accounts/information/Etheostoma_caeruleum.html.
- Paine M.D., J.J. Dodson, G. Power 1982:
Habitat and food resource partitioning among four species of darters (Percidae: *Etheostoma*) in a southern Ontario stream. *Canadian Journal of Zoology* 60: 1635-1641.
- Piller K.R., H.L. Bart Jr., D.L. Hurley 2008:
Phylogeography of the greenside darter complex, *Etheostoma blennioides* (Teleostomi: Percidae): a wide-ranging polytypic taxon. *Molecular Phylogenetics and Evolution* 46: 974-985.
- Ray J.M., N.J. Lang, R.M. Wood, R.L. Mayden 2008:
History repeated: recent and historical mitochondrial introgression between the current darter *Etheostoma uniporum* and rainbow darter *Etheostoma caeruleum* (Teleostei: Percidae). *Journal of Fish Biology* 72: 418-434.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Schmidt K.P.:
Minnesota Fish: Rainbow Darter. Bell Museum of Natural History, Fishes of Minnesota. <http://www.pca.state.mn.us/kids/fish/rainbowdarter.html>
- Shiels A.L.:
Pennsylvania's Dynamic Darters.
<http://www.fish.state.pa.us/education/catalog/darters.html>
- Stewart C.A. 1988:
Diet of rainbow darter (*Etheostoma caeruleum*) in Rock Run, Clark County, Ohio. *Ohio Journal of Science* 88(5): 198-200.
- Strange K.T., J.C. Vokoun, D.B. Noltie 2002.
Thermal tolerance and growth differences in orangethroat darter (*Etheostoma spectabile*) from thermally contrasting adjoining streams. *The American Midland Naturalist* 148: 120-128.
- Van Snik Gray E., J.M. Boltz 1997:

Food resource partitioning by nine sympatric darter species. Transactions of the American Fisheries Society 126: 822-840.

Welsh S.A., S.A. Perry 1998:

Habitat partitioning in a community of darters in the Elk River, West Virginia. Environmental Biology of Fishes 51: 411-419.

Fundulus sp.

Breitfeld, K. 1994:

Die Welt der Killifische. Haltung und Zucht Eierlegender Zahnkarpfen. Tetra-Verlag. Melle.

Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:

Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.

Conklin D.J., Canton, S.P.C.; Chadwick, J.W.; Miller, W.J. 1996:

Habitat Suitability Curves for Selected Fish Species in the Central Platte River, Nebraska. Rivers 5(4): 250-266.

Goldstein, R.J. 2000:

American Aquarium Fishes. Texas A & M University Press.

Goldsworthy C., Bettoli, P.W. 2000:

Growth, body condition, reproduction and survival of stocked Barrens topminnows, *Fundulus julisia*. American Midland Naturalist 156(2): 331-343.

Goldsworthy, C.; Bettoli, P.W. 2005:

The fate of stocked Barrens topminnows *Fundulus julisia* (Fundulidae) and status of wild populations. A final report submitted to Mr. Richard Kirk, Tennessee Wildlife Resources Agency, Nashville, Tennessee.

Halpin P.M., K.L. M. Martin 1999:

Aerial Respiration in the Salt Marsh Fish *Fundulus heteroclitus* (Fundulidae). Copeia, Volume 1999, Issue 3 (August 1999), pp. 743-748.

Harvey, J.A.; Neary, V.S.; Mattingly, H.T. 2008:

Development of hydrologic, hydraulic, and biological control mechanisms to control invasive western mosquitofish in Barrens topminnow habitats. Annual Progress Report submitted to U.S. Fish and Wildlife Service, Cookeville, Tennessee, June 2008. 48 pp.

Johnson A.B., P. Bettoli 2003:

Threatened fishes of the world: *Fundulus julisia*. Environmental Biology of Fishes 68:240, 2003. Kluwer Academic Publishers.

Kreiser B. 2001:

Mitochondrial Cytochrome b Sequences Support Recognition of Two Cryptic Species of Plains Killifish, *Fundulus zebrinus* and *Fundulus kansae*. American Midland Naturalist 146(1): 199-209.

Kreiser B., J.B. Mitton, J.D. Woodling 2001:

Phylogeography of the plains killifish, *Fundulus zebrinus*. Evolution 55(2): 339-350.

Krönke, F. ; Wendel, R. 2010:

Der Barrens-River-Fundulus, ein schneller bunter Kaltwasserfisch. DATZ 63(2): 18-21.

Krönke, F. 2012:

- Der Streifenkärpfling, *Fundulus zebrinus*, – eine gute Gelegenheit einmal alles ganz anders zu machen. *Amazonas* 41: 42-43.
- Laha M., H.T. Mattingly 2006:
Identifying environmental conditions to promote species coexistence: an example with the native Barrens topminnow and invasive western mosquitofish. *Biological Invasion* (2006) 8: 719-725.
- Laha M.; Mattingly, H.T. 2007:
Ex situ evaluation of impacts of invasive mosquitofish on the imperiled Barrens topminnow. *Environ. Biol. Fisch* (2007) 78:1-11.
- Mattingly, H.T.; Westhoff, J.T.; Benton, P.D.; Neary, V.S. 2006:
Conservation, Monitoring, and Recovery of Barrens Topminnow Populations Exposed to Invasive Western Mosquitofish. Final Project Report, June 2006. U.S. Fish and Wildlife Service Arnold Engineering Development Center
- Mattingly, H.T.; Harvey, J.A.; Neary, V.S. 2007:
Development of hydrologic, hydraulic, and biological control mechanisms to control invasive western mosquitofish in Barrens topminnow habitats. Quarterly Progress Report submitted to U.S. Fish and Wildlife Service, Cookeville, Tennessee, September 2007. 17 pp.
- Neumann W. 2005:
Killifisch-Lexikon. Eierlegende Zahnkarpfen. Wissenschaft und Praxis. Deutsche Killifisch Gemeinschaft.
- Ostrand, K.G.; Wilde, G.R. 2001:
Temperature, dissolved oxygen, and salinity tolerance of five prairie stream fishes and their role in explaining fish assemblage patterns. *Transactions of the American Fisheries Society* 130(5): 742-749.
- Rahel F.J., L.A. Thel 2004:
Plains Killifish (*Fundulus zebrinus*): A Technical Conservation Assessment. Prepared for the USDA Forest Service, Rocky Mountain Region, Species
- Rakes, P.L. 1996:
Status survey and review with recommendations for management of the Barrens topminnow for Arnold Engineering Development Center, Coffee and Franklin Counties, including surrounding areas. Final report. TNFO contract No. 077040196. January 18, 1996. Conservation Fisheries, Inc. 7108-A Commercial Park Drive. Knoxville, Tennessee 37918.
- Rakes, P.L. 2003:
Survey of selected historic sites, potential new localities, and restoration sites for the Barrens topminnow, *Fundulus julisia*, on the Barrens plateau of Middle Tennessee. Prepared for: U.S. Fish and Wildlife Service, Cookeville Field Office. Conservation Fisheries, Inc. 3424 Division Street, Knoxville, Tennessee, 37919-3261. May 13, 2003.
- Rakes, P.L.; Shute, J.R. 2006:
Barrens topminnow propagation: 2005. Progress report to U.S. Fish and Wildlife Service. Cookeville, TN Field Office. April 3, 2006.
- Seegers L. 1980:
Killifische. Eierlegende Zahnkarpfen im Aquarium. Ulmer Verlag. Stuttgart.
- Seegers, L. 2000:
Killifishes of the world. New World Killis. Verlag A.C.S. GmbH, Germany.

Williams J.D., D.A. Etnier 1982:

Description of a New Species, *Fundulus julisia*, with a Redescription of *Fundulus albolineatus* and a Diagnosis of the Subgenus *Xenisma*. Occ. Papers of the Museum of Natural History. The University of Kansas. PP 1-20.

Conservation Project. Department of Zoology and Physiology University of Wyoming, Laramie, Wyoming 82071

<http://www.fs.fed.us/r2/projects/scp/assessments/plainskillifish.pdf>

<http://www2.tntech.edu/fish/PDF/Topminnow%202.pdf>

<http://www.bio.txstate.edu/~tbonner/txfishes/fundulus%20zebrinus.htm>

<http://www.nanfa.org/articles/acfundulusbehavior.shtml>

<http://www.bio.txstate.edu/~tbonner/txfishes/fundulus%20chrysotus.htm>

<http://www.aquafind.com/articles/killies.php>

Gambusia sp., Moskitofisch

Alcaraz C., E. García-Berthou 2007:

Life history variation of invasive mosquitofish (*Gambusia holbrooki*) along a salinity gradient. *Biological Conservation* 139: 83-92.

Bisazza A., G. Marin 1995:

Sexual selection and sexual size dimorphism in the eastern mosquitofish *Gambusia holbrooki*. *Ethology Ecology and Evolution* 7: 169-183.

Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:

Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.

Blanco S., Romo S. 2006:

Ichthyofauna of lake Albufera of Valencia (Spain): past and present status. *Boletín de la Real Sociedad Española de Historia Natural Sección Biológica* 101(1-4): 45-56.

García-Berthou E. 1999:

Food of introduced mosquitofish: ontogenetic diet shift and prey selection. *Journal of Fish Biology* 55: 135-147.

Goodsell J.A., L.B. Kats 1999:

Effect of introduced mosquitofish on pacific treefrogs and the role of alternative prey. *Conservation Biology* 13(4): 921-924.

Horth L. 2004a:

Predation and the persistence of melanic male mosquitofish (*Gambusia holbrooki*). *J. Evol. Biol.* 17: 672-679.

Horth L. 2004b:

Melanic body colour and aggressive mating behaviour are correlated traits in male mosquitofish (*Gambusia holbrooki*). *Proceedings of the Royal Society Lond. B*, 270: 1033-1040.

Horth L., C. Binckley, R. Wilk, P. Reddy, A. Reddy 2010:

Color, body size, and genitalia size are correlated traits in eastern mosquitofish (*Gambusia holbrooki*). *Copeia* 2010(2): 196-202.

Langerhans R.B., C.A. Layman, A.M. Shokrollahi, T.J. DeWitt 2004:

- Predator-driven phenotypic diversification in *Gambusia affines*. *Evolution* 58(10): 2305-2318.
- Ling N., K. Willis 2005:
Impacts of mosquitofish, *Gambusia affines*, on black mudfish, *Neochanna diversus*. *New Zealand Journal of Marine and Freshwater Research* 39(6): 1215-1223.
- Rincon P.A., A.M. Correas , F. Morcillo, P. Risueno, J. Lobon-Cervia 2002:
Interaction between the introduced eastern mosquitofish and two autochthonous Spanish toothcarps. *Journal of Fish Biology* 61(6): 1560-1585.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Schöpf Rehage J., B.K. Barnett, A. Sih 2005:
Behavioral responses to a novel predator and competitor of invasive mosquitofish and their non-invasive relatives (*Gambusia* sp.). *Behavioural Ecology and Sociobiology* 57: 256-266.
- Segev O., M. Mangel, L. Blaustein 2009:
Deleterious effects by mosquitofish (*Gambusia affines*) on the endangered fire salamander (*Salamandra atra*). *Animal Conservation* 12(1): 29-37.
- Smith M.E., M.C. Belk 2001:
Risk assessment in western mosquitofish (*Gambusia affines*): do multiple cues have additive effects ? *Behavioural Ecology and Sociobiology* 51: 101-107.
- Webb C., J. Jean 1997:
Does predation by the fish *Gambusia holbrooki* contribute to declining frog populations? *Australian Zoologist* 30(3):316-324.

<http://www.bio.txstate.edu/~tbonner/txfishes/Brazos.htm>

<http://www.issg.org/database/species/ecology.asp?si=126&fr=1&sts=&lang=EN>

Heterandria formosa, Formosakärppling

- Ala-Honkola, O.; Tuominen, L.; Lindström, K. 2010:
Inbreeding avoidance in a poeciliid fish (*Heterandria formosa*). *Behavioural Ecology and Sociobiology* 64: 1403-1414.
- Ala-Honkola, O.; Säilä, L.; Lindström, K. 2010:
Males prefer small females in a dichotomous choice test in the poeciliid fish *Heterandria formosa*. *Ethology* 116: 736-743.
- Ala-Honkola, O.; Friman, E.; Lindström, K. 2011:
Costs and benefits of polyandry in a placental poeciliid fish *Heterandria formosa* are in accordance with the parent-offspring conflict theory of placentation. *Journal of Evolutionary Biology* 24: 2600-2610.
- Aspbury, A.S.; Basolo, A.L. 2002:
Repeatable female preferences, mating order and mating success in the poeciliid fish, *Heterandria formosa*. *Behavioural Ecology and Sociobiology* 51: 238-244.
- Doyle, C.M.; Leberg, P.L.; Klerks, P.L. 2011:
Heritability of heat tolerance in a small livebearing fish, *Heterandria formosa*. *Ecotoxicology* 20: 535-542.
- Richardson, J.M.; Gunzburger, M.S.; Travis, J. 2006:

Variation in predation pressure as a mechanism underlying differences in numerical abundance between populations of the poeciliid fish *Heterandria formosa*. *Population Ecology* 147: 596-605.

Riehl, R. 1991:

Masculinization in a hermaphroditic female of the mosquitofish *Heterandria formosa*. *Japanese Journal of Ichthyology* 37(4): 374-380

Reznick, D.; Callahan, H.; Llauredo, R. 1996:

Maternal effects on offspring quality in poeciliid fishes. *American Zoologist* 36: 147-156.

Schrader, M.; Travis, J. 2012:

Assessing the roles of population density and predation risk in the evolution of offspring size in populations of a placental fish. *Ecology and Evolution* 2(7): 1480-1490.

Soucy, S.; Travis, J. 2003:

Multiple paternity and population genetic structure in natural populations of the poeciliid fish, *Heterandria formosa*. *Journal of Evolutionary Biology* 16: 1328-1336.

Jordanella floridae, Floridakärpfling

Bonnevier, K.; Lindström, K.; St. Mary, C.M 2003:

Parental care and mate attraction in the Florida flagfish, *Jordanella floridae*. *Behavioral Ecology and Sociobiology* 53(6): 358-363.

Gutjahr A. 2000:

American Flag Killie. *Jordanella floridae*. *Aquaristik Fachmagazin Juni/Juli 2000*, 67-69.

Hale, R.E.; St. Mary, C.M; Lindström, K. 2003:

Parental response to changes in costs and benefits along an environmental gradient. *Environmental Biology of Fishes* 67(2): 107-116.

Hale, R.E.; St. Mary, C.M. 2007:

Nest tending increases reproductive success, sometimes: environmental effects on paternal care and mate choice in flagfish. *Animal Behaviour* 74(Part 3): 577-788.

Hale, R.E. 2008:

Evidence that context-dependent mate choice for parental care mirrors benefits to offspring. *Animal Behaviour* 75(Part 4): 1283-1290.

Klug, H.; Chin, A.; St. Mary, C.M. 2005:

The net effect of guarding on egg survivorship in the flagfish, *Jordanella floridae*. *Animal Behaviour* 69: 661-668.

Klug, H.; St. Mary, C.M 2005:

Reproductive fitness consequences of filial cannibalism in the flagfish, *Jordanella floridae*. *Animal Behaviour* 70: 685-691.

Klug, H.; Lindström, K.; St. Mary, C.M 2006:

Parents benefit from eating offspring: density-dependent egg survivorship compensates for filial cannibalism. *Evolution* 60(10): 2087-2095.

Klug, H.; Kontax, C.I.; Annis, S.; Vasudevan, N. 2008:

Operational sex ratio affects nest tending and aggression in male flagfish *Jordanella floridae*. *Journal of Fish Biology* 72: 1295-1305.

Klug, H. 2009:

Relationship between filial cannibalism, egg energetic content and parental condition in the flagfish. *Animal Behaviour* 77: 1313-1319.

Krönke, F. 2012:

Eine wenig bekannte Seite des Floridakärpflings, *Jordanella floridae*. *AKFS-Aktuell* 29: 10-17.

Pacyna M. 1974:

Viel Freude mit den Allerweltsfischen *Jordanella floridae*. *Das Aquarium* 8(1): 18-19.

St. Mary, C.M.; Noureddine, C.G.; Lindström, K. 2001:

Environmental effects on male reproduction success and parental care in the Florida flagfish *Jordanella floridae*. *Ethology* 107: 1035-1052.

St. Mary, C.M.; Gordon, E.; Hale, R.E. 2004:

Environmental effects on egg development and hatching success in *Jordanella floridae*, a species with parental care. *Journal of Fish Biology* 65: 760-768.

Wilhelm H. 1970:

Baut der Florida-Kärpfling wirklich Gruben? *Aquarien Terrarien* 17(10): 339-342.

Lepisosteus oculatus, Knochenhecht

Boudreaux, P.J.; Ferrara, A.M.; Fontenot, Q.C. 2007

Acute toxicity of ammonia to spotted gar, *Lepisosteus oculatus*, alligator gar, *Atractosteus spatula*, and paddlefish, *Polyodon spathula*. *Journal of the World Aquaculture Society* 38(2): 322-325.

Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:

Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.

COSEWIC 2005:

COSEWIC assessment and update status report on the spotted gar *Lepisosteus oculatus* in Canada. Committee on the Status of Endangered Wildlife in Canada. Ottawa. vi-17 pp.

Farmer, C.G.; Jackson, D.C. 1998:

Air-breathing during activity in the fishes *Amia calva* and *Lepisosteus oculatus*. *The Journal of Experimental Biology* 201, 943-948.

Hall, L.; Meade, T.; Paulette, D.; Albert, J.; Francl, K.; Givinsky, S. 1999:

"*Lepisosteus oculatus*" (On-line), Animal Diversity Web. Accessed February 11, 2012 http://animaldiversity.ummz.umich.edu/site/accounts/information/Lepisosteus_oculatus.html.

Goldstein, R.J. 2000:

American Aquarium Fishes. Texas A & M University Press.

Krönke, F. 2011:

Der Gefleckte Knochenhecht, *Lepisosteus oculatus*. *Aquaristik Fachmagazin* 217: 46-49.

Love, J.W. 2002:

Sexual dimorphism in spotted gar *Lepisosteus oculatus* from southeastern Louisiana. *American Midland Naturalist* 147(2): 393-399.

Love, J.W. 2004:

- Age, growth, and reproduction of spotted gar *Lepisosteus oculatus* (Lepisosteidae) from the Lake Pontchartrain estuary, Louisiana. *Southwestern Naturalist*, 49/1: 18-23.
- Maisey, J. G. 1996:
 Discovering Fossil Fishes. American Museum of Natural History. H. Holt & Company, Inc. New York.
- Nelson, Joseph S. 2006:
 Fishes of the World. 4th Edition. John Wiley & Sons, Inc. Hoboken, New Jersey.
- Ostrand, K., Braeutigam, B.; Wahl, D. 2004.:
 Consequences of vegetation density and prey species on Spotted Gar foraging. *Transactions of the American Fisheries Society*, 133/3: 794-800.
- Pope, K.; Wilde, G. 2003.:
 Variation in spotted gar (*Lepisosteus oculatus*) mass-length relationships in Texas reservoirs. *The Texas Journal of Science*, 55.1: 43-49.
- Robertson, C.R.; Zeug, S.C.; Winemiller, K.O. 2008:
 Associations between hydrological connectivity and resource partitioning among sympatric gar species (Lepisosteidae) in a Texa river and associated oxbows. *Ecology of Freshwater Fisch* 17: 119-129.
- Schmidt, M. 2013:
 Knochenhechte der Gattungen *Lepisosteus* und *Atractosteus*. *Freaky Fish News* 1: 20-29.
- Snedden, G.; Kelso, W.; Rutherford, D. 1999.:
 Diel and seasonal patterns of Spotted Gar movement and habitat use in the Lower Atchafalaya River Basin, Louisiana. *Transactions of the American Fisheries Society*, 128: 144-154.
- Spitzer, M. 2010:
 Season of the gar. *Adventures in pursuit of America's most misunderstood fish*. The University of Arkansas Press. Fayettevill.
- Tyler, J.; Granger, M. 1984.:
 Notes on food habits, size, and spawning behavior of Spotted Gar in Lake Lawtonka, Oklahoma. *Proceedings of the Oklahoma Academy of Science*, Volume 64: 8.
- http://animaldiversity.ummz.umich.edu/site/accounts/information/Lepisosteus_oculatus.html
http://animaldiversity.ummz.umich.edu/site/accounts/information/Lepisosteus_platyrhincus.html
http://animaldiversity.ummz.umich.edu/site/accounts/information/Lepisosteus_platostomus.html

Lepomis sp., Sonnenbarsche

- Aday, D.D.; Parkos III, J.J.; Wahl, D.H. 2009:
 Population and community ecology of Centrarchidae. In: Cooke, S.J.; Philipp, D.P. 2009. *Centrarchid fishes, diversity, biology and conservation*. Blackwell Publishing, S. 134-164.
- Avise J.C., N.C. Saunders 1984:

- Hybridization and introgression among species of sunfish *Lepomis* analysis by mitochondrial DNA and allozyme markers. *Genetics* 108(1): 237-256.
- BayStMELF 2000:
Ergebnisse der Artenkartierungen in den Fließgewässern Bayerns. Fische, Krebse, Muscheln. Bayerisches Staatministerium für Ernährung, Landwirtschaft und Forsten. München. 212 Seiten.
- Bolnick, D.I. 2009:
Hybridization and speciation in centrarchids. In: Cooke, S.J.; Philipp, D.P. 2009. Centrarchid fishes, diversity, biology and conservation. Blackwell Publishing, S. 39-69.
- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.
- Cooke, S.J.; Philipp, D.P. 2009:
Centrarchid fishes, diversity, biology and conservation. Blackwell Publishing, 560 S.
- Copp, G.H., M.G. Fox und V. Kováč 2002:
Growth, morphology and life history traits of a cool-water European population of pumpkinseed *Lepomis gibbosus*. *Arch. Hydrobiol.* 155(4): 585-614.
- Copp, G.H. und M.G. Fox 2007:
Growth and life history traits of introduced pumpkinseed (*Lepomis gibbosus*) in Europe, and the relevance to its potential invasiveness. In: F. Gherardi: Biological invaders in inland waters: Profiles, distribution, and threats. British Crown. PP. 289-306.
- Cucherousset, J.; Copp, G.H.; Fox, M.G. et al. 2009:
Life-history traits and potential invasiveness of introduced pumpkinseed *Lepomis gibbosus* populations in northwestern Europe. *Biol. Invasions* 11: 2171-2180.
- Declerck, S., G. Louette, T. De Bie und L. De Meester 2002:
Patterns of diet overlap between populations of non-indigenous and native fishes in shallow ponds. *Journal of Fish Biology* 61, 1182-1197.
- DeWoody J.A., D.E. Fletcher, M. Mackiewicz et al. 2000:
The genetic mating system of spotted sunfish (*Lepomis punctatus*): Mate numbers and the influence of male reproductive parasites. *Molecular Ecology* 9(12):2119-2128.
- Dutter A., M. Allen 2008:
Spotted sunfish habitat selection at three Florida rivers and implications for minimum flows. *Transactions of the American Fisheries Society* 137(2): 454-466.
- Fox, M.G.; Vila-Gispert, A.; Copp, G.H. 2007:
Life-history traits of introduced Iberian pumpkinseed *Lepomis gibbosus* relative to native populations. Can differences explain colonization success? *Journal of Fish Biology* 71 (Suppl. D): 56-69.
- Garcia-Berthou, E. und R. Moreno-Amich 2000:
Food of introduced pumpkinseed sunfish: ontogenetic diet shift and seasonal variation. *Journal of fish biology* 57, 29-40.
- Goddard, K.; Mathis, A. 1997:
Microhabitat preferences of longear sunfish: low light intensity versus submerged cover. *Environmental Biology of Fishes* 49: 495-499.
- Goddard, K.; Mathis, A. 2000:

- Opercular flaps as sexual ornaments for male longear sunfish (*Lepomis megalotis*): male condition and male-male competition. *Ethology* 106: 631-643.
- Godinho, F. N. und M. T. Ferreira 1996:
The application of size-structure indices to *Micropterus salmoides* und *Lepomis gibbosus* populations as a management tool for southern Iberian reservoirs. *Publicaciones Especiales de Instituciones Española Oceanografica* 21, 275-281.
- Godinho, F. N. und M. T. Ferreira 1997:
Composition and spatial organization of fish assemblages in the lower Guadiana basin, southern Iberia. *Ecology of Freshwater Fish* 6: 134-143.
- Godinho, F. N. und M. T. Ferreira 2000:
Composition of endemic fish assemblage in relation to exotic species and river regulation in a temperate stream. *Biological Invasions* 2: 231-244.
- Goddard K., A. Mathis 1997:
Microhabitat preference for longear sunfish: Low light intensity versus submerged cover. *Environmental Biology of Fishes*. 49(4): 495-499.
- Goddard K., A. Mathis 2000:
Opercular flaps as sexual ornaments for male longear sunfish (*Lepomis megalotis*): Male condition and male-male competition. *Ethology* 106(7): 631-643.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Grenouillet, G.; Pont, D. 2001:
Juvenile fishes in macrophyte beds: influence of food resources, habitat structure and bogy size. *Journal of Fish Biology* 59: 939-959.
- Harris P., K.J. Roe, R.L. Mayden 2005:
A mitochondrial DNA perspective on the molecular systematics of the sunfish genus *Lepomis*. *Copeia* 2005(2): 340-346.
- Höbel G. 2005:
Prächtige Nordamerikaner: Großohr-Sonnenbarsche. *DATZ* 58(7): 60-61.
- Johnston C., E. Smithson 2000:
Movement patterns of stream-dwelling sunfishes: Effects of pool size. *Journal of Freshwater Ecology*. 15(4): 565-566.
- Jordan, D.S.; Gilbert, C.H. 1883:
Synopsis of the fishes of North America. *Bull. U.S. Nat. Mus.* 16:I-lvi, 1-1018.
- Kieffer, J.D.; Cooke, S.J. 2009:
Physiology and organismal performance on centrarchids. In: Cooke, S.J.; Philipp, D.P. 2009. *Centrarchid fishes, diversity, biology and conservation*. Blackwell Publishing, S. 207-263.
- Klaar, M.; Copp, G.H.; Horsfield, R. 2004:
Autumnal habitat use of non-native pumpkinseed *Lepomis gibbosus* and association with native fish species in small English streams. *Folia Zool.* 53(2): 189-202.
- Košuthová, L., J. Koščo, V. Letková, P. Košuth und P. Manko 2009:
New records of endoparasitic helminths in alien invasive fishes from Carpathian region. *Biologia* 64(4): 776-780.
- McElroy, T.C.; Kandl, K.L.; Garcia, J.; Trexler, J.C. 2003:
Extinction-colonization dynamics structure genetic variation of spotted sunfish (*Lepomis punctatus*) in the Florida Everglades. *Molecular Ecology* 12: 355-368.

- Ministerium für Ernährung und Ländlichen Raum/ U. Dußling, R. Berg 2001:
Fische in Baden-Württemberg. Stuttgart.
- Near, T.J.; Koppelman, J.B. 2009:
Species diversity, phylogeny and phylogeography of Centrarchidae, S. 1-38. In:
Cooke, S.J.; Philipp, D.P. 2009: Centrarchid fishes, diversity, biology and
conservation. Blackwell Publishing, 560 S.
- Neff, B.D.; Knapp, R. 2009:
Alternative reproductive tactics in the Centrarchidae. In: Cooke, S.J.; Philipp, D.P.
2009. Centrarchid fishes, diversity, biology and conservation. Blackwell Publishing,
S. 90-104.
- Olden, J.D., N.L. Poff und K. Bestgen 2006:
Life-history strategies predict fish invasions and extirpations in the Colorado River
basin. *Ecological Monographs* 76(1): 25-40,
- Osenberg C.W. und G.G. Mittelbach 1989:
Effects of body size on the predator-prey interaction between pumpkinseed
sunfish and gastropods. *Ecological Monographs* 59(4): 405-432.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The
University of North Carolina Press. Chapel Hill & London.
- Ribeiro, F.; Collares-Pereira, M.J. 2010:
Life-history variability of non-native centrarchids in regulated river system of the
lower River Guadiana drainage (south-west Iberian Peninsula). *Journal of Fish
Biology* 76: 522-537.
- Roe, K.J.; Harris, P.M.; Mayden, R.L. 2002:
Phylogenetic relationship of the genera of North American sunfishes and basses as
evidenced by the mitochondrial cytochrome b gene. *Copeia* 2002: 897-905.
- Sächsische LA für Landwirtschaft, Staatl. Naturhistorische Sammlung Dresden / G. Füllner,
M. Pfeifer, A. Zarske 2005:
Atlas der Fische Sachsens. Rundmäuler, Fische, Krebse. Dresden.
- Schleser D. 1995:
Die Sonnenbarsche (Centrarchidae) Nordamerikas. Der Großohrige Sonnenbarsch.
DATZ 48(10): 625-628.
- Schleser D. 1996:
Die Sonnenbarsche (Centrarchidae) Nordamerikas. Blaukiemen und Gepunkteter
Sonnenbarsch. *DATZ* 49(3): 151-153.
- Schleser D. 1996:
Die Sonnenbarsche (Centrarchidae) Nordamerikas. Diamant und Rotohriger-
Sonnenbarsch. *DATZ* 49(8): 494-496.
- Suski, C.D.; Ridgway, M.S. 2009:
Winter biology of centrarchid fishes. In: Cooke, S.J.; Philipp, D.P. 2009.
Centrarchid fishes, diversity, biology and conservation. Blackwell Publishing, S. 264-
292.
- Suttner R. 1995:
Der Gemeine Sonnenbarsch. Ein Nordamerikaner in Europa. *DATZ* 48(10): 630-631.
- Tomeček, Jozef, Vladimír Kováč, and Stanislav Katina 2007:

- The biological flexibility of the pumpkinseed: a successful colonizer throughout Europe. In: Gherardi, Francesca. Biological invaders in inland waters: Profiles, distribution, and threats. 307-338. Springer. Berlin.
- Villeneuve, F., G.H. Copp, M.G. Fox; Stakenas, S. 2005:
Interpopulation variation in growth and life-history traits of the introduced sunfish, pumpkinseed *Lepomis gibbosus*, in southern England. *J. Appl. Ichthyol.* 21, 275-281.
- Warren, M.L. 2009:
Centrarchid identification and natural history. In: Cooke, S.J.; Philipp, D.P. 2009. Centrarchid fishes, diversity, biology and conservation. Blackwell Publishing, S. 375-533.
- Werner, E.E. und D.J. Hall 1975:
Niche shifts in sunfishes: experimental evidence and significance. *Science*, 191: 404-406.
- Weiss W. 1987:
Eine kalte Majestät – Der Gemeine Sonnenbarsch. *Aquarienmagazin* 21(9): 351-353.
- Wolfram-Wais A., G. Wolfram, B. Auer, E. Mikshi, A. Hain 1999:
Feeding habitats of two introduced fish species *Lepomis gibbosus*, *Pseudorasbora parva* in Neusiedler See (Austria), with special reference to chironomid larvae (Diptera: Chironomidae). *Hydrobiologica* 408/409, 123-129.
- Zeman, D.K.; Burr, B.M. 2004:
Conservation Assessment for Bantam Sunfish (*Lepomis symmetricus*). USDA Forest Service, Eastern Region. 24 S.

http://en.wikipedia.org/wiki/Lepomis_symmetricus

Notropis chrosomus, Blauflossenorfe

- Kodric-Brown, A. 1998:
Sexual Dichromatism and Temporary Color Changes in the Reproduction of Fishes. *Amer. Zool.*, 38: 70-81.
- Krönke F. 2009:
Die Blauflossenorfe, ein munterer Geselle für das ungeheizte Aquarium. *Aquaristik Live* 2009(6): 66-69.

<http://www.outdooralabama.com/fishing/freshwater/fish/other/minnow/shiner/rainbow/>

Pimephales promelas, Dickkopf-Elritze

- Brown, G.E.; Chivers, D.P.; Smith, R.J. 1995:
Fathead minnows avoid conspecific and heterospecific alarm pheromones in the faeces of northern pike. *Journal of Fish Biology* 47: 387-393.
- Brown, G.E.; Chivers, D.P.; Smith, R.J. 1997:
Differential learning rates of chemical versus visual cues of a northern pike by fathead minnows in a natural habitat. *Environmental Biology of Fishes* 49: 89-96.
- Brown, G.E.; Smith, R.J. 1996:

- Foraging trade-offs in fathead minnow (*Pimephales promelas*): acquired predator recognition in the absence of an alarm response. *Ethology* 102: 776-785.
- Brown, G.E. 2003:
Learning about danger: chemical alarm cues and local risk assessment in prey fishes. *Fish and Fisheries* 4: 227-234.
- Chad, T.; Bonner, T.H.; Whiteside, B.G. 2007:
Freshwater fishes of Texas. A field guide. Texas A & M University Press. College Station.
- Danylchuck, A.J.; Tonn, W.M. 2001:
Effects of social structure on reproductive activity in male fathead minnow (*Pimephales promelas*). *Behavioral Ecology* 12: 482-489.
- Duffy, W.G. 1998:
Population dynamics, production, and prey consumption of fathead minnows (*Pimephales promelas*) in prairie wetlands: a bioenergetics approach. *Canadian Journal of Fisheries and Aquatic Science* 54:15-27
- Chiu, S.; Abrahams, M.V. 2010:
Effects of turbidity and risk of predation on habitat selection decisions by fathead minnow (*Pimephales promelas*). *Environmental Biology of Fish* 87: 309-316.
- Chivers, D.P.; Smith, R.J.F. 1994:
The role of experience and chemical alarm signalling in predator recognition by fathead minnow, *Pimephales promelas*. *Journal of Fish Biology* 44: 273-285.
- Chivers, D.P.; Smith, R.J.F. 1995:
Free-living fathead minnows rapidly learn to recognize pike as predator. *Journal of Fish Biology* 46: 949-954.
- Chivers, D.P.; Smith, R.J. 1995:
Chemical recognition of risky habitats is culturally transmitted among fathead minnows, *Pimephales promelas*. *Ethology* 99: 286-296.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Green, W.W.; Mirza, R.S.; Pyle, G.G. 2008:
Kin recognition and cannibalistic behaviours by adult male fathead minnows (*Pimephales promelas*). *Naturwissenschaften* 95: 269-272.
- Jachner, A. 1997:
The response of bleak to predator odour of unfed and recently fed pike. *Journal of Fish Biology* 50: 878-886.
- Kelley, J.L.; Magurran, A.E. 2003:
Learned predator recognition and antipredator responses in fishes. *Fish and Fisheries* 4: 216-226.
- Landry, F.; Miller, T.J.; Leggett W.C. 1995:
The effects of small-scale turbulence on the ingestion rate of fathead minnow (*Pimephales promelas*) larvae. *Canadian Journal of Fisheries and Aquatic Sciences* 52:1714-1719.
- Ludwig, G.M. 1995:
Growth and survival of two colour varieties of fathead minnows in deep and shallow ponds. *Progressive Fish-Culturist* 57:213-218.
- Magurran, A.E.; Pitcher, T.J. 1987:

- Provenance, shoal size, and the sociobiology of predator-evasion behaviour in minnow shoals. *Proceedings of the Royal Society London* 229B:439-465.
- Mathis, A.; Chivers, D.P.; Smith, R.J. 1996:
Cultural transmission of predator recognition in fishes: intraspecific and interspecific learning. *Animal Behaviour* 51: 185-201.
- McGee, M.R.; Julius M.L.; Vajda, A.M. et al. 2009:
Predator avoidance performance of larval fathead minnows (*Pimephales promelas*) following short-term exposure to estrogen mixtures. *Aquatic Toxicology* 91: 355-361.
- Mirza, R.S.; Chivers, D.P. 2003:
Influence of body size on the response of fathead minnows, *Pimephales promelas*, to damselfly alarm cues. *Ethology* 109: 691-699.
- Norman-Boudreau, K.; Daggett, G.R. 1989:
Improved design for fathead minnow breeding chambers. *Progressive Fish-Culturist* 51:111-112.
- Page, L.M.; Ceas P.A. 1989:
Egg attachment in *Pimephales* (Pisces: Cyprinidae). *Copeia* 1989:1074-1077.
- Rhode, F.C.; Arndt, R.G.; Lindquist, D.G.; Parnell, J.F. 1994:
Freshwater fishes of the Carolinas, Virginia, Maryland, and Delaware. The University of North Carolina Press. Chapel Hill & London.
- Sargent, R.C. 1989:
Allopaternal care in the fathead minnow, *Pimephales promelas*: stepfathers discriminate against their adopted eggs. *Behavioural Ecology and Sociobiology* 25:379-385.
- Scott, A. 1987:
Prey selection by juvenile cyprinids from running water. *Freshwater Biology* 17:129-142.
- Turesson, H.; Brönmark, C. 2007:
Predator-prey encounter rates in freshwater piscivores: effects of prey density and water transparency. *Oecologia* 153: 281-290.
- Unger, L.M.; Sargent, R.C. 1988:
Allopaternal care in the fathead minnow *Pimephales promelas*: females prefer males with eggs. *Behavioral Ecology and Sociobiology* 23(1): 27-32.
- Wisenden, B.D.; Pogatshnik, J.; Gibson, D.; Bonacci, L.; Schumacher, A.; Willet, A. 2008:
Sound the alarm: learned association of predation risk with novel auditory stimuli by fathead minnows (*Pimephales promelas*) and glowlight tetras (*Hemigrammus erythrozonus*) after single simultaneous pairings with conspecific chemical alarm cues. *Environmental Biology of Fish* 81: 141-147.
- Ylönen, H.; Kortet, R.; Myntti, J.; Vainikka, A. 2007:
Predator odor recognition and antipredatory responses in fish: does the prey know the predator diel rhythm? *Acta Oecologica* 31: 1-7.

<http://www.bio.txstate.edu/~tbonner/txfishes/Brazos.htm>

Umbra sp. , Hundsfiſche

- Bănărescu, P.M.; Otel, V.; Wilhelm, A. 1995:
The present status of *Umbra krameri* in Romania. Ann. Naturhist. Mus. Wien, 97 B: 496 – 501.
- Biro, P.; Paulovits, G. 1995:
Distribution and status of *Umbra krameri*, 1792, in the drainage of Lake Balaton, Hungary. Ann. Naturhist. Mus. Wien, 97 B: 470 – 477.
- Bohlen, J. 1995:
Laboratory studies on the reproduction of the European mudminnow, *Umbra krameri*, 1792. Ann. Naturhist. Mus. Wien, 97 B: 502 – 507.
- Dederen L.H., R.S. Leuven, S.E. Bonga et al. 1986 :
Biology of the acid-tolerant fish species *Umbra Pygmaea*. Journal of Fish Biology 28(3): 307-326.
- Goldstein, R.J. 2000:
American Aquarium Fishes. Texas A & M University Press.
- Keresztessy, K. 1995:
Recent fish faunistical investigations in Hungary with special reference to *Umbra krameri*, 1792. Ann. Naturhist. Mus. Wien, 97 B: 458 – 465.
- Kostrzewa, J. 1998:
New localities of *Umbra pygmaea* in the Odra basin. Przegląd Zoologiczny 42(3-4): 237-240.
- Leiner, S. 1995:
The status of the European mudminnow, *Umbra krameri*, 1792, in Croatia. Ann. Naturhist. Mus. Wien, 97 B: 486 – 490.
- Leuven R.S., F.G. Oyen 1987:
Impact of acidification and eutrophication on the distribution odd fish species in the shallow and lentic soft waters on the Netherlands. Journal of Fish Biology 31(6): 753-774.
- Movchan, Y. V. 1995:
Observations on the distribution of *Umbra krameri*, 1792, in the Ukraine. Ann. Naturhist. Mus. Wien, 97 B: 491 – 495.
- Nielsen, J.G. 1988:
Fishes new to Denmark 1962-1987. Flora og Fauna 94(1): 25-26.
- Povz, M. 1995:
Discovery, distribution, and conservation of mudminnow *Umbra krameri*, 1792, in Slovenia. Ann. Naturhist. Mus. Wien, 97 B: 478 – 485.
- Schleser D.M. 1998:
North American Native Fishes for the Home Aquarium. Barron's Hauppauge, NY.
- Wanzenböck, J.; Spindler, T. 1995
Rediscovery of *Umbra krameri*, 1792, in Austria and subsequent investigations. Ann. Naturhist. Mus. Wien, 97 B: 450 – 457.
- Wanzenböck, J.; Spindler, T. 1995
Current knowledge on the European mudminnow, *Umbra krameri*, 1792. Ann. Naturhist. Mus. Wien, 97 B: 439 – 449.
- Wilhelm, A. 1998:

Spawning of the European mudminnow (*Umbra krameri*) in the basin of the river Ér. — *Tiscia* 31: 55-58.

Wilhelm, A. 2003:

Growth of the mudminnow (*Umbra krameri*) in river Ér. *Tiscia* 34: 57-60.

http://www.wew.nu/exoten/doc/umbra_pygmaea.pdf

Apistogramma borelli, Gelber Zwergbuntbarsch

Koslowski, I. 2002:

Apistogramma borellii. In: Die Buntbarsche Amerikas, Bd. 2 Apistogramma & Co. Verlag Eugen Ulmer. S. 180-184.

Linke, H.; Staeck, W. 1992:

Amerikanische Cichliden I. Kleine Buntbarsche. Ein Handbuch für Bestimmung, Pflege und Zucht. Tetra Verlag Melle.

Römer, U. 2000:

Cichlidenatlas Bd. 1. Naturgeschichte der Zwergbuntbarsche Südamerikas. 2. Auflage. Mergus. Melle.

Staeck, W. 1999:

Ein Zwergbuntbarsch aus den Subtropen: Apistogramma borellii. Aquarium heute 17: 248-252.

Australoheros sp., Chanchitos

Albering, J. 2012:

Australoheros sp. "Red Ceibal" – so spektakulär wie ein Sonnenaufgang in Cerro Largo.- DCG-Informationen 43 (2): 26-43.

Frey, H. 1978:

Buntbarsche. Cichliden. Zierfisch Monographien, Band 4.- Verlag J. Neumann-Neudamm.

Godinho, F.N.; Ferreira, M.T.; Cortes, R.V. 1997:

Composition and spatial organisation of fish assemblages in the lower Guadiana basin, southern Iberia. Ecology of Freshwater Fish 6(3): 134-143.

Gottwald, J. 2008:

Die Buntbarsche der gemäßigten Breiten Südamerikas.- Aquaristik Fachmagazin 40 (3): 44-51.

Hohl, D. 1990:

Der erste Buntbarsch in der Aquaristik: Der Chanchito.- DATZ 43 (8): 500-504.

Kirsten, G. 1997:

Ein Buntbarsch mit Geschichte.- DCG-Informationen 28 (12): 232-233.

Körper, S. 2004:

Palmar-chanchito beschrieben. „Cichalsoma“ scitulum.- DATZ 57 (2): 18-19.

Körper, S. & Litz, T. 2012:

Freshwater fishes of Argentina. www.pecesciollos.de

Kullander, S.O. 2003:

Check list of the freshwater fishes of South and Central America. Family Cichlidae. http://www.ciclidomexico.com/articulos/Kullander_Cichlidae_2003.pdf

Lartigau, E., Litz, Th. & Prieto, F. 2002:

Auf der Suche nach Süßwasserfischen im Einzugsgebiet des Arroyo Pando, Uruguay.- BSSW Report 4/2002: 23-27.

Litz, T., Salvia, H. & Stawikowski, R. 2006:

Ein weiterer "Chanchito" aus Uruguay.- DATZ 59 (3): 6-11.

- Mayland, H.J. 1975:
Die Buntbarsche Amerikas.- Lehrmeister-Bücherei Nr. 74, Albrecht Philler Verlag, Minden.
- Miquelarena, A.M., Menni, R.C., Lopez, H.L. & Casciotta, J.R. 1990:
Ichthyological and limnological observations on the Sali River basin (Tucuman, Argentina).- Ichthyol. Explor. Freshw. 1 (3): 269-276.
- Mond, H. 1972:
Der Chanchito – eine Jugenderinnerung.- Aquarien Magazin 6 (6): 226-229.
- Morgenstern, R. 2007:
Der Chanchito - *Australoheros facetus* (Jenyns, 1842).- DCG-Informationen 38 (6): 121-130.
- Otoni, F.P.; Costa Wilson J.E.M. 2008:
Taxonomic revision of the genus *Australoheros* with descriptions of nine new species from southeastern Brazil. Vertebrate Zoology 58(2): 07-232.
- Řičan, O.; Kullander, S.O. 2003:
„*Cichlasoma scitulum*“: A new species of cichlid fish from the Rio de la Plata Region in Argentina, Brazil, and Uruguay. Copeia, 2003(4): 794:802.
- Řičan, O.; Kullander, S.O. 2006:
Character- and tree-based delimitation of species in the „*Cichlasoma*“ facetum group with the description of a new genus. Journal Compilation. JZS 44(2): 136-152.
- Ruiz, R.V.H.; Moyano, G.H.; Marchant, S.M. 1992:
Biological aspects of the exotic fish *Cichlasoma facetum* in freshwater of Concepcion. Boletín de la Sociedad de Biología de Concepcion 63: 193-201.
- Ruiz, R.V.H.; Figueroa, R. 2004:
Fecundity of *Cichlasoma facetum* in Laguna Grande de San Pedro, Concepcion – Chile. Boletín de la Sociedad de Biología de Concepcion 75: 103-105.
- Staeck, W. 1975:
Cichliden, Verbreitung, Verhalten, Arten. Band I.- Engelbert Pfriem Verlag, 2. Aufl.
- Staeck, W. 1998:
Ein neuer Cichlide aus dem „*Cichlasoma*“-facetum-Komplex. DCG-Informationen 29(5): 81-85.
- Staeck, W. 2003:
Cichlasoma-facetum-Komplex. Ein Rückblick auf die Anfänge der Aquaristik.- DATZ 56 (9): 60-65.
- Staeck, W. 2006:
Neuer Gattungsname für den Chanchito.- Aquaristik Fachmagazin Nr. 191, Okt./Nov. 2006: 109-110.
- Staeck, W. 2006:
Neuer Gattungsname für den Chanchito.- Aquaristik Fachmagazin Nr. 191, Okt./Nov. 2006: 109-110.
- Staeck, W. 2008:
Revision der Cichliden-Gattung *Australoheros*.- Aquaristik Fachmagazin (40 (3), Nr. 201: 96-97.
- Staeck, W. 2008:
Vier neue Chanchitos beschrieben.- DCG-Informationen 38 (10): 225-230.
- Stallknecht, H. 1973:
Cichlasoma facetum (Jenyns 1842), der Chanchito .- AT 4/1973: 143.

- Stawikowski, R. 1982:
 Ein Oldtimer-Cichlide: Der Chanchito.- Aquarien Magazin 16 (1): 47-50.
- Stawikowski, R. & Werner, U. 1998:
 Die Buntbarsche Amerikas, Band 1.- DATZ-Aquarienbücher, Ulmer, Stuttgart.
- Ufermann, A. 1977:
 Cichlasoma facetum. Cichliden von A-Z. DCG-Informationen 8(8).
- Werner, U. 1981:
 Cichlasoma facetum – das Schweinchen.- Das Aquarium 15 (1): 7-11.

Austrolebias nigripinnis, Fächerfisch

- Belote, D.F.; Costa, W.J. 2004:
 Reproductive behaviour patterns in three species of the South American annual fish genus *Austrolebias*. Boletim do Museu Nacional. Zoologia 514: 1-8.
- Breitfeld, K. 1994:
 Die Welt der Killifische. Haltung und Zucht Eierlegender Zahnkarpfen. Tetra-Verlag. Melle.
- Breitfeld, K. 2004:
 Killis im Gartenteich – 30 Jahre Erfahrungen.- DKG-Journal 36 (3): 80-87.
- Costa, W.J.E.M. 2001:
 The neotropical annual fish genus *Cynolebias* (Cyprinodontiformes: Rivulidae): phylogenetic relationships, taxonomic revision and biogeography.- Ichthyol. Explor. Freshwaters 12 (4): 333-383.
- Costa, W.J.E.M. 2006:
 The South American annual killifish genus *Austrolebias* (Teleostei: Cyprinodontiformes: Rivulidae): phylogenetic relationships, descriptive morphology and taxonomic revision.- Zootaxa 1213: 1-162.
- Costa, W.J.E.M. 2009:
 Trophic radiation in the South American annual killifish genus *Austrolebias* (Cyprinodontiformes: Rivulidae).- Ichthyol. Explor. Freshwaters 20 (2): 179-191.
- Dadaniak, N. & Eberl, W. 1994:
Cynolebias nigripinnis – Ein Killifisch, so schön wie der Sternenhimmel.- Das Aquarium 28 (5): 20-24.
- Endruweit, M. 2004:
 Laichsubstrate für Bodenlaicher.- DKG-Journal 36 (5): 144-148.
- Endruweit, R. 2009:
 Betrifft: Revision der Fächerfische (DATZ 10/2008).- DATZ 62 (6): 81.
- Etzel, V. 2003:
 Faszination Chaco. *Austrolebias chacoensis* im natürlichen Lebensraum.- Aquaristik aktuell 1/2003: 34-36.
- Hengstler, H. 1984:
 Eierlegende Zahnkarpfen. Die annuellen Killifische aus dem subtropischen Argentinien- Das Aquarium 18 (11): 567-570.
- Gutjahr, A. 2004:
 Der schwarzflossige Fächerfisch, *Austrolebias nigripinnis*.- Aquaristik Fachmagazin Nr. 177, Juni/Juli 2004, 36 (3): 34-36.
- Knaack, K. 1982:

- Nur eine Regenzeit lebt *Cynolebias nigripinnis*, der Schwarze Fächerfisch.- Das Aquarium 16 (6): 310-312.
- Knaack, J. 2002:
Bemerkungen zur Fischfauna Uruguays unter dem Aspekt aquaristischer Interessen.- Aquaristik aktuell 1/2002: 52-57.
- Lüling, K.H. 1979:
Fische in temporären und in Kleingewässern der Provinz Buenos Aires 1.- Aquarien Terrarien 26 (6): 210-212.
- Mayland, H.J. 1997:
Saisonfische Südamerikas, Teil 1.- Das Aquarium 31 (2): 14-19.
- Moshgani, M.; Van Dooren, T.J.M. 2011:
Maternal and paternal contributions to egg size and egg number variation in the blackfin pearl killifish *Austrolebias nigripinnis*. *Evol. Ecology* 25: 1179-1195.
- Nanninga, T. 2006:
Der Schwarze Fächerfisch (*Austrolebias nigripinnis*).- *DKG-Journal* 38 (3): 86-90.
- Neumann, W. 1976:
Nachzucht auf Bestellung. 1.- *Aquarien Terrarien* 23 (4): 122-125.
- Neumann W. 2005:
Killifisch-Lexikon. Eierlegende Zahnkarpfen. Wissenschaft und Praxis. Deutsche Killifisch Gemeinschaft.
- Reichert, J.; Litz, T. 2001:
Die Fächerfische Uruguays.- *TI Aquaristik Magazin* 33 (159): 49-54.
- Rösler, H.-J. 1986:
Der Schwarze Fächerfisch – ein Regentümpelspezialist.- *Aquarien Magazin* 20 (4): 140-146.
- Rösler, H.-J. 1986:
Seltene Gäste. Südamerikanische Saisonfische.- *Aquarium Heute* 1986 (1): 16-17.
- Salvia, H., Prieto, F.; Litz, T. 2004:
Australolebias nigripinnis “Franquia”. Anmerkungen zur Systematik und Verbreitung sowie zur Pflege und Zucht.- *Das Aquarium* 38 (9): 24-27.
- Seegers, L. 1980:
Killifische. Eierlegende Zahnkarpfen im Aquarium. Ulmerverlag, Stuttgart.
- Seegers, L. 2000:
Killifishes of the world. New World Killis. Verlag A.C.S. GmbH, Germany.

***Corydoras paleatus*, Marmorierter Panzerwels**

- Artoni, R.F. ; Terêcio, M.L.; Vicari, M.R. et al. 2006:
Cytogenetics of two sympatric corydoras species of Southern Brazil. *Braz. J. Biol.* 66(1B): 191-198.
- Dreyman, K.:
WelsHomePage. http://www.welse.net/SEITEN/c_paleat.htm
- Evers, H.-G. 1994:
Panzerwelse: *Aspidoras*, *Brochis*, *Corydoras*. Ulmer Verlag.
- Hieronimus, H. 1994:

Taxonomische Relevanz des Brustflossenstachels bei Panzerwelsen der Gattung *Corydoras* (Siluriformes: Callichthyidae).- Tagungsführer-abstract-Band. II. Symposium „Ökologie und Systematik der Fische“.

Hieronimus, H. 1999:

Der Marmorierte Panzerwels.- Aquarium live 1/1999: 6-12.

Hieronimus, H. 2008:

Die Kleinen sollen giftig sein? Panzerwelse sind nicht ohne.- Aquaristik 4/2008: 34-37.

Kucharkowski, S. 2004:

Panzerwelse der Gattung *Corydoras*, eine Bereicherung für jedes Gesellschaftsaquarium.- Aquarium live 2/2004: 40-45.

Mokosch, A. 2006:

Erlebnisse mit *Corydoras paleatus*.- Aquarium live Nr. 2/2006: 62-65.

Pruzsinszky, I.; Ladich, F. 1998:

Sound production and reproductive behaviour of the armoured catfish *Corydoras paleatus*. Environmental Biology of Fishes 53: 183-191.

Schäfer, F.; Evers, H.-G.; Bailes, M. 2004:

Corydoras. Alle C-Nummern. Aqualog Animalbook.

Seuß, W. 1992:

Corydoras, die beliebtesten Panzerwelse Südamerikas. Dähne Verlag.

Schmidt, J. 2002:

Welse im Kaltwasseraquarium? - Aquarium live 3/2002: 14.

Vierke, J.:

Fischreisen. <http://www.fischreisen.de/Panzerwelse.html>

Weiss, W. 1980:

Paranüsse mit Flossen: Der Gesprenkelte Panzerwels.- Aquarien Magazin 14 (5): 228-233.

Würz, C. 2007:

Panzerwelse – faszinierende Überlebenskünstler.- BSSW-Report 19 (3): 13-17.

Goodeiden, Hochlandkärpflinge

Artigas Azas, J. M. 1995:

Xenoporphus captivus – Inevitable Extinction: Aqu. Survival 3, 15 – 16.

Bailey N.W., C. Macías García, M.G. Ritchie 2007:

Beyond the point of no return ? A comparison of genetic diversity in captive and wild populations of two nearly extinct species of Goodeid fish reveals that one is inbred in the wild. Hederity 98: 360-367.

Bisazza, A. 1997:

Sexual selection constrained by internal fertilisation in the livebearing fish *Xenotoca eiseni*. Animal Behaviour 54: 1347-1355.

Boto L., I. Dodario 2003:

Polymorphic microsatellites in two different species of the genus *Zoogeneticus*. Molecular Ecology Notes (3): 70-72.

Dawes J. 1997:

- Goodeiden. Teil 1: Einführung in die Familie Goodeidae. Das Aquarium Nr. 340: 12-15.
- Dawes J. 1997:
Goodeiden. Teil 2: Die „Inside Story“. Das Aquarium Nr. 341: 12-15.
- Dawes J. 1997:
Goodeiden. Teil 3: Allgemeine Hinweise zur Pflege und Zucht sowie Kurzbeschreibungen zu einigen Arten (1). Das Aquarium Nr. 342: 16-19.
- Dawes J. 1997:
Goodeiden: Kurzbeschreibungen zu einigen Arten (2). Das Aquarium Nr. 343: 8-11.
- De la Vega-Salazar, M. Y., E. Avila-Luna, C. Macías García 2003:
Ecological evaluation of local extinction: the case of two genera of endemic Mexican fish, *Zoogeneticus* and *Skiffia*. *Biodiversity and Conservation* 12: 2043-2065.
- De la Vega-Salazar, M. Y., E. Avila-Luna, C. Macías García 2003:
Threatened fishes of the world: *Zoogeneticus tequila*. *Environmental Biology of Fishes* (68): 14.
- De la Vega-Salazar, M. Y. 2006:
Conservation status of Goodeidae family fishes from the Mexican Central Plateau. *Revista de Biología Tropical* 54(1): 163-177.
- Doadrio, I., O. Domínguez 2004:
Phylogenetic relationships within the fish family Goodeidae based on cytochrome b sequence data. *Molecular Phylogenetics and Evolution* 31: 416-430.
- Domínguez-Domínguez, O.; Mercado Silva, N.; Lyons, J. 2005:
The viviparous goodeid species. In: Uribe, M.C.; Grier, H.J. (Hg.) 2005: *Viviparous Fishes*. 526 New Life Publications, Homestead, Florida. S. 505-549.
- Domínguez-Domínguez O., E. Martínez-Meyer, L. Zambrano et al. 2006:
Using ecological-niche modeling as a conservation tool for freshwater species: live-bearing fishes in central Mexico. *Conservation Biology* 20(6): 1730-1739.
- Domínguez-Domínguez O., Doadrio, I.; Pérez-Ponce de León, G. 2006:
Historical biogeography of some river basins in central Mexico evidenced by their goodeine freshwater fishes: a preliminary hypothesis using secondary Brooks parsimony analysis. *Journal of Biogeography* 33: 1437-1447.
- Edmundo, D.P.; Ortiz-Jimenez, D. 1986:
Reproduction and ontogeny of *Girardinichthys viviparus*. *Anales de la Escuela Nacional de Ciencias Biológicas México* 30(1-4): 45-66.
- Fitzsimons, J. M. 1976:
Ethological isolating mechanisms in Goodeid fishes of the genus *Xenotoca*. *Bulletin of Southern California Academy of Sciences* 75(2): 84-99.
- Fitzsimons, J. M. 1979:
Status of the nominal species of the fish genus *Xenophorus* from Mexico. *Occ. Papers Mus. Zool. Univ. Mich.* 51, 1 – 18.
- Hamill, R.M.; Webb, S.A.; Garcia, C.M.; Graves, J.A.; Magurran, A.E.; Ritchie, M.G. 2007:
Comparison of genetic diversities at microsatellite loci in near-extinct and non-endangered species of Mexican goodeine fishes and prediction of cross-amplification within the family. *Journal of Fish Biology* 70 (Suppl. A): 16-32.
- Helmus M. et al. 2008:

- Threatened fishes of the world: *Allotoca goslinei*. *Environmental Biology of Fishes* (84): 197-198.
- Hieronimus, H. 1984:
 Revierverhalten bei einem Hochlandkärpfling. *DATZ* 37(9), 341 – 344 und 37(10), 377 – 379.
- Hieronimus H, 1995:
 Die Hochlandkärpflinge. Goodeidae. Die Neue Brehm-Bücherei Bd. 610. Westarp Wissenschaften. Magdeburg.
- Hubbs, C.L. 1924:
 Studies of the Fishes of the Order Cyprinodontes V. Notes on the Species of Goodea and Skiffia. *Occ. Papers Mus. Zool. Univ. Mich.* 148, 1 – 8.
- Hubbs, C. L.; Turner, C. L. 1937:
 Studies of the Fishes of the Order Cyprinodontes XVI. A Revision of the Goodeidae. *Misc. Publ. Univ. Mich.* 42, 1 – 80.
- Jacobs, K. 1975:
 Ritterkärpflinge leben etwa 2500 Meter über dem Meer. *Aquarienmagazin* 8/9, 350.
- Kempkes M. 2000:
Zoogoneticus tequila – ein „neuer“ Hochlandkärpfling. *DATZ* 57(1): 23.
- Kempkes M. 2004:
 Neue Population von *Zoogoneticus tequila* entdeckt. *DATZ* 53(10): 8-10.
- Kempkes M. 2007:
 Wissenswertes über Hochlandkärpflinge. *Aquaristik Fachmagazin* 39(5): 4-10.
- Kempkes M. 2007:
 Die aquaristisch bedeutsamen Goodeiden-Arten. *Aquaristik Fachmagazin* 39(5): 12-17.
- Kempkes M. 2007:
 Hochlandkärpflinge mehr als nur robuste Pfleglinge. *Aquaristik Fachmagazin* 39(5): 18-22.
- Kempkes, M.; Köck, M.; Stawikowski, R. 2013:
 Beiträge zur Biologie und zum Artenschutz der Hochlandkärpflinge. Die Neue Brehm-Bücherei (Bd. 681). Westarp Wissenschaften. 367 S.
- Krönke F. 2009:
 Zwei alte Bekannte wiederentdeckt: Der Banderolenkärpfling *Xenotoca eiseni* und der Schmetterlings-/Ameca-Kärpfling *Ameca splendens*. *AKFS-Aktuell* 24: 18-24.
- Krönke, F. 2010:
 Erhaltungszucht im Aquarium. Ist das realistisch ? Was können wir erreichen ? Was kann ich tun ? *DATZ* 64(2): 24-26.
- Krönke, F.; Schleussner, G. 2014:
 Der Ritterkärpfling *Xenoporphus spec. Illescas* – erhält die letzten ihrer Art ! *AKFS-Aktuell* 32:4-12.
- Langhammer, J. K. 1976:
 The Lost Treasure of the Aztecs, Part I. *Livebearers* 5, 2 – 5.
<http://www.goodeids.com/>
- Langhammer, J. K. 2002:
Skiffia francesae: A Fish on the Edge of Tomorrow! Can we Save it? *Livebearer News* 2, 3 – 9.

- Langhammer, J.K. 2005:
Species maintenance – a practical approach. www.goodeids.com/article129.html
- López-López, E., J. E. Sedeno-Díaz 2009:
Threatened fishes of the world: Ameca splendens. *Environmental Biology of Fishes* (84): 223-224.
- Miller, R. R. 2005:
Freshwater Fishes of Mexico. Univ. of Chicago Press. Chicago & London.
- Miranda, R.; Galicia, D.; Pulido-Flores, G.; Monks, S. 2008:
First record of *Girardinichthys viviparus* in lake Tecocomulco, Mexico. *Journal of Fish Biology* 73(1): 317-322.
- Pinter, H. 1991:
Der Ritterkärpfling – weder anspruchsvoll, noch unverträglich. *TI* 23/106, 17 –18.
- Radda, A. C. 1984:
Synopsis der Goodeiden Mexikos (Killifische der Welt Band 8). Wien.
- Ritchie, M.G.; Webb, S.A.; Graves, J.A.; Magurran, A.E.; Macias Garcia, C. 2005:
Patterns of speciation in endemic Mexican Goodeid fish: sexual conflict or early radiation? *Journal of Evolutionary Biology* 18: 922-929.
- Schleussner G.; Krönke, F. 2009:
Der Tequilakärpfling - ein Juwel aus dem verlorenen Schatz der Azteken. *Amazonas* 6(2): 42-48.
- Sedeno-Díaz, J.E., E. López-López 2009:
Threatened fishes of the world: *Girardinichthys viviparus*. *Environmental Biology of Fish* 84: 11-12.
- Smith M.L., R.R. Miller 1986:
Mexican goodeid fishes of the genus *Characodon*, with description of a new species. *American Museum Novitates*. American Museum of Natural History, New York 2851: 1-14.
- Teichmann, G. 2009:
Die Gattung *Characodon*. Teil 1. *Das Lebendgebärenden Magazin* 7(1): 9-14.
- Teichmann, G. 2010:
Die Gattung *Characodon*. Teil 2. *Das Lebendgebärenden Magazin* 8(1): 8-12.
- Tejeda-Vera, R.; Lopez-Lopez, E.; Sedeno-Diaz J.E. 2007:
Biomarkers and bioindicators of the health condition of *Ameca splendens* and *Goodea atripinnis* in the Ameca river, Mexico. *Environment International* 33(4): 512-531.
- Tobler, M. 2004:
Neue Population von *Zoogoneticus tequila* entdeckt. *D. Aqu. u. Terr. Z. (Datz)* 57 (1), 23.
- Tversted, M. R. 2003:
Zahnkarpfen und niedrige Temperaturen. *Das Lebendgebärenden Magazin* 2, 35 – 38. <http://www.goodeiden.de/html/temperatures.html>
- Vega-Lopez A.; Ramon-Gallegos, E.; Galar-Martinez, M. et al. 2007:
Estrogenic, anti-estrogenic and cytotoxic effects elicited by water from the type localities of the endangered goodeid fish *Girardinichthys viviparus*. *Comparative Biochemistry and Physiology Part C Toxicology and Pharmacology* 145(3): 394- 404.
- Vega-Lopez A., F.A. Jimenez-Orozco, E. Garcia-Latorre et al 2008:

Oxidative stress response in an endangered goodeid fish (*Girardinichthys viviparus*) by exposure to water from its extant localities. *Ecotoxicology and Environmental Safety* 71(1): 94-193.

Webb S.A., R.R. Miller 1998:

Zoogoneticus tequila, a new Goodeid fish (Cyprinodontiformes) from the Ameca drainage of Mexico, and rediagnosis of the genus. *Occasional Papers of the Museum of Zoology, The University of Michigan* (725): 1-23.

Wourms, J. P.; Lombardi, J. 1992:

Reflections on the Evolution of Piscine Viviparity. *Am. Zool.* 32, 276 – 293.

<http://www.goodeidworkinggroup.com/artificial-key>

<http://www.goodeiden.de/index.html>

http://home.clara.net/brachydibble/Fish_and_their_habitats.htm

<http://www.dglz-forum.de/>

<http://home.clara.net/brachydibble/index.htm>

<http://www.lebendgebaerende-aquarienfische.de/index.html>

<http://www.goodeidworkinggroup.com/about-us>

Gymnogeophagus meridionalis, Meridionalis-Erdfresser

Andersen, T. B. 1999:

Gymnogeophagus aus südlichen und östlichen Regionen Uruguays DCG-Informationen 30 (6): 101-110.

Bednarczuk, R. 2008:

Zwei bekannte Erdfresser: *Gymnogeophagus rhabdotus*, *Gymnogeophagus meridionalis*.- *Aquaristik Fachmagazin* 40 (6), Nr. 204: 58-61.

Brandt, A.T. 1999:

Gymnogeophagus aus südlichen und östlichen Regionen Uruguays.- DCG-Informationen 30 (6): 101-110.

Buchhauser, P. 2004:

Cichliden im Gartenteich? .- DCG-Informationen 35 (3): 67-70.

Darda, W. 1995:

Ein Gartenteich für *Gymnogeophagus*-Arten. Teil 2: Die Fische.- *Das Aquarium* 29 (7): 17-18.

Darda, W. 2000:

Der Gartenteich als Überlebensraum.- *Aquaristik aktuell* 8 (7): 72-76.

Farias, I.P.; Ortí, G.; Schampaio, I. et al. 1999:

Mitochondrial DNA phylogeny of the family cichlidae: monophylidae and fast molecular evolution of the Neotropical assemblage. *J Mol Evol* 48: 703-711.

Farias, I.P.; Ortí, G.; Meyer, A. 2000:

Total evidence: molecules, morphology, and the phylogenetics of cichlid fishes. *Journal of Experimental Zoology* 288: 76-92.

Farias, I.P.; Ortí, G.; Schampaio, I. et al. 2001:

The cytochrome b gene as a phylogenetic marker: the limits of resolution for analyzing relationships among cichlid fishes. *J Mol Evol* 53: 89-103.

Fischer, L. 2008:

- Gymnogeophagus sp. „Misiones“. Erkenntnisse aus Aquaristik und Freilandhaltung.- DCG-Informationen 39 (9): 210-212.
- Gottwald, J. 2008:
Ein aquaristisch neuer südlicher Erdfresser aus dem Mittellauf des Rio Parana.- Aquaristik Fachmagazin 40 (6), Nr. 204: 90.
- Gottwald, J. 2008:
Die Buntbarsche der gemäßigten Breiten Südamerikas.- Aquaristik Fachmagazin 40 (3): 44-51.
- Körber, St. 1988:
Pflege und Zucht von *Gymnogeophagus meridionalis*.- DATZ 51 (3): 156-158.
- Krahnefeld, L. 1994:
Sind *Gymnogeophagus* als Aquarienfische geeignet? DCG-Informationen 25 (7): 163-165.
- Reis, R. E; Malabarba, L. R. 1988:
Revision of the Neotropical cichlid genus *Gymnogeophagus* with descriptions of the two new species. *Revista Brasileira de Zoologia*. pp. 259–305.
- Malabarba, L. R.; Reis, R. E.; Vari R. P.; et al. 1998:
Phylogeny and classification of Neotropical fishes. Porto Alegre, Edipucrs.
- Pereyra, S.; García, G. 2008:
Patterns of genetic differentiation in the *Gymnogeophagus gymnogynys* species complex, a neotropical cichlid from South American basis. *Environ Biol Fish* 83: 245-257.
- Staeck, W. 2000:
Pflege und Zucht von *Gymnogeophagus meridionalis* aus dem Rio Rosario.- DCG-Informationen 31 (11): 243-248.
- Stawikowski, R. 1999:
Vor 100 Jahren... Oder: Welcher Buntbarsch wurde 1899 erstmals nach Deutschland importiert? DCG-Informationen 30 (8): 141-147.
- Stawikowski, R. & Werner, U. 2004:
Die Buntbarsche Amerikas. Band 3: Erdfresser, Hecht- und Kammbarsche.- Verlag Eugen Ulmer, Stuttgart.
- Sung S.; Gonzalez, I. 2008:
Gymnogeophagus: The Glittering Eartheaters of the Far South.
<http://www.tfhmagazine.com/details/articles/gymnogeophagus-the-glittering-eartheaters-of-the-far-south.htm>
- Weber, T.; Stawikowski, R. 2007:
Betrifft: Buntbarsche im Gartenteich (Datz 10/2004, Datz-AP 4/2006).- DATZ 60 (3): 69.
- Weidner, T. 2000:
Südamerikanische Erdfresser. Cichlid Press, El Paso, Texas. 336 S.
- Wimberger, P. H.; Reis, R. E.; Thornton, K. R. 1998.:
Mitochondrial phylogenetics, biogeography, and evolution of parental care and mating system in *Gymnogeophagus* (Perciformes: Cichlidae). In: Malabarba, L. R.; Reis, R. E.; Vari R. P.; et al. 1998: Phylogeny and classification of Neotropical fishes. Porto Alegre, Edipucrs.

Kryptolebias marmoratus, Mangroven Killifisch

- Abel, D.C.; Koenig, C.C.; Davies, W.P. 1987:
Emersion in the mangrove forest fish *Rivulus marmoratus*: a unique response to hydrogen sulfide. *Environmental Biology of Fishes* 18(1): 67-72.
- Avise, J.C.; Mank, J.E. 2008:
Evolutionary perspectives on hermaphroditism in fishes. *Sexual Development* 3: 152-163.
- Costa, W.J.; Lima, S.M.Q.; Bartolette, R. 2010:
Androdioecy in *Kryptolebias* killifish and the evolution of self-fertilizing hermaphroditism. *Biological Journal of the Linnean Society* 99: 344-349.
- Costa, W.J. 2006:
Redescription of *Kryptolebias ocellatus* and *K. caudomarginatus*, two killifishes from mangroves of south-eastern Brazil. *Aqua: Journal of Ichthyology & Aquatic Biology*. <http://www.thefreelibrary.com/Redescription+of+Kryptolebias+ocellatus+%28Hensel%29+and+K....-a0155569281>
- Costa, W.J. 2011:
Identity of *Rivulus ocellatus* and a new name for a hermaphroditic species of *Kryptolebias* from south-eastern Brazil. *Ichthyol. Explor. Freshwaters* 22(2): 185-192.
- Davis, W.P.; Taylor, D.S.; Turner, B.J. 1990:
Field observations of the ecology and habitats of mangrove rivulus (*Rivulus marmoratus*) in Belize and Florida. *Ichthyol. Explor. freshwaters* 1(2): 123-134.
- Early, R.; Hsu, Y. 2008:
Reciprocity between endocrine state and contest behaviour in the killifish, *Kryptolebias marmoratus*. *Hormones and Behaviour* 53: 442-451.
- Hsu, Y.; Lee, S.P.; Chen, M.H.; Yang, S.Y.; Cheng, K.C. 2008:
Switching assessment strategy during a contest: fighting in killifish *Kryptolebias marmoratus*. *Animal Behaviour* 75: 1641-1649.
- Huehner, M.K.; Schramm, M.E.; Hens, M.D. 1985:
Notes on the behaviour and ecology of the killifish *Rivulus marmoratus*. *Florida Scientist* 58(1): 1-7.
- LeBlank, D.M.; Wood, C.M.; Fudge, D.S.; Wright, P.A. 2010:
A fish out of water: gill and skin remodeling promotes osmo- and ionoregulation in the mangrove Killifish *Kryptolebias marmoratus*. *Physiological and Biochemical Zoology* 83(6): 932-949.
- Luke, K.N.; Bechler, D.L. 2010:
The role of dyadic interactions in the mixed-mating strategies of the mangrove rivulus *Kryptolebias marmoratus*. *Current Zoology* 56(1): 6-17.
- Mackiewicz, M.; Tatarenkov, A.; Turner, B.J.; Avise, J.C. 2006:
A mixed-mating strategy in a hermaphroditic vertebrate. *Proceedings of the Royal Society B* 273(1600): 2449-2452
- Martin, S.B. 2007:
Association behaviour of the self-fertilizing *Kryptolebias marmoratus*: the influence of microhabitat use on the potential for a complex mating system. *Journal of Fish Biology* 71: 1383-1392.
- Ong, K.J.; Stevens, E.D.; Wright, P.A. 2007:

- Gill morphology of the mangrove killifish (*Kryptolebias marmoratus*) is plastic and changes in response to terrestrial air exposure. *The Journal of Experimental Biology* 210: 1109-1115.
- Pandey, B.D.; Hagiwara, A.; Sakakura, Y. 2008:
Feeding behaviour, feed selectivity and growth studies of mangrove killifish, *Kryptolebias marmoratus*, larvae using various live and formulated feeds. *Environmental Biology of Fish* 82: 365-375.
- Rhee, J.S.; Kim, R.O.; seo, J.S. et al. 2010:
Effects of salinity and endocrine-disrupting chemicals on expression of prolactin and prolactin receptor genes in the euhaline hermaphroditic fish, *Kryptolebias marmoratus*. *Comparative Biochemistry and Physiology, Part C* 152: 413-423.
- Richards, T.M.; Krebs, J.M.; McIvor, C.C. 2011:
Microhabitat associations of a semi-terrestrial fish, *Kryptolebias marmoratus* in a mosquito-ditched mangrove forest, west-central Florida. *Journal of Experimental Marine Biology and Ecology* 401: 48-56.
- Sakakura, Y.; Soyano, K.; Noakes, D.L.G.; Hagiwara, A. 2006:
Gonadal morphology in the self-fertilizing mangrove killifish, *Kryptolebias marmoratus*. *Ichthyological Research* 53: 427-430.
- Tatarenkov, A.; Gao, H.; Mackiewicz, M.; Taylor, D.S.; Turner, B.J.; Avise, J.C. 2007:
Strong population structure despite evidence of recent migration in a selfing hermaphroditic vertebrate, the mangrove killifish (*Kryptolebias marmoratus*). *Molecular Ecology* 16: 2701-2711.
- Tatarenkov, A.; Lima, S.M.Q.; Taylor, D.S.; Avise, J.C. 2009:
Long-term retention of self-fertilization in a fish clade. *Proceedings of the National Academy of Sciences PNAS* 106(34): 14456-14459.
- Taylor, D.S. 1990:
Adaptive specializations of the cyprinodont fish *Rivulus marmoratus*. *Florida Scientist* 53(3): 239-248.
- Taylor, D.S. 2000:
Biology and ecology of *Rivulus marmoratus*: new insights and a review. *Florida Scientist* 63(4): 242-255.
- Taylor, D.S.; Davies, W.P.; Turner, B.J. 1995:
Rivulus marmoratus: ecology of distributional patterns in Florida and the Central Indian River Lagoon. *Bulletin of Marine Science* 57(1): 202-207.
- Taylor, D.S.; Fisher, M.T.; Turner, B.J. 2001:
Homozygosity and heterozygosity in three populations of *Rivulus marmoratus*. *Environmental Biology of Fishes* 61: 455-459.
- Taylor, D.S.; Davies, W.P.; Turner, B.J. 2003:
The status of *Rivulus marmoratus* in the Bahamas. *Proceedings of the ninth symposium on the natural history of the Bahamas*: 94-99.
- Turner, B.J.; Fisher, M.T.; Taylor, D.S.; Davies, W.P.; Jarrett, B.L. 2006:
Evolution of 'maleness' and outcrossing in a population of the self-fertilizing killifish, *Kryptolebias marmoratus*. *Evolutionary Ecology Research* 8: 1475-1486.
- Taylor, D.S.; Turner, B.J.; Davies, W.P.; Chapman, B.B. 2008:
A novel terrestrial fish habitat inside emergent logs. *The American Naturalist* 171(2): 263-266.
- Turko, A.J.; Earley, R.L.; Wright, P.A. 2011:

Behaviour drives morphology: voluntary emersion patterns shape gill structure in genetically identical mangrove rivulus. *Animal Behaviour* 82: 39-47.

Weibel, A.C.; Dowling, T.E.; Turner, B.J. 1999:

Evidence that an outcrossing population is a derived lineage in a hermaphroditic fish (*Rivulus marmoratus*). *Evolution* 53(4): 1217-1225.

<http://www.brevardcounty.us/docs/eel-documents/meet-the-mangrove-rivulus.pdf?sfvrsn=2>

HINTERGRÜNDE

ARTERHALTUNGSZUCHT

- Araki, H., B.A. Berejikian, M.J. Ford, M.S. Blouin 2008:
Fitness of hatchery-reared salmonids in the wild. *Evolutionary Application*: 342-355.
- Bailey, N.W., C. Macías Garcia und M.G. Ritchie 2007:
Beyond the point of no return ? A comparison of genetic diversity in captive and wild populations of two nearly extinct species of Goodeid fish reveals that one is inbred in the wild. *Heredity* 98: 360-367.
- Beitinger, Thomas L., Wayne A. Bennet und Robert W. McCauley 2000:
Temperature tolerances of North American freshwater fishes exposed to dynamic changes in temperature. *Environmental Biology of Fishes* 58: 237-275.
- Boto, L. und I. Dodario 2003:
Polymorphic microsatellites in two different species of the genus *Zoogoneticus*. *Molecular Ecology Notes* (3): 70-72.
- Collyer, Michael L. et al. 2007:
Phenotypic plasticity and contemporary evolution in introduced populations : evidence from translocated populations of white sands pupfish (*Cyprinodon tularosa*). *Ecological Research* (2007) 22: 902-910.
- De la Vega-Salazar, M. Y., E. Avila-Luna und C. Macías Garcia 2003:
Ecological evaluation of local extinction: the case of two genera of endemic Mexican fish, *Zoogoneticus* and *Skiffia*. *Biodiversity and Conservation* 12: 2043-2065.
- De la Vega-Salazar, M. Y., E. Avila-Luna und C. Macías Garcia 2003:
Threatened fishes of the world: *Zoogoneticus tequila*. *Environmental Biology of Fishes* (68): 14.
- De la Vega-Salazar, M. Y. 2006:
Conservation status of Goodeidae family fishes from the Mexican Central Plateau. *Revista de Biología Tropical* 54(1): 163-177.
- Domínguez-Domínguez, Omar, Enrique Martínez-Meyer, Luis Zambrano et al. 2006:
Using ecological-niche modeling as a conservation tool for freshwater species: live-bearing fishes in central Mexico. *Conservation Biology* 20(6): 1730-1739.
- Domínguez-Domínguez, Omar, Ignacio Doadrio und Gerardo Pérez-Ponce de León 2006:
Historical biogeography of some river basins in central Mexico evidenced by their goodeine freshwater fishes: a preliminary hypothesis using secondary Brooks parsimony analysis. *Journal of Biogeography* 33: 1437-1447.
- Echelle, Anthony A. und Thomas E. Dowling 1992:
Mitochondrial DNA variation and evolution of the Death Valley Pupfishes (*Cyprinodon*, *Cyprinodontidae*). *Evolution* 46 (1): 193-206.
- Echelle, Anthony A. und Alice F. Echelle 1993:
Allozyme variation and systematics of the New World *Cyprinodontines*. *Biochemical Systematics and Ecology* 21(5): 583-590.
- Echelle, Alice F. und Anthony A. Echelle 1993:
Assessment of genetic introgression between two pupfish species, *Cyprinodon elegans* and *C. variegatus*, after more than 20 years of secondary contact. *Copeia* 3: 590-597.

- Fraser, D.J. 2008:
How well can captive breeding programs conserve biodiversity ? A review of salmonids. *Evolutionary Applications*: 535-586.
- Garret, Gary P., Clark Hubbs und Robert J. Edwards 2002:
Threatened fishes of the world: *Cyprinodon elegans*. *Texas. Environmental Biology of Fishes* 65: 288.
- Goldsworthy, Cory und Phillip W. Bettoli 2005: The Fate of Stocked Barrens Topminnows *Fundulus julisia* (Fundulidae) and Status of Wild Populations. A Final Report Submitted To Tennessee Wildlife Resources Agency Nashville, Tennessee.
<http://www2.tntech.edu/fish/PDF/Topminnow%202.pdf>
- Helmus, Matthew et al. 2008:
Threatened fishes of the world: *Allotoca goslinei*. *Environmental Biology of Fishes* (84): 197-198.
- Johnson, Andrea B. und Phillip Bettoli 2003: Threatened fishes of the world: *Fundulus julisia*. *Environmental Biology of Fishes* 68:240, 2003. Kluwer Academic Publishers.
- Kelly, J.L., A.E. Magurran und C. Macías García 2005:
The influence of rearing experience on the behaviour of an endangered Mexican fish, *Skiffia multipunctata*. *Biological Conservation* 122: 223-230.
- Kelly, J.L., A.E. Magurran und C. Macías García 2006:
Captive breeding promotes aggression in an endangered Mexican fish. *Biological Conservation* 133: 169-177.
- Krönke, F. 2009:
Zwei alte Bekannte wiederentdeckt: Der Banderolenkärpfling *Xenotoca eiseni* und der Schmetterlings-/Ameca-Kärpfling *Ameca splendens*. *AKFS-Aktuell* 24: 18-24.
- Krönke, F. 2009a:
Die Goodeiden, bedrohte Hochlandkärpflinge aus dem Freilandbottich. *AKFS aktuell* 24: 34-37.
- Krönke, F. 2011:
Erhaltungszucht im Aquarium? Sind Erhaltungszuchtprogramme wirklich realistisch? Was können wir mit ihnen erreichen? Was kann jeder Einzelne hier selber tun? *DATZ* 64(2):24-26.
- Krönke, F. 2013:
Strategien der Überlebenssicherung: Was sind die Rahmenbedingungen einer Arterhaltungszucht? Welche alternativen Ziele können wir erreichen?
In: Kempkes, M.; Köck, M.; Stawikowski, R.: Beiträge zur Biologie und zum Artenschutz der Hochlandkärpflinge. Die Neue Brehm-Bücherei N° 681. Westarp Wissenschaften. 368 S.
- Laha, Malabika und Hayden T. Mattingly 2006: Identifying environmental conditions to promote species coexistence: an example with the native Barrens topminnow and invasive western mosquitofish. *Biological Invasion* (2006) 8: 719-725.
- Laha, Malabika und Hayden T. Mattingly 2007: Ex situ evaluation of impacts of invasive mosquitofish on the imperiled Barres topminnow. *Environ. Biol. Fisch* (2007) 78:1-11.
- Leberg, Paul L. und Brigitte D. Firmin 2008:
Role of inbreeding depression and purging in captive breeding and restoration programmes. *Molecular Ecology* 17: 334-343.

- López-López, E. und J. E. Sedeno-Díaz 2009:
Threatened fishes of the world: *Ameioblennius* splendens. *Environmental Biology of Fishes* (84): 223-224.
- Miller, Robert R. 1943:
The Status of the *Cyprinodon macularius* and *Cyprinodon nevadensis*, two Desert Fishes of Western North America. University of Michigan Press, Ann Arbor.
- Moyle, Peter B. und Joseph L. Cech, Jr. 2004:
Fishes. An Introduction to Ichthyology. 5th Edition. Prentice Hall. Upper Saddle River, NJ 07458.
- Philippart, J.C. 1995:
Is captive breeding an effective solution for the preservation of endemic species? *Biological Conservation* 72: 281-295.
- Rogowski David L. und Craig A. Stockwell 2006:
Assessment of potential impacts of exotic species on populations of a threatened species, White Sands pupfish, *Cyprinodon tularosa*. *Biological Invasions* (2006) 8:79-87.
- Rosenfield, Jonathan A. Stacy Nolasco, Steven Lindauer et al. 2004:
The role of hybrid vigor in the replacement of Pecos pupfish by its hybrids with sheephead minnow. *Conservation Biology* 18(6): 1589-1598.
- Schleussner, Günther und Frank Krönke 2009:
Der Tequilakärpfling - ein Juwel aus dem verlorenen Schatz der Azteken. Amazonas
- Sedeno-Díaz, Jacinto Elías und Eugenia López-López 2009:
Threatened fishes of the world: *Girardinichthys viviparus*. *Environmental Biology of Fish* 84: 11-12.
- Soltz, David L. und Robert J. Naiman 1978:
The natural history of native fishes in the Death Valley system. Natural History Museum of Los Angeles County.
- Teichmann, Gunter 2009: Die Gattung *Characodon*. *Das Lebendgebärenden Magazin*. VDA-Arbeitskreis Lebendgebärende Aquarienfische 1/2009.
- Teichmann, Gunter 2010: Die Gattung *Characodon* Teil 2. *Das Lebendgebärenden Magazin*. VDA-Arbeitskreis Lebendgebärende Aquarienfische 2010.
- Wilcox, J.L. und A.P. Martin 2006:
The devil's in the details: genetic and phenotypic divergence between artificial and native populations of the endangered pupfish (*Cyprinodon diabolis*). *Animal Conservation* (2006) 9: 316-321.
- Williams, James D. und David A. Etnier 1982: Description of a New Species, *Fundulus julisia*, with a Redescription of *Fundulus albolineatus* and a Diagnosis of the Subgenus *Xenisma*. *Occ. Papers of the Museum of Natural History*. The University of Kansas. PP 1-20.
- Williams, Sara S. und Eric A. Hoffman 2009:
Minimizing genetic adaptation in captive breeding programs: A review. *Biological Conservation* 142: 2388-2400.
- Wootton, Robert J. 1998:
Ecology of Teleost Fishes. 2nd. Ed. Kluwer Academic Publishers. Dordrecht.

NEOZOEN

- Allendorf, F.W. und L.L. Lundquist 2003:
Population biology, evolution, and control of invasive species. *Conservation Biology* 17(1): 24-30.
- Arnold A. 1990:
Eingebürgerte Fischarten. Die neue Brehm-Bücherei. A. Ziemsen-Verlag. Wittenberg.
- Baber, M.J. und K.J. Babbitt 2004:
Influence of habitat complexity on predator-prey interactions between the fish (*Gambusia holbrooki*) and tadpoles of *Hyla squirellae* and *Gastrophryne carolinensis*. *Copeia* 2004(1): 173-177.
- Balážová-L'avrinčiková, M.; Kováč, V. 2007:
Epigenetic context in the life history traits of the round goby, *Neogobius melanostomus*. In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 233-258.
- BayStMELF 2000:
Ergebnisse der Artenkartierungen in den Fließgewässern Bayerns. Fische, Krebse, Muscheln. Bayerisches Staatsministerium für Ernährung, Landwirtschaft und Forsten. München. 212 Seiten.
- Bianco, P.G.; Ketmaier, V. 2001:
Anthropogenic changes in the freshwater fish fauna of Italy, with reference to the central region and *Barbus graellsii*, a newly established alien species of Iberian origin. *Journal of Biology* 59, Suppl. A: 190-208.
- Blanco, S., S. Romo, M-J Villena und S. Martínez 2003:
Fish communities and food web interactions in some shallow Mediterranean lakes. *Hydrobiologica* 506-509: 473-480.
- Bosch, J., P.A. Rincon, L. Boyere und I. Martinez-Solano 2006:
Effects of introduced salmonids on a montane population of Iberian frogs. *Conservation Biology* 20: 180-189.
- Copp, G.H., Fox, M.G.; Kováč, V. 2002:
Growth, morphology and life history traits of a cool-water European population of pumpkinseed *Lepomis gibbosus*. *Arch. Hydrobiol.* 155(4): 585-614.
- Copp, G.H.; Wesley, K.J.; Vilizzi, L. 2005:
Pathways of ornamental and aquarium fish introductions into urban ponds of Epping Forest (London, England): the human vector. *Journal of Applied Ichthyology* 21: 263-274.
- Copp, G.H.; Fox, M.G. 2007:
Growth and life history traits of introduced pumpkinseed (*Lepomis gibbosus*) in Europe, and the relevance to its potential invasiveness. In: F. Gherardi: *Biological invaders in inland waters: Profiles, distribution, and threats*. British Crown. PP. 289-306.
- Copp, G.H.; Vilizzi, L.; Gozlan, R.E. 2010:
The demography of introduction pathways, propagule pressure and occurrence of non-native freshwater fish in England. *Aquatic Conservation: Marine and Freshwater Ecosystems* 20: 595-601.
- Cucherousset, J.; Copp, G.H.; Fox, M.G. et al. 2009:

- Life-history traits and potential invasiveness of introduced pumpkinseed *Lepomis gibbosus* populations in northwestern Europe. *Biol. Invasions* 11: 2171-2180.
- DAISIE 2009:
Handbook of Alien Species in Europe: Delivering Alien Invasive Species Inventories for Europe (Invading Nature - Springer Series in Invasion Ecology).
- DAISIE 2010
<http://www.europe-aliens.org/speciesFactsheet.do?speciesId=53364#>
- Daufresne, M.; Boet, P. 2007:
Climate change impacts on structure and diversity of fish communities in rivers. *Global Change Biology* 13: 2467-2478.
- Daufresne, M.; Lengfellner, K.; Sommer, U. 2009:
Global warming benefits the small in aquatic ecosystems. *PNAS* 106(31): 12788-12793.
- Declerck, S., G. Louette, T. De Bie und L. De Meester 2002:
Patterns of diet overlap between populations of non-indigenous and native fishes in shallow ponds. *Journal of Fish Biology* 61, 1182-1197.
- Dehus, P. o.J.:
Gebietsfremde Fischarten und ihre Bedeutung für unsere Gewässer. WWW.umweltserver.saarland.de/Gebietsfremde%20Fischarten%20und%20ihre%20Bedeutung.pdf
- De la Vega-Salazar, M. Y. 2006:
Conservation status of Goodeidae family fishes from the Mexican Central Plateau. *Revista de Biología Tropical* 54(1): 163-177.
- Denoel, M., G. Dzukic und M.L. Kalezic 2005:
Effects of widespread fish introductions on paedomorphic newts in Europe. *Conservation Biology* 19(1): 162-170.
- Duggan, I.C.; Rixon, C.A.; MacIsaac, H.J. 2006:
Popularity and propagule pressure: determinants of introduction and establishment of aquarium fish. *Biological Invasions* 8: 377-382.
- Dutter, Andrew und Michael Allen 2008:
Spotted sunfish habitat selection at three Florida rivers and implications for minimum flows. *Transactions of the American Fisheries Society* 137(2): 454-466.
- Eklöv, P. und E.E. Werner 2000:
Multiple predator effects on size-dependent behaviour and mortality of two species of anuran larvae. *Oikos* 88: 250-258.
- Essl, F.; Klingenstein, F.; Nehring, S.; Otto, C.; Rabitsch, W.; Stöhr, O. 2008:
Schwarze Listen invasiver Arten – ein Instrument zur Risikobewertung für die Naturschutz-Praxis. *Natur und Landschaft* 83(9/10): 418-424.
- Freyhof, J. 2003:
Immigration and potential impacts of invasive freshwater fishes in Germany. *Berichte des IGB*: 51-58. <http://62.141.187.3/institut/deutsch/2002/Freyhof.pdf>
- Füreder, L.; Pöckl, M. 2007:
Ecological traits of aquatic NIS invading Austrian fresh waters. In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 233-258.
- García-Berthou, E 2007:

- The characteristics of invasive fishes: what has been learned so far ? *Journal of Fish Biology* 71, Suppl. D, 33-55.
- Garcia-Berthou, E. und R. Moreno-Amich 2000:
Food of introduced pumpkinseed sunfish: ontogenetic diet shift and seasonal variation. *Journal of fish biology* 57, 29-40.
- Geiter, O., S. Homma und R. Kinzelbach 2002:
Bestandsaufnahme und Bewertung von Neozoen in Deutschland.
Forschungsbericht für den Umweltforschungsplan des Bundesministeriums für Umwelt, Naturschutz und Reaktorsicherheit. Im Auftrag des Umweltbundesamtes.
- Gherardi, F. (Ed.) 2007:
Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. 733 S.
- Gherardi, F. 2007:
Understanding the impact of invasive crayfish. In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 507-542.
- Gherardi, F. 2007:
Measuring the impact of freshwater NIS: what are we missing ? In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 437-462.
- Godinho, F. N. und M. T. Ferreira 1996:
The application of size-structure indices to *Micropterus salmoides* und *Lepomis gibbosus* populations as a management tool for southern Iberian reservoirs. *Publicaciones Especiales de Instituciones Española Oceanografica* 21, 275-281.
- Goldsworthy, Cory und Phillip W. Bettoli 2005:
The Fate of Stocked Barrens Topminnows *Fundulus julisia* (Fundulidae) and Status of Wild Populations. A Final Report Submitted To Tennessee Wildlife Resources Agency Nashville, Tennessee.
<http://www2.tntech.edu/fish/PDF/Topminnow%20.pdf>
- Gollasch, S.; Nehring, S. 2006:
National checklist for aquatic alien species in Germany. *Aquatic invasions* 1(4): 245-269.
- Gollasch, S. 2007:
Marine vs. freshwater invaders: is shipping the key vector for species introductions to Europe ? In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 339-346.
- Grabowska, J.; J. Kotusz; A. Witkowski 2010:
Alien invasive fish species in Polish waters: an overview. *Folia Zoologica* 59(1): 73-85.
- Gregoire, D.R. und M.S. Gunzburger 2008:
Effects of predatory fish on survival and behaviour of larval Gopher Frogs (*Rana capito*) and Southern Leopard Frogs (*Rana sphenoccephala*). *Journal of Herpetology* 42(1): 97-103.
- Hanson, J.M. und W.C. Leggett 1985;
Experimental and field evidence for interspecific and intraspecific competition in 2 fresh-water fishes. *Canadian Journal of Fisheries and Aquatic Sciences* (42)2: 280-286.

- Hoddle, M.S. 2004:
Restoring balance: using exotic species to control invasive exotic species. *Conservation Biology* 18(1): 38-49.
- Holčík J. 1991:
Fish introductions in Europe with particular reference to its central and eastern part. *Canadian Journal of Fisheries and Aquatic Science* 48, Supplement 1, 13-23.
- Hoffman, R.L., G.L. Larson und B. Samora 2004:
Response of *Ambystoma gracile* to the removal of introduced nonnative fish from a mountain lake. *Journal of Herpetology* 38: 578-585.
- Jeschke, J.M.: Strayer D.L. 2005:
Invasion success of vertebrates in Europe and North America. *PNAS* 102(20): 7198-7202.
- Jeschke, J.M.: Strayer D.L. 2006:
Determinants of vertebrate invasion success in Europe and North America. *Global Change Biology* 12: 1608-1619.
- KARCH (Koordinationsstelle für Amphibien- und Reptilienschutz in der Schweiz) 2007:
Fische und Amphibien oder Fische vs. Amphibien. Eine Zusammenstellung neuerer Resultate aus der Forschung. <http://www.karch.ch/karch/index13.html>
- Kats, L.B. und R.P. Ferrer 2003:
Alien predators and amphibian declines: review of the two decades of science and the transition to conservation. *Diversity and Distribution* 9: 99-110.
- Kempkes M. 2008:
Faunenverfälschung: Gambusen in Südeuropa. *DATZ* 61(5).
- Kiesecker, J.M., A.R. Blaustein und C.L. Miller 2001:
Transfer of a pathogen from fish to amphibians. *Conservation Biology* 15: 1064-1070.
- Košuthová, L., J. Koščo, V. Letková, P. Košuth und P. Manko 2009:
New records of endoparasitic helminths in alien invasive fishes from Carpathian region. *Biologia* 64(4): 776-780.
- Kottelat, Maurice und Jörg Freyhof 2007:
Handbook of European Freshwater Fishes. Selbstverlag.
- Kowarik, Ingo 2010:
Biologische Invasionen. Neophyten und Neozoen in Mitteleuropa. 2. Aufl. Eugen Ulmer KG. Stuttgart.
- Krönke F. 2008:
Ein ambivalenter Immigrant im Aquarium: *Neogobius melanostomus*, die Schwarzmaulgrundel. *AKFS-Aktuell* 21: 9-13.
- Krönke F. 2009:
Neogobius melanostomus: Verhalten und Fortpflanzung der Schwarzmaulgrundel. *DATZ* 62: 38-41.
- Krönke F. 2015:
Neozoe Fische & Co. - Verbreitung, Gefahren, Verantwortung. *Aquaristik Fachmagazin* (im Druck, März 2015).
- Laha, Malabika und Hayden T. Mattingly 2006:
Identifying environmental conditions to promote species coexistence: an example with the native Barrens topminnow and invasive western mosquitofish. *Biological Invasion* (2006) 8: 719-725.

- Laha, Malabika und Hayden T. Mattingly 2007:
Ex situ evaluation of impacts of invasive mosquitofish on the imperiled Barres topminnow. *Environ. Biol. Fisch* (2007) 78:1-11.
- Lang, Ch. 2005:
Aliens im Aal: Gefahr durch globalisierte Schmarotzer: Im Rhein-Aal tummeln sich Parasiten aus fernen Ländern. *FOCUS* N° 29
- Laughlin, D.R. und E.E. Werner 1980:
Ressource partitioning in 2 coexisting sunfish, pumpkinseed *Lepomis gibbosus* and northern longear sunfish. *Canadian Journal of Fisheries and Aquatic Science* 37 (9): 1411-1420.
- Lee, D. S., C. Gilbert, C. Hocutt, R. Jenkins, D. McAllister, J. Stuafter 1981:
Atlas of North American Freshwater Fishes. North Carolina State Museum of Natural History.
- Lorenzoni, M.; Corboli, M.; Ghetti, L.; Pedicillio, G.; Carosi, A. 2007:
Growth and reproduction of the goldfish *Carassius auratus*: a case study from Italy. In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 259-274.
- Maclsaac, H.J.; Herborg, L.M.; Muirhead, J.R. 2007:
Modeling biological invasion of inland waters. In: Gherardi, F. (Ed.): *Biological invaders in inland waters: profiles, distribution, and threats*. Springer, Dordrecht, Niederlande. S. 347-368.
- Mack, R.N., D. Simberloff, W.M. Lonsdale, H. Evans, M. Clout und F.A. Bazzaz 2000:
Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological Applications* 10(3): 689-710.
- Mao, J.D., D.E. Green, G. Fellers, V.G. Chinchar 1999:
Molecular characterisation of iridoviruses isolated from sympatric amphibians and fish. *Virus research* 63: 45-52.
- Meyer, A.H., B.R. Schmidt und K. Grossenbacher 1998:
Analysis of three amphibian populations with quarter-century long time-series. *Proceedings of the Royal Society of London. Series B-Biological Science* 265: 523-528.
- Musil, J.; P. Jurajda; Z. Adamek; P. Horky; O. Slavik 2010:
Non-native fish introductions in the Czech Republic – species inventory, facts and future perspectives. *Journal of Applied Ichthyology* 26: 38-45.
- Nehring, S. 2008:
Gebietsfremde Arten in unseren Gewässern: Die Handlungsmaxime heißt Prävention. *Natur und Landschaft*, 83(9/10): 434-437.
- Nelson, Joseph S. 2006:
Fishes of the world. 4th Ed. Wiley & Sons, Inc. Hoboken, New Jersey.
- Olden, J.D., N.L. Poff und K. Bestgen 2006:
Life-history strategies predict fish invasions and extirpations in the Colorado River basin. *Ecological Monographs* 76(1): 25-40,
- Orizaola, G. und F. Brana 2006:
Effect of salmonid introduction and other environmental characteristics on amphibian distribution and abundance in mountain lakes of northern Spain. *Conservation* 9: 171-178.
- Osenberg C.W. und G.G. Mittelbach 1989:

- Effects of body size on the predator-prey interaction between pumpkinseed sunfish and gastropods. *Ecological Monographs* 59(4): 405-432.
- Osenberg C.W., G.G. Mittelbach und P.C. Wainwright 1992:
Two-stage life histories in fish: the interaction between juvenile competition and adult performance. *Ecology* 73, 255-267.
- Pearl, C.A., M.J. Adams, N. Leuthold, R.B. Bury 2005:
Amphibian occurrence and aquatic invaders in a changing landscape: Implications for wetland mitigation in the Willamette Valley, Oregon, USA. *Wetlands* 25: 76-88.
- Persson, L. und L.A. Greenberg 1990:
Juvenile competitive bottlenecks the Perch *Perca fluviatilis* and Roach *Rutilus rutilus* interaction. *Ecology* 71(1): 44-56.
- Petranka, J.W., L.B. Kats und A. Sih 1987:
Predator-prey interactions among fish and larval amphibians: use of chemical cues to detect predatory fish. *Anim. Behav.* 35: 420-425.
- Ricciardi, A. und S.K. Atkinson 2004:
Distinctiveness magnifies the impact of biological invaders in aquatic ecosystems. *Ecology Letters* 7, 781-784.
- Savini, D.; Occhipinti-Ambrogi, A.; Marchini, A. et al. 2010:
The top 27 animal alien species introduced into Europe for aquaculture and related activities. *Journal of Applied Ichthyology* 26(Suppl. 2): 1-7.
- Šimková, A.; Lafond, T.; Ondračková, M.; Jurajda, P.; Ottová, E.; Morand, S. 2008:
Parasitism, life history traits and immune defence in cyprinid fish from Central Europe. *BMC Evolutionary Biology* 8:29, S. 1-11.
- Smith, G.R., J.E. Rettig, G.G. Mittelbach, J.L. Valiulis und S.R. Schaack 1999:
The effects of fish on assemblages of amphibians in ponds: a field experiment. *Freshwater Biology* 41: 829-837.
- Smith, G.R., A.A. Burgett, K.G. Temple, K.A. Sparks und K. E. Winter 2008:
The ability of three species of tadpoles to differentiate among potential fish predators. *Ethology* 114: 701-710.
- Strayer, D.L.; Eviner, V.T.; Jeschke, J.M.; Pace, M.L. 2006:
Understanding the long-term effects of species invasions. *Trends in Ecology and Evolution* 21(11): 645-651.
- Strecker, A.L.; Campbell, P.M.; Olden, J.D. 2011:
The aquarium trade as an invasion pathway in the Pacific Northwest. *Fisheries* 36(2): 74-85.
- Taxacher, M. 2012:
Schwarzmeergrundeln – Beobachtungen im Freiland und im Aquarium. *vda-aktuell* 18(3): 20-24.
- Teplitsky, C., S. Plénet und P. Joly 2003:
Tadpoles' responses to risk of fish introduction. *Oecologia* 134: 270-277.
- Thielen, F., U. Weibel, J. Hirt, M. Münderle, M. Marten, H. Taraschewski, B. Sures 2008:
Ichthyofauna in the upper Rhine River close to the city of Karlsruhe as determined by the analysis of fish impingement by cooling-water intakes of a power plant. *Limnologica* 38: 76-85.
- Tittizer, Z. 2001:
Neozoen in mitteleuropäischen Gewässern. *Rundgespräche der Kommission für Ökologie*, Bd. 22: Gebietsfremde Arten, die Ökologie und der Naturschutz, 59-74.

- Tomeček, Jozef, Vladimír Kováč, and Stanislav Katina 2007:
The biological flexibility of the pumpkinseed: a successful colonizer throughout Europe. In: Gherardi, Francesca. Biological invaders in inland waters: Profiles, distribution, and threats. 307-338. Springer. Berlin.
- Turner, A.M. und S.L. Montgomery 2003:
Spatial and temporal scales of predator avoidance: experiments with fish and snails. *Ecology* 84, 616-626.
- Verreycken, H.; Anseeuw, D.; Van Thuyne, G.; Quataert, P.; Belpaire, C. 2007:
The non-indigenous fishes of Flanders (Belgium): review, status and trends over the last decade. *Journal of Fish Biology* 71 (Suppl. D): 160-172.
- Villeneuve, F., G.H. Copp, M.G. Fox und S. Stakenas 2005:
Interpopulation variation in growth and life-history traits of the introduced sunfish, pumpkinseed *Lepomis gibbosus*, in southern England. *J. Appl. Ichthyol.* 21, 275-281.
- Vredenburg, V.T. 2004:
Reversing introduced species effects: Experimental removal of introduced fish leads to rapid recovery of a declining frog. *Proceedings of the National Academy of Science of the USA* 101: 7646-7650.
- Walker, B. und W. Steffen 1997:
An Overview of the Implications of Global Change for Natural and Managed Terrestrial Ecosystems. <http://www.ecologyandsociety.org/vol1/iss2/art2/>
- Werner, E.E. und D.J. Hall 1975:
Niche shifts in sunfishes: experimental evidence and significance. *Science*, 191: 404-406.
- Wiesner, C.; Wolter, C.; Rabitsch, W.; Nehring, S. 2010:
Gebietsfremde Fische in Deutschland und Österreich und mögliche Auswirkungen des Klimawandels. BfN-Skripten 279, Bundesamt für Naturschutz. 196 S.
- Wilson, R.S., P.G. Kraft und R. Van Damme 2005:
Predator-specific changes in the morphology and swimming performance of larval *Rana lessonae*. *Functional Ecology* 19: 238-244.
- Winemiller, K.O. und K.A. Rose 1992:
Patterns of life history diversification in North American fishes: implications for population regulation. *Canadian Journal of Fisheries and Aquatic Science* 49: 2196-2218.
- Wolfram-Wais A., G. Wolfram, B. Auer, E. Mikšić, A. Hain 1999:
Feeding habitats of two introduced fish species *Lepomis gibbosus*, *Pseudorasbora parva* in Neusiedler See (Austria), with special reference to chironomid larvae (Diptera: Chironomidae). *Hydrobiologica* 408/409, 123-129.
- Wolter, Ch. 2008:
Fisch-Neozoa in der Elbe. Leibnitz-Institut für Gewässerökologie und Binnenfischerei, Berlin. http://www.arge-elbe.de/wge/Download/Texte/08Fremdfische_deu.pdf
- Wolter, C.; Röhr, F. 2010:
Distribution history of non-native freshwater fish species in Germany: how invasive are they? *Journal of Applied Ichthyology* 26(Suppl. 2): 19-27.
- Zapata, S. und C. Granado-Lorencio 1993:
Age, growth and feeding of the exotic species *Lepomis gibbosus* in a Spanish

cooling reservoir. Archiv für Hydrobiologie Supplementband 90(4): 561-573.

Weitere Literatur siehe unter: Asien/ Pseudorasbora parva.

<http://www.issg.org/about.htm>

<http://www.issg.org/database/species/search.asp?st=100ss>

FLUSSKREBSE ALS NEOZOEN

Barbaresi, S.; Gherardi, F.; Mengoni, A.; Souty-Grosset, C. 2007:

Genetics and invasion biology in fresh waters: a pilot study of *Procambarus clarkii* in Europe. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 381-400.

Crehuet, M.; Alcorlo, P.; Bravo-Utrera, M.A. et al. 2007:

Assessing the trophic ecology of crayfish: a case study of the invasive *Procambarus clarkii*. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 559-576.

Fischereiforschungsstelle Baden-Württemberg 2011:

Flusskrebse in Baden-Württemberg. Biologie, Verbreitung, Gefährdung, Schutz. Ministerium für Ländlichen Raum und Verbraucherschutz, Aulendorf.

Foster, J.; Harper, D. 2007:

Status and ecosystem interactions of the invasive Louisianan red swamp crayfish *Procambarus clarkii* in East Afrika. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 91-102.

Gherardi, F. 2007:

Understanding the impact of invasive crayfish. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 507-542.

Gherardi, F. (Ed.) 2007:

Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. 733 S.

Gherardi, F.; Mavuti, K.M.; Pacini, N.; Trivarico, E.; Harper, D.M. 2011:

The smell of danger: chemical recognition of fish predators by the invasive crayfish *Procambarus clarkii*. *Freshwater Biology* 56: 1567-1578.

Holdich, D.M.; Pöckl, M. 2007:

Invasive crustaceans in European inland waters. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 29-75.

Ilhéu, M.; Bernardo, J.M.; Fernandes, S. 2007:

Predation of invasive crayfish on aquatic vertebrates: the effect of *Procambarus clarkii* on fish assemblages in Mediterranean temporary streams. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 543-558.

Lukhaup, C.; Pekny, R. 2005:

Krebse im Aquarium. Haltung und Pflege im Süßwasser. Dähne Verlag, Ettlingen.
Lynas, J.; Storey, A.; Knott, B. 2007:
Introduction and spread of crayfish (Parastacidae) in Western Australia and their potential to displace indigenous species. In: Gherardi, F. (Ed.): Biological invaders in inland waters: profiles, distribution, and threats. Springer, Dordrecht, Niederlande. S. 577-696.
<http://www.europe-aliens.org/speciesTheWorst.do>